This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

A 770,370

1903.—No. 8.

DEPARTMENT OF THE INTERIOR.

BUREAU OF GOVERNMENT LABORATORIES.

A DICTIONARY OF THE PLANT NAMES

OF THE

PHILIPPINE ISLANDS.

By ELMER D. MERRILL, BOTANIST.

MANILA:
BUREAU OF PUBLIC PRINTING.
1903.

8956


1837
ARTES
VERITAS
SCIENTIA
LIBRARY OF THE
UNIVERSITY OF MICHIGAN
E PLURIBUS UNUM
SI QUAERIS PENINSULAM AMOENAM
CIRCUMSPICE

GK
13
.N57

1903.—No. 8.

DEPARTMENT OF THE INTERIOR.

BUREAU OF GOVERNMENT LABORATORIES.

A DICTIONARY OF THE PLANT NAMES

OF THE

PHILIPPINE ISLANDS.

By ELMER D. MERRILL, BOTANIST.

MANILA:
BUREAU OF PUBLIC PRINTING.
1903.

8956

LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,
BUREAU OF GOVERNMENT LABORATORIES,
OFFICE OF THE SUPERINTENDENT OF LABORATORIES,
Manila, P. I., September 22, 1903.

SIR: I have the honor to submit herewith manuscript of a paper entitled "A dictionary of the plant names of the Philippine Islands," by Elmer D. Merrill, Botanist.

I am, very respectfully,

PAUL C. FREER,
Superintendent of Government Laboratories.

Hon. JAMES F. SMITH,
Acting Secretary of the Interior, Manila, P. I.

189049

A DICTIONARY OF THE NATIVE PLANT NAMES OF THE PHILIPPINE ISLANDS.

By Elmer D. Merrill, *Botanist.*

INTRODUCTION.

The preparation of the present work was undertaken at the request of Capt. G. P. Ahern, Chief of the Forestry Bureau, the object being to facilitate the work of the various employees of that Bureau in identifying the tree species of economic importance found in the Archipelago.

For the interests of the Forestry Bureau the names of the various tree species only are of importance, but in compiling this list all plant names avaliable have been included in order to make the present work more generally useful to those Americans resident in the Archipelago who are interested in the vegetation about them.

In the preparation of this paper the double arrangement alphabetically, both under the native and scientific names, has been deemed essential, the latter arrangement especially, because it is often very important to have all the synonyms of the native names together in one place, and, moreover, the notes regarding the species are best given under the scientific name in order to prevent repetition of the same information under each of the native names given for the same species. The family of each genus and short notes regarding species of economic importance have been given in order to aid in the identification of the species.

The native names used to designate species of economic importance, those which produce edible fruits, medicinal plants, trees valuable for timber, etc., are almost invariably applied to the same species, although in critical genera some variation and confusion of names are found, which is to be expected. The names applied to plants of little or no economic importance are frequently very unreliable, and accordingly, in using this dictionary, whenever

possible the plant should be compared with at least the generic description before accepting the scientific name to which the native name refers.

Most of the names in the present work not compiled from data on the specimens now in the herbarium have been taken from the following works: Blanco, "Flora de Filipinas," first edition, 1837, and second edition, 1845; Fernandez-Villar and Naves, "Novissima Appendix ad Floram Philippinarum," 1880–1883; Vigil, "Diccionario de los nombres vulgares que se dan en filipinas á muchas plantas usuales y notables," 1879; Vidal, S., "Sinopsis de familias y generos de plantas leñosas de filipinas," 1883; "Reseña de la flora del archipielago filipino," 1883; "Revisión de plantas vasculares de filipinas," 1886; Ceron, "Catálogo de las plantas del herbario," 1892; Puigdulles, "Apuntes para el mejor conocimiento, clasificación, y valuación de las principales especiales arboreo-forestales de filipinas," 1895; Tavera, "Plantas medicinales de filipinas," 1892; Espejo, "Cartilla de agricultura filipina," 1892; "Catálogo de la exposición general de las islas filipinas," Madrid, 1887; "Guía oficial de las islas filipinas," 1898.

In many instances much difficulty was experienced in properly referring many of the native names recorded in some of these works to the accepted scientific names of to-day, due to the present chaotic state of Philippine botany. The greatest difficulty was met with in attempting to properly refer the many names given by Blanco, for, in spite of all the work done on the Philippine flora since the publication of Blanco's "Flora de Filipinas," his species are to-day very imperfectly known. In most cases in referring the native names given by Blanco to their scientific names I have followed F.-Villar in his generic identifications, as given in the Novissima Appendix, but, except in the case of widely distributed and well-known species, his specific identifications have been discarded. In identifying Blanco's species F.-Villar made few errors in his generic identifications, but his specific identifications of a large per cent of the species can not be accepted.

The present paper enumerates about 5,000 plant names used by natives of the Philippines, and has been compiled chiefly from the publications of the various Spanish botanists who have worked on the flora of the Archipelago. So far as possible these names have been compared with the names on specimens in the herbarium of this Bureau for verification. It seems that in the past there was

never any serious attempt made to carefully compile the various native plant names, and therefore the present list, though drawn from many sources, is comparatively incomplete. By far the greater number of names in the present enumeration are those of the Tagalog language, while of many of the dialects spoken in the Archipelago not a single plant name has ever been recorded.

It is probable that the people of the mountain tribes, the Negritos, the Igorrotes, the Mangyanes, etc., employ even a greater variety of names in specifying the various species of plants than do the more civilized tribes of the lands at lower elevations, but little or no attention has ever been given to the names used by these peoples. The limitations of the present enumeration can best be realized from the fact that most of the names here recorded are from perhaps 12 or 15 of the 70 or 80 dialects spoken by the various peoples of the Archipelago. With the great variation of the names in the same dialect, and the great number of dialects spoken in the Archipelago, the task of compiling a complete or nearly complete dictionary of the native plant names of the Archipelago is an unending one, and one that could be completed only with great difficulty even if the subject were of sufficient importance to warrant it.

Previously but two attempts have been made to compile any extensive lists of the plant names used by the natives of the Archipelago. The first was Vigil's "Diccionario," a pamphlet of 50 pages published in the year 1879, which enumerates about 2,400 names, the identifications being largely based on Blanco's "Flora de Filipinas." The second list is that given by Vidal in Appendix II to his "Sinopsis," where he enumerates about 1,800 names of tree species, giving the generic identifications only. Blanco, in his index to the native names given in his "Flora," gives but a small per cent of the total number enumerated in his text, while F.-Villar gives no index to the native names in his "Novissima Appendix."

The words "puti" or "maputi" (white) and "pula" or "mapula" (red) are frequently used in combination with other words to designate certain species, as are also the words "lalaqui" (man), "babaye" (woman), "dagat" (ocean), "itim" (black), "usá" (deer), "áso" (dog), "bundoc" or "gubat" (forest), and other words. The prefix "mala" is used in the sense that we use the word "false"—"malaacle" is "false acle," "malabanaba" is "false

banaba," etc. Frequently combinations of native and Spanish words are used to designate certain species, such as "matang diablo" (*Evodia*), "the devil's eye"; "malacafé" (*Glochidion*, *Randia*), "false coffee." Sometimes some of the words introduced by the Spaniards have persisted without change, such as tabaco, maiz, cacao, piña, and others, while on the other hand some have become greatly corrupted—for example, see the word "camanchiles" under *Pithecolobium dulce* (p. 176), or "achúete," under *Bixa orellana* (p. 129).

Some of the introduced species are known only by their Spanish names, while for other species native names have been adapted. Of the names of Spanish origin we find two classes—those of pure Spanish origin and those of American origin adopted by the Spaniards and transmitted by them with the plants to the Philippines. Of the former we have such names as coronitas (*Lantana camara*); manzanitas (*Zizyphus jujuba*); madre cacao (*Gliricidia maculata*); dama de noche (*Cestrum nocturnum*); hoya cruz (*Crescentia alata*); caballero, or rosas de caballero (*Caesalpinia pulcherrima*). Of the second class we have such names as chicos (*Achras sapota*); mamey or chico mamey (*Lucuma mammosa*); tabaco (*Nicotiana tabaco*); acheute (*Bixa orellana*); maiz (*Zea mays*); cacuate (*Arachis hypogaea*); maguey (*Agave americana*); casuy (*Anacardium occidentale*); guayabas (*Psidium guayaba*). Among the species that have been introduced into the Archipelago since the Spanish occupation and to which the natives have adapted names may be mentioned durang parang (*Dalea nigra*); macahiya, or damohia, literally, "ashamed," suggested no doubt by the sensitive leaves of the plant (*Mimosa pudica*); diluario (*Argemone mexicana*), etc.

Many of the native plant names are also the names of towns such as Iba (*Phyllanthus distichus*), Quiapo (*Pistia stratiotes*), Paco (*Asplenium esculentum*), Sampaloc or Salomague (*Tamarindus indica*), Calumpit (*Terminalia edulis*), Iloilo (*Aglaia argentea*), and others.

During the past two hundred years there has been considerable change in many of the native plant names, as is proved by an examination of the earlier publications on Philippine botany, such as the works of Camell, Mercado, and Delgado. In all these works, but especially in the first, are found a very large number of names which are unknown to us to-day, and many of the ones of

well-known species are spelled quite differently from their accepted form to-day. One example from Camell's work, published in the year 1704, is sufficient to illustrate this point: Camell's "Conyza Helenitis odoris salviae" is undoubtedly the plant known to-day as *Blumea balsamifera* DC., and Camell gives the following native names for his species, which should be compared with those given under *Blumea balsamifera* on page 129: *Sambon, Lacarbulan, Lagdanbulan, Anacadbulan, Olacdanbulan, Guitingguitan, Gabuen, Lalacdan, Ayolan, Alibon, Hantilibun.*

None of the names of these earlier authors, not found in later publications, are included in the present publication, for the reason that we can not accurately identify many of the species.

So far as the dialects of the various names were determinable they have been specified by the following abbreviations: B., Bicol; Cag., Cagayan; Ig., Igorrote; Il., Ilocano; Mang., Mangyane; Pamp., Pampangan; Pang., Pangasinan; Sp., Spanish; Sp.-Fil., Spanish-Filipino; T., Tagalog; V., Visayan; Z., Zambales. Frequently, where the dialect of the name is not specified, the name of the island or province where the name is used has been given in parentheses. It has been impossible to identify the dialects of a large number of the names for the reason that many of the Spanish investigators did not consider such data of sufficient value to warrant recording the same. With the exception of the data compiled from the herbarium of this Bureau, the authority for the dialects of the various names is that of the several Spanish investigators, and certain allowance must be made for errors.

Most of the Spanish authors gave little or no attention to accentuation, and frequently where accent marks were given they were erroneously placed. In the present paper an attempt has been made to properly accent the various words, and with this end in view all the names have been carefully checked over with various native employees of the office familiar with many of the dialects.

As the names have been compiled from different works of Spanish authors, it is to be presumed that the latter recorded the native names by the phonetic system of spelling, giving the different letters the same values as in the Spanish language. A cursory examination of the following work will show at once that there is a great variation in the spelling of the same word, *e* and *i*, *o* and *u*, and frequently *i* and *y* have the same values and are interchangeable. With the exception of ñg, which is pronounced like *ng* in sing, bring,

etc., the letters in the various words have the same values as in the Spanish language.

The only Philippine author who has used any other method of spelling the native names is Tavera in his "Plantas Medicinales." In this work the consonants are pronounced as follows: *g* always as in get; *h* a gutturalized aspirate; *k* as in English; *w* always as the initial *w* in English, as win, won; *g̃* as *ng* in sing, hung, etc. While this method of spelling the native names has much to commend it, it has not been adopted in the present work, for the reason that no attempt has been made by the Americans so far to change the spelling of the words of the native dialects, and accordingly it was deemed advisable to retain the plant names under the spelling recorded.

PART I.

A.

AÁGAO, T. Premna vestita Schauer.
ABACÁ, T., V. Musa textilis Neé.
ABÁLONG, V. Colocasia antiquorum Schott.
ABÁNG-ABÁNG, T., V. Oroxylum indicum L.
ABÁNG-ABÁNG, T. Leea rubra Blume.
ÁBAR, T. Santiria?.
ABEGÁSTE, V. Morinda bracteata Roxb.
ABIÁB, V. Cyclea peltata H. f. & Th.
ABIÁN, Pang. Livinstonia rotundifolia Mart.
ABILÁO, T. Garuga floribunda Decne.
ABÍLO, T. Garuga floribunda Decne.
ABÍBLING, B. Artocarpus.
ABÓBO, B. Planchonia.
ÁBOD, V. Eurycles amboinensis Herb.
ABÓNG-ABÓNG, V. Oroxylum indicum L.
ABSÍC, T. Eleocharis.
ÁBUD, V. Eurycles amboinensis Herb.
ÁBUR, V. Eurycles sylvestris Salisb.
ABÚTAB. Lophopetalum toxicum Loher.
ABÚTRA, Sp.-Fil. Anamirta cocculus W. & A.
ACÁNA. Sideroxylon.
ACAPÚLCO, Sp.-Fil. Cassia alata L.
ACDÁN, T. Cryptocarya densiflora Blume.
ACHÍOTE, Sp.-Fil. Bixa orellana Linn.
ACHÚETE, Sp.-Fil. Bixa orellana L.
ACHÚTE, Sp.-Fil. Bixa orellana L.
ACLÉ, T. Pithecolobium acle Vidal.
ACLÉNG-PÁRANG, Pamp. Albizzia.
ACTOLÍGAN. Clerodendron macrostegium Schauer.
ADAÁN, T., Il. Albizzia procera Benth.
ADADÍNCO (Benguet). Sageretia.
ADAMBAGUÉN, Il. Adenanthera.
ADGÁO, V. Premna vestita Schauer.
ADIÁVAN, T. Cocos nucifera L.
ADÍO (Tayabas). Premna.
ADLÁY, V. Coix lachryma-jobi Linn.
ADÚAS, T. Canarium.

ADYÁNGAO, T. Albizzia procera Benth.
AETAN, T. Aristolochia tagala Cham.
AFAPÚYAN (Cagayan). Musa paradisiaca L.
AFÚYAN (Cagayan). Musa paradisiaca L.
AGA (N. Ecija). Ficus.
AGAC-ÁC, V. Amoora rohituka W. et A.
AGALÁÑGA, V. Chisocheton sp.
AGÁNA. Pterocarpus indicus Willd.
ÁGAO. Ipomoea quamoclit L.
AGAPÁÑGA, Il. Aglaia? sp.
AGÁRO, Z. Lagerstroemia speciosa Pers.
AGAS-ÁS. Scolopia roxburghii Clos.
ÁGAY, T. Phyllanthus.
AGÁY-ON (Cebu). Abrus precatorius L.
ÁGBO, Cag. Saccharum officinarum L.
AGBOLÍGAN, Il. Clerodendron macrostegium Schauer.
AGBÓY, V. Mussaenda grandiflora Rolfe.
AGDÁ, Ig. Coix lachryma-jobi Linn.
AGDÁO, T. Premna.
ÁGIN, T. Dysoxylum blancoi Vidal.
ÁGHO, V. Leucaena glauca Benth.
AGIYÁÑGYIÁNG, V. Abrus precatorius L.
AGNÁYA, T. Lumnitzera purpurea Presl.
AGNÁYA. Polypodium.
AGNIYÁÑG-YIÁNG, V. Abrus precatorius L.
AGNOCÁSTO, Sp.-Fil. Vitex negundo L.—Vitex obovata Thunb.
AGÓGO, T. Dalea nigra Mart. and Gal.
AGÓHO, T., V., Pamp. Casuarina equisetifolia Forst.
AGÓHO, T., V. Ipomoea quamoclit L.
AGÓIOI. Homonoia riparia Lour.
AGÓNOY, V. Spilanthes acmella L.
AGÓO, T., Il. Casuarina equisetifolia Forst.
AGOPÁNGA (Marinduque). Chisocheton.
ÁGOR, T. Fimbristylis miliacea Vahl.
AGÓSO, T. Casuarina equisetifolia Forst.
AGÓSOC, T. Ficus hispida Blanco.
AGÓS-OS, T. Ficus hispida Blanco.
AGÓTAI, V. Heliconia.
AGÓY-OY, T. Homonoia riparia Lour.
ÁGPOY, Pamp. Bauhinea.
AGUÁSON, V. Strychnos ignatii Berg.
AGUBÁHAN, V. Crinum asiaticum Linn.
AGUBÁRAO, V. Vitex obovata Thunb.
AGÚCUC, T. Homonoia riparia Lour.
AGÚHO, T. Casuarina equisetifolia Forst.
AGÚHO, V. Oldenlandia diffusa Roxb.
AGUIBÁGAN (Cagayan). Hypoestes.
AGUÍÑGÁI, T. Pennisetum nigricans Miq.

ÁGUIO, T. Dysoxylum blancoi Vidal.
ÁGUIU, Pamp. Dysoxylum blancoi Vidal.
ÁGUIS, V. Eugenia.
AGUPÁÑGA (Mindoro). Chisocheton.
AGÚPIT. Ficus quercifolia Roxb.
AGÚSIP, V. Melastoma imbricatum Wall.
AGÚSO, Z. Casuarina equisetifolia Forst.
AGÚS-US (Tayabas). Dysoxylum.
AGÚTAI, V. Heliconia.
AGÚTAY, V. Musa.
AGÚT-UT, V. Cordia subcordata Lam.
AGUYÁÑGYAN, V. Abrus precatorius L.
AHIHÍRO, V. Bauhinea tomentosa L.
ÁHLING, T. Mallotus moluccanus Muell. Arg.
AÍMIT, V. Ficus glomerata Roxb.
ÁJOS-ÁJOS ÑGA MAPOTÍ, V. Hymenocallis.
ÁJOS-ÁJOS ÑGA MAPOTÍ, V. Panceratum zeylanicum Linn.
ÁJOS-ÁJOS ÑGA MAPOTÍ, V. Habranthus.
ALACÁAC, T. Palaquium latifolium Blanco.
ALÁCAO, Pamp. Palaquium latifolium Blanco.
ALÁCAP, T. Palaquium latifolium Blanco. P. oleifera Blanco.
ALAGÁ, T. Premna.
ÁLAG-ÁLAG SONSON, T. Artabotrys odoratissimus R. Br.
ALAGÁO, T. Premna vestita Schauer.
ALÁGAO DÁGAT, T. Premna.
ALÁGAS, V. Semecarpus perrotettii March.
ALAGÁTLI, T. Canarium cumingii Eng.
ALOGBAGÚNIT, T. Premna.
ALÁÑGASI, V. Leucosyke capitellata Wedd.
ALAGÚNG-UNG, V. Capparis micrantha DC.
ALÁHAN, T. Diospyros sp.
ALAL, Ig. Pinus insularis Endl.
ALALÁÑGAT. Adenanthera pavonina Linn?
ÁLAM, T. Dactyloctenium aegyptium Pers.
ÁLAM (Mindoro). Toona.
ALÁMAG. Parinarium.
ALÁMAG, T. Aporosa.
ALÁMANG. Villebrunnea frutescens Blume.
ALAMBÍHOR, V. Bauhinia tomentosa L.
ALÁÑGASI, V. Leucosyke capitellata Wedd.
ALAÑGHÍDAN IT BÁNUG, V. Canthium mite Bartl.
ÁLANG-ÍLANG, T. Cananga odorata Hook. f. et Th.
ÁLANG-ÍLANG SÓNSON, T. Artabotrys odoratissimus R. Br.
ALAÑGÍÑGI, V. Vitis carnosa Wall.
ALAÑGÍSI, V. Pipturus asper Wedd.
ALAÑGÍTÑGIT, T., V. Ehretia buxifolia Roxb.
ÁLANG-LÁÑGAL. Adenanthera.
ALÁÑGUIT. Ehretia buxifolia Roxb.

ALANÍGNI (Zamboanga). Myristica.
ALANÓTI. Wrightia ovata A. DC.
ALÁNTAG, T. Diospyros.
ALÁRO, V. Maranta arundinacea L.
ALÁSAS, Pamp. Ficus aspera Blanco.
ALÁSAS, T. Freycinetia.
ALÁSAS, T. Pandanus exaltatus Blanco.
ALÁSIS. Streblus asper Lour.
ALATÁNAY (Cagayan). Musa.
ALÁUI, T. Vernonia.
ALAUÍHAO. Dracontomelon cumingianum Baill.
ALÁYAN, T. Quercus llanosii A. DC.
ALÁYAN (Angat). Unona odorata? DC.
ALBAHÁCA. Ocimum sanctum Linn.
ALBAHÁCA MORÁDO, T. Coleus acuminatus Benth.
ALBÚTRA, Sp.-Fil. Anamirta cocculus W. and A.
ALCÁNFOR, Sp.-Fil. Cinnamonum camphoratum Blume.
ÁLEM, Il. Mallotus ricinoides Muell. Arg.
ALGÓA, T. Premna vestita Schauer.
ÁLI, Ig. Excoecaria agallocha Linn.
ALIÁMA. Morinda bracteata Roxb.
ALIBÁCTA, B. Clerodendron.
ALIBÁNBAN, P., T. Bauhinia blancoi Baker.
ALIBÁNBAN, T. Bauhinia purpurea L.
ALIBÁNBAN, T., V., Pamp. Bauhinia tomentosa L.
ALIBÍHIL. Bauhinia binnata Blanco.
ALIBÁNGBANG, T., V., Pamp. Bauhinia malabarica Roxb., and other species.
ALIBAÑGDÁN, Ig. Alsophila glauca Blume.
ALÍBHON, V. Blumea balsamifera DC.
ALIBÍHIL, V. Bauhinia tomentosa L.
ALIBÚBUT, V. Tabernaemontana pandacaqui Poir.
ALÍBUN, V. Blumea balsamifera DC.
ALICBÁÑGON, T. Commelina benghalensis L.
ALICBÁÑGON, T. Cyanotis cristata R. and S.
ALIHÍZO. Bauhinia binnata Blanco.
ÁLIM, T. Mallotus ricinoides Muell. Arg.
ÁLIM, T. Mallotus moluccanus Muell. Arg.
ALIMÍQUEN, Il. Musa paradisiaca L.
ALÍNAO, Il.? Calamus rhomboideus Blume.
ALÍNAO, T. Callicarpa.
ALÍNAO, B. Columbia serratifolia DC.
ÁLING, B. Mallotus moluccanus Muell. Arg.
ALÍÑGAD, Pang. Shorea.
ALIÑGARO, T. Elaeagnus latifolia L.
ÁLING HOTÚNGAS. Callicarpa.
ALINTÁTAO, T. Diospyros pilosanthera Blanco.
ALINTUTÚNAS. Astronia rolfei Vidal.
ALIPÁCHAO, Il. Garcinia.

ALÍPAI, T. Nephelium longana Camb.
ALÍPAI, T. Nephelium glabrum Noronh.
ALIPÁRO, T. Sumbavia rottleroides Baill.
ALIPASÍAO, B. Villebrunea.
ALIPÁTA, V. Excoecaria agallocha L.
ALIPÁTA, T. Dodonaea viscosa Linn.
ALIPÁYO, V. Homalomena.
ALÍPAY. Nephelium glabrum Noronh.
ALIPÁYONG, V. Homalomena.
ALIPÓONG, V. Pavetta angustifolia R. and S.
ALIPÓONG, V. Ixora lanceolaria Coleb.
ALÍPUNG, T. Gmelina.
ALITÁPTAP, B. Planchonia.
ALMÉNDRO, Sp.-Fil. Terminalia catappa L.
ALMÉZ. Celtis philippinensis Blanco.
ALOBÁHAI, T. Pithecolobium lobatum Benth.
ALÓCAN, Il. Allaeanthus luzonicus Benth et Hook.
ALOCÁSOC, V. Clerodendron intermedium Cham.
ALÓDIG, Il., T. Streblus asper Lour.
ALÓPAG. Euphorbia litchi DC.
ÁLPAY, T. Nephelium glabrum Noronh.
ALPOSÓTES, Sp.-Fil. Chenopodium ambrosioides L.
ALUBÍHOD, V. Spondias mangifera Wall.
ALUBÍHON, T. Spondius mangifera Willd.
ALUGBÁTI, V. Basella rubra L.
ALULÚAN, Cag. Pistia stratiotes Linn.
ÁLUM, V. Mallotus ricinoides Muell. Arg.
ÁLUNG-CÁGAY, V. Decaspermum paniculatum Kurz.
ÁLUNG-CÁGAY, V. Nelitris.
ALÚPAG, T. Nephelium longana Camb.
ALÚPAG, T. Nephelium glabrum Noronh.
ALÚPAI, T. Nephelium longana Camb.
ALUPÍDAN, V. Vitis lanceolaria Roxb.
ALUPÍHAN, T. Muehlenbeckia.
ALÚSANG, T. Cyperus.
ALUSÍMANG, V. Trianthema.
ALYÓPYOP, V. Erianthemum bicolor Schrank.
AMAÉT, V. Xylosma cumingii Clos.
AMAGÁ. Diospyros blancoi DC.
AMAGÁ, V., T. Diospyros pilosanthera Blanco.
AMAGÁ, V., T. Diospyros discolor Willd.
AMAMÁLE, V. Leea sambucina Willd.
AMAMÁNGPANG (Albay). Gironniera celtidifolia Gaud.
AMARGÓSO, Sp.-Fil. Momordica balsamina L.
AMARGÓRO BÁBI, Pamp. Mollugo.
AMBÁLOD, T., V. Nauclea obtusa Blume.
AMBABÁLUD, V. Nauclea obtusa Blume.
AMBOGUÉS. Koordersiodendron pinnatum Merrill.

AMBÓLONG, V. Metroxylon.
AMÍRAY, T. Boehmeria nivea H. and A.
AMÍSON. Ficus glomerata Roxb.
AMLÁNG, T. Sterculia.
AMLÍS, T. Calamus pisicarpus Blume.
AMOGUÍS, T. Koordersiodendron pinnatum Merrill.
AMÓLONG, Il. Epipremnum medium Engl.
AMÓRES SECOS, Sp.-Fil. Chrysopogon aciculatus Trin.
AMPÁL, V. Musa sapientum L.
ÁMPALÉA, T. Momordica balsamina L.
AMPALÁYA, T. Momordica balsamina L.
ÁMPAS, Pamp. Streblus asper Lour.
AMPUPÚYOT, V. Homalium panayamum F. Vill.
AMUÁUAN. Vitex littoralis Decne.
AMÚBLIT, V. Macaranga bicolor Muell. Arg.
AMÚGAN, T. Pygeum.
AMUGÁNAN. Vitex littoralis Decne.
AMÚGNI, V. Artocarpus.
AMUGUÍS, T., V. Koordersiodendron pinnatum Merrill.
AMÚLUNG, Cag. Rhaphidophora.
AMURÁONG, B. Vitex.
AMUYÁON. Vitex littoralis Decne.
AMÚYON, B. Xylopia dehiscens Merrill.
AMÚYON. Melodorum fulgens Hook. f. and Th.
AMÚYON, T. Xylopia.
AMÚYON (Tayabas). Unona.
AMÚYONG, Pamp. Melodorum fulgens Hook. and Th.
ANAÁO, Il. Livistonia rotundifolia Mart.
ANABÍON, V. Trema aspera Blume.
ANABÁ, T. Abroma alata Blanco.
ANABÓ, V. Malachia bracteata Cav.
ANABÓ. Abroma angusta L.
ANABÓ. Abroma fastuosa R. Br.
ANÁBONG, V. Abroma alata Blanco.
ANACÚ, T. Cupania.
ANAGÁB. Pithecolobium lobatum Benth.
ANAGÁP, T. Pithecolobium lobatum Benth.
ANAGÁP, T. Pithecolobium montanum Benth.
ANÁGAS. Semecarpus anacardium L. f.
ANÁGAS. Semecarpus microcarpa Wall.
ANÁGAS, BABÁE, T. Semecarpus.
ANAGÁSI, B. Leucosyke capitellata Wedd.
ANAGÁT. Pithecolobium lobatum Benth.
ANAGATLÍ, T. Canarium cumingii Engl.
ANAGUÉP. Pithecolobium lobatum Benth.
ANÁHAO, T., V. Licuala spectabilis Miq.
ANÁHAO, T. Licula elegans Mart.
ANÁHAO, T. Livistonia rotundifolia Mart.

ANÁHAO, T. Corypha.
ANÁHAO, T. Rhapis flabelliformis Ait.
ANÁHAO, T., V. Livistonia.
ANAHÁNON, B. Sterculia.
ÁNAM, V. Buchanania florida Schauer.
ÁN-AN, Mang. Buchanania florida Schauer.
ANANÁGTAG, V. Dysoxylum blancoi Vidal.
ANANÁNGTANG, V. Dysoxylum blancoi Vidal.
ANANÁPLA. Albizzia procera Benth.
ANANÁPLAS, T. Albizzia procera Benth.
ÁNANG, T. Diospyros.
ANÁÑGI, T. Canarium.
ANÁO, Pamp. Livistonia papuana Becc.
ANÁREP, Il. Pithecolobium lobatum Benth.
ÁNAS, Pamp. Bambusa.
ANÁTAN, T. Memecylon.
ANÁTAO, T. Linociera coriacea Vidal.
ÁNAN, Cag. Livistonia rotundifolia Mart.
ANAVÍÑGA. Casearia cinerea Turcz.
ANÁTE. Bixa orellana L.
ANCHÉRHAN, T. Cassia fistula L.
ANDARÁYAN (Cagayan). Alstonia scholaris R. Br.
ÁÑGAI, Pamp. Curcuma longa L.
AÑGÁÑGE, Ig. Elattostema.
ÁÑGHET, T. Premna.
ÁÑGÍLANG (Jolo). Cananga odorata H. f. et Th.
ÁÑGLAI, V. Aegiceras florida R. and S.
ÁÑGUD, Pamp. Achyranthes aspera L.
ANIÁS, T. Andropogon.
ANIÁTAN, T. Brackenridgea fascicularis F. Vill.
ANÍBIONG. Abroma alata Blanco.
ANÍBOG, T. Abroma angusta L.
ANÍBONG, T. Abroma alata Blanco.
ANÍBONG, T. Abroma angusta L.
ANÍBONG, V., T. Areca nibung Mart.
ANÍBONG, V. Cocos nucifera Linn.
ANÍBONG, Pamp. Talauma angatensis Blanco.
ANÍBUNG, V., T. Areca nibung Mart.
ANÍBUNG, Pang. Arenga saccharifera Labill.
ANÍI, T. Erythrina ovalifolia Roxb.
ANÍLAO, T. Columbia serratifolia DC.
ANÍLAO-UAN, T. Columbia.
ANINAPLÁ, T. Albizzia lebbek Benth.
ANÍNO, V. Morinda bracteata Roxb.
ANÍS, Sp.-Fil. Foeniculum vulgare Gaertn.
ANÍS CÁHOI, T. Myristica philippinensis Lam.
ANÍS MOSCÁDA, T. Myrictica philippinensis Lam.

ANÍTAG, T. Stephegyne.
ANÍTAP, Pamp. Albizzia procera Benth.
ANÍTAP, Ig. Macaranga.
ANÍTAP, Ig. Albizzia procera Benth.
ANOÁANG. Premna.
ANÓBING, T. Artocarpus cumingiana Trec.
ANÓBING CAGUÍOSING, T. Artocarpus nitida Trec.
ANÓBION, Pamp. Artocarpus cumingiana Trec.
ANÓBLING, T. Talauma villariana Rolfe.
ANÓBLING, T. Talauma angatensis F. Vill.
ANÓBLING, V. Artocarpus cumingiana Trec.
ANÓBLING, T. Artocarpus nitida Trec.
ANÓBLING-CAQUÍESING. Artocarpus lamellosa Blanco.
ANOBRÁN, Il. Premna vestita Schauer.
ANÓLANG, T. Polyalthia lanceolata Vid.
ANÓNAG, T. Litsea.
ANÓNAG, B. Cordia blancoi Vidal.
ÁNONG, T. Cordia blancoi Vidal.
ANÓNAS, Sp.-Fil. Anona reticulata L.
ANONÓO. Musa sapientum L.
ANÓPOL (Albay). Conocephalus acuminatus Turcz.
ÁNOS. Bambusa.
ANÓSEP, T. Palaquium cuneatum Vid.
ANÓTONG (Zambales). Wrightia ovata DC.
ANSÓHAN, V. Stereospermum quadripinnatum F. Vill.
ANTÁGAN. Pterocarpus indicus L.
ÁNTEN, Il. Canarium luzonicum Miq.
ÁNTEN, Il. Canarium cumingii Engl.
ANTIPÓLO, T., V., Pamp. Artocarpus incisa L.
ANTO, V. Amorphophalus campanulatus Blume.
ANTOBÁNAG, T. Glochidion.
ANTÓLANG, T. Graptophyllum hortense Nees.
ANTOLÁÑGAN, T., V. Hibiscus rosa-sinensis L.
ANTÓNG (Nueva Ecija). Casuarina equisetifolia Forst.
ANTÓNG (Abra). Canarium.
ANTÓNG, T. Dipterocarpus.
ANUÁNG. Musa sapientum L.
ANUÁNG, T. Musa paradisiaca L.
ANUÁNG, T. Kyllingia monocephala Rottb.
ANÚBING, T. Artocarpus odoratissima Blanco.
ANÚBING, T. Eugenia.
ANÚBING. Artocarpus cumingiana Trec.
ANÚBING NA CAGUÍOSIN, T. Artocarpus nitida Trec.
ANÚBION, T. Artocarpus.
ANÚBIONG (Tayabas). Talauma.
ANÚBLIN, T. Artocarpus.
ANÙBLING, V. Talauma angatensis F. Vill.
ANÚPING (Zamboanga). Myristica simiarum A. DC.

ANÚSEP, T. Palaquium.
AÑIL, Sp.-Fil. Indigofera tinctoria Linn.
APALAYÁ, T. Momordica balsamina L.
APÁLIA, Pamp. Momordica balsamina L.
APÁLIT, Pamp. Pterocarpus blancoi Merrill.
APÁLONG. Osmoxylon pulcherrimum Vidal.
APÁNA, T. Eupatorium ayapana Vent.
APARIÁGUA, T., V. Laportea guadichaudiana Wedd.
APASÓTIS, T. Chenopodium ambrosioides L.
APÁTONG, T. Nephelium.
APÁTOT, Il. Morinda bracteata Roxb.
APÁTUT, T. Morinda bracteata Roxb.
APIÁPI, T. Avicinnia officinalis L.
APÍIT, Ig. Viburnum odoratissimum Ker.
APÍPI, V. Colocasia antiquorum Schott.
APÍS, T. Pothos.
APÍS (Zambales). Calamus.
APÍTON, T. Dipterocarpus grandiflorus Blanco.
APÍTONG, T. Dipterocarpus grandiflorus Blanco.
ÁPNIT, T. Anona.
ÁPNIT, B. Dipterocarpus.
APÓIAPOYAN, T. Gynandropsis pentapylla DC.
ÁPON, T. Amorphallus campanulatus Blume.
APÓO. Bohemeria nivea H. and A.
APOPÚYOT (Cagayan). Diospyros pilosanthera Blanco.
APOSÓTIS, T., V., Pamp. Chenopodium ambrosioides L.
ÁPÓY-APÓYAN, T. Cleome viscosa L.
ÁPÓY-APÓYAN, T. Ammania.
ÁPÓY-APÓYAN, T. Cleome viscosa Linn.
ÁPPAN (Cagayan). Mangifera altissima Blume.
APÚLONG, V. Osmoxylon pulcherrimum Vidal.
APÚYO (Paragua). Callicarpa.
APÚYOT, Z. Mallotus philippinensis Muell. Arg.
ARAGÁO, V. Premna.
ARAGOÍROY, V. Opilia javanica Miq.
ARÁHAN (Albay). Litsea albayana Vidal.
ARÁHAN, B. Diospyros.
ARÁNA, B. Litsea.
ARÁN-CÁLAO, V. Nepenthes.
ARANDÓN, Il. Wikstroemia ovata Mey.
ARÁÑGA, T. Homalium luzoniense F. Vill.
ARÁÑGA BLANCO, T. Eugenia.
ARÁÑGAN, T. Eugenia.
ARÁNA (Manila). Gynandropsis speciosa DC.
ARÁT, T. Scleria.
ARÁUA, B. Eugenia.
ARÁYAN, T. Flagellaria indica Linn.
ARBOL DE FUEGO, Sp.-Fil. Poinciana regia Bojer.

ÁRBON (Paragua). Cerbera odollam Gaertn.
ARDÁTAG, V. Elephantopus spicatus Juss.
ARGÁO, V. Premna vestita Schauer.
ARICÚNDAL, V. Musa paradisiaca L.
ARÍLAO. Columbia serratifolia DC.
ARÍMAI, Il. Boehmeria nivea Hook. et Arn.
ARÍNGIT, V. Marsdenia tinctoria R. Br.
ARITÓÑGTONG, Il. Terminalia.
ÁRO, Il. Casuarina equisetifolia Forst.
ARÓE-MÁMAY, B. Maoutia.
ARODÁYDAY, T., B. Ipomoea pes-caprae Roth.
AROGÁNAN, T., Pamp., V. Hibiscus rosa-sinensis L.
ARÓMA, T. Prosopis juliflora DC.
ARÓMA, T. Acasia farnesiana Willd.
ARÓRO, V., T. Maranta arundinacea L.
ARÓSEP, Il. Antidesma ghaesembilla Gaertn.
AROYÁÑGYANG, V. Abrus precatorius L.
ARQUÍG?, Cag. Pandanus fascicularis Lam.
ARRÁYAN. Psidium guayava L.
ARRÓO. Casuarina equisetifolia Forst.
ARRÓU-ROU, T., V. Maranta arundinacea L.
ÁRUM. Mallotus ricinoides Muell. Arg.
ARÚBU. Maranta arundinacea L.
ÁSAC-TÁLONG. Phyllanthus?.
ASÁNA, T. Pterocarpus indicus Willd., T. vidalianus Rolfe.
ÁS-AS, T. Ixora stricta Roxb.
ASIASÍMANAN, T. Derris sinuata Benth.
ASÍMAO, T. Harrisonia bennetii B. and H.
AS-ÍS, T. Ficus heterophylla L.
AS-ÍS, T., V., Pamp. Ficus hispida L.?
ASÍSIO, V. Physalis angulata L.
ASNÁÑGAI, V. Clerodendron intermedium Cham.
ATAIÁTAI, T. Graptophyllum hortense Nees.
ATALAPÍLPIC, Z. Sapindus.
ATARÓLAN, T. Ardisia.
ÁTAY-ÁTAY, V. Eranthemum bicolor Schrank.
ATCÚY, Pamp. Bauhinia.
ÁTON. Canarium ovatum Engl.
ÁTES, T. Anona squamosa L.
ATIBÁÑGDAN. Alsophila glauca Blume.
ATÍLUAG (Abra). Breynia acuminata Muell. Arg.
ATÍMON, V. Cucumis melo L.
ATÓLA. Bixa orellana L.
ATOÁTONG, Ig. Selaginella caulescens Spring.
ATSÚITI, T. Bixa orellana L.
AÚGOD, Pamp. Achyranthes obtusifolia Lam.
ÁUA, Il. Musa.
AUSÍMAN, B. Portulaea oleracea L.

AVÍLO, T. Garuga floribunda Decne.
ÁYAM, V. Trianthema monogyna L.
AYÁNGAO, T. Albizzia procera Benth.
AYANTÓTO, Pamp. Amaranthus spinosus L.
AYAPÁNA, Sp. Fil. Eupatorium ayapana Vent.
ÁYMIT. Ficus glomerata Roxb.
ÁYMIT, T. Ficus minnahassae Miq.
ÁYO, V. Casuarina equisetifolia Forst.
ÁYO, Pamp. Oxalis acetosella L.
ÁYO, T. Vitis capriolata Don.
ÁYO-ÁYO. Micromelum.
AYÓBAN, V. Blumea balsamifera DC.
ÁYU-ÁYU. Micromelum.
ÁYU, Pamp. Vitis carnosa L.
AYÚMIT, T. Ficus minnahassae Miq.
AYÚPAG, T. Nephelium.
AZÚCENA. Polyanthes tuberosa L.

B.

BABÁGION. Memecylon floribunda Blume.
BABÁGION, V. Ardisia humilis Vahl.
BABAISÁCAN, T. Quercus.
BABÁLOD, T., V. Nauclea obtusa Blume.
BÁBAN (Zamboanga). Donax arundastrum Lour.
BABÁNAT (Nueva Viscaya). Deeringia indica Zoll.
BABEBÁBE, Pamp. Quisqualis indica L.
BÁBO-BÁGO (Bohol). Garcinia venulosa Choisy.
BÁBOI-GÚBAT, T. Thespesia populnea Corr.
BÁBUY, T. Thespesia populnea Corr.
BACÁBOC. Scaevola koenigii Vahl.
BÁCA-BACÁHAN, T. Cyperus.
BACÁLAO, Pang. Nephelium.
BÁCAN, T. Litsea.
BÁCAN, T. Sterculia.
BÁCAN (Tinago). Bruguiera gymnorrhiza Lam.
BACÁNIS (Zamboanga). Eugenia lineata DC.
BACÁNUN, T. Bruguiera gymnorrhiza Lam.
BACÁO, T. Ceriops candolleana Arn.
BACÁO, T., V. Rhizophora mucronata Lam.
BACÁO, T. Bruguiera gymnorrhiza Lam.
BACÁPIE, V. Calamus albus Pers.
BACÁUAN, T. Ceriops candolleana Arn.
BACÁUAN, T. Bruguiera caryophylloides Blume.
BACÁUAN, T. Rhizophora mucronata Lam.
BACÁUAN GUBA, Pang. Carallia integerrima DC.
BACÁUAN LALÁQUI, T. Rhizophora conjugata Lam.
BACÁYAN, V. Canarium cumingii Engl.
BACÁYAO, Pang. Illipe betis Merrill.

BACCÁLAO. Nephelium glabrum Noronh.
BÁCCUNG. Crinum asiaticum Linn.
BÁCONG, T. Crinum asiaticum L.
BÁCONG, T. Hipppeastrum.
BÁCONG-BÁCONG, V. Crinum amoenum Roxb.
BÁCONG ÑGA DULÁO, V. Crinum pratense Herb.
BÁCONG SA PERSIA. Pancratum zeylanicum Linn.
BÁCONG SA SÓLOG, V. Crinum pratense Herb.
BACÚGAN, V. Dysoxylum blancoi Vidal.
BACÚIT, Pang. Harrisonia bennetii Hook.
BACÚIT, Pang. Alstonia.
BÁCUNG, V. Crinum asiaticum Linn.
BÁCUOG, Pang. Vatica.
BADÍANG, T., V. Alocasia indica Schott.
BADÍANG. Colocasia antiquorum Schott.
BADIÁBA, T., V., Pamp. Coleus atropurpureus Benth.
BADLÁN, V. Sterospermum quadripinatum F. Vill.
BÁDOC, Il. Gnaphalium indicum L.
BÁGAO. Ehretia.
BÁGA-BÁBOI, T., V. Gmelina asiatica L.
BÁGA-BÁBOI, V. Gmelina villosa Roxb.
BAGÁCAN, T. Bambusa.
BAGÁCAY, V. Dendrocalamus membranacens Munro.
BAGÁCBAC, Pamp. Eugenia.
BAGALÁÑGIT, T. Palaquium lanceolata Blanco.
BAGALÁÑGIT, T. Palaquium luzonensis Vidal.
BAGALÍGUAN, B. Astronia.
BAGALÍRAT. Nauclea glabra DC.
BAGALOÁN, T. Marlea begoniaefolia Roxb.
BAGALÚGA, V. Melia dubia Cav.
BAGÁNAC. Clerodendron macrostegium Schauer.
BAGÁNG, Cag. Amorphophallus campanulatus Blume.
BAGÁNG ÁSO, B. Anaxagorea luzonensis A. Gray.
BAGÁNG-BAGÁNG, B. Glochidion.
BAGANÍTO (Morong). Diospyros.
BAGAÓLAN, T. Marlea begoniaefolia Roxb.
BAGAÓLAN, T. Guettarda speciosa L.
BÁGAR, Il. Anisoptera.
BAGARÍLAO, T. Anthocephalus cadamba Miq.
BAGARÍLAO NA ITÍM, T. Nauclea.
BAGARÍLAT, T. Anthocephalus cadamba Miq.
BAGASÓA, T., V. Ipomoea pes-caprae Roth.
BÁGA-TAMBÁL, V. Zanthoxylum avicennae DC.
BÁGA-TÚBANG (Samar). Cratoxylon blancoi Blume.
BAGÁUAC, T. Clerodendron.
BAGÁUAC NA MORÁDO, T. Clerodendron blancoanumm F. Vill.
BAGAYBÁY, T. Derris.
BAGBÁG, Il. Erythrina indica L.

BAGGÁB. Clerodendron.
BAGMÁN, T. Quercus.
BAGNÁ, T. Glochidion.
BAGNÍT, T. Tristellateia australasica A. Rich.
BAGÓ. Commersonia platyphylla Andr.
BAGÓ, V. Gnetum gnemon L.
BAGÓ. Garuga floribunda Decne.
BAGÓARON, V. Vitex heterophylla Roxb.
BÁGO-BÁGO (Bohol). Garcinia cambogia Desrouss.
BÁGO-BÁGO. Ixora macrophylla Bartl.
BÁGO-BÁGO, V. Garcinia.
BAGÓMBON, Pamp., V. Alpinia gigantea L.
BÁGONG (Jolo). Amorphophallus campanulatus Blume.
BÁGONG, V. Tacca rumphii Schauer.
BÁGONG-BÁGONG, V. Tacca rumphii Schauer.
BAGÓNGBONG, V. Alpinia brevilabris Presl.
BAGONÍTO, B. Cupania.
BAGÓ-OEN, Il. Parkia roxburghii, G. Don.
BAGÓ-SÍLI. Gnetum gnemon Linn.
BÁGSANG, V. Caryota rumphiana Mart.
BÁGUD, T. Pterospermum diversifolium Blume.
BAGÚEN, Il. Parkia roxburghii G. Don.
BÁGUI-LÓMBOY. Eugenia.
BÁGUI-LÚMBAN, T. Aleurites trisperma Blanco.
BÁGUING, T. Generally applied to woody vines.
BÁGUIN-CASTÍLA, T. Argyreia.
BÁGUIN-CASTÍLA, T. Ipomoea.
BAGUINUNBÁNG NA PULÁ (Negros). Garcinia.
BAGUÍR, Il. Ixora.
BAGUIRÓRO, V. Viburnum luzonicum Rolfe.
BAGUIRÓRO, V. Adenanthera pavonina L.
BÁGUIT, B. Tristillatia australasica A. Rich.
BAGUITÁBIM, T. Hopea philippinensis Dyer.
BAGULÍBAS (Mindoro). Buchanania florida Schauer.
BAGULÍBAS, T. Garuga.
BAGUMAÓNIAO, B. Maesa laxa Mez.
BÁHAY, V. Pueraria phaseoloides Benth.
BÁHAY, T. Ormosia calavensis Blanco.
BÁHAY, T., V. Lepidopetalum perrottetii Blume.
BÁHAY, T., V. Adenanthera pavonina Linn.
BÁHAY, T., V. Pygeum.
BÁHAY NAMÓC, B. Ardisia.
BÁHI, V. Arenga saccharifera Labill.
BÁHI, V. Calyptrocalyx spicatus Blume.
BÁHI, V. Livistona rotundifolia Mart.
BÁHO-BÁHO, V. Cassia tora Linn.
BÁIAO, T. Fagraea morindaefolia Blume.
BÁIAO, V. Bruguiera eriopetala W. and A.

BAILÁYAN (Mindoro). Dipterocarpus.
BAÍNO, T. Nelumbium speciosum Willd.
BAÍO. Bruguiera eriopetala W. and A.
BAÍT. Canarium?.
BAÍT, T., Pamp. Euphorbia neriifolia L.
BAÍTO, T. Bambusa.
BAIYABÁSIN, T. Cassia alata L.
BALABÁGO, V. Hibiscus tiliaceus L.
BALABALANÓYAN, T. Cleome viscosa L.
BALABALANÓYAN, T. Gynandropsis pentaphylla DC.
BALABALÁNTIAN. Cleome viscosa L.
BALABALATÚÑGAN, B. Indigofera teysmannii Miq.
BALABALÁYAN, T., V. Gmelina asiatica L.
BALÁBANG QUILÍNG, V. Connaropsis philippica F. Vill.
BALÁBO, T. Grewia.
BALABÓNOT. Sterculia.
BALACÁNOG, T. Eugenia.
BALÁCAT, T. Zizyphus trinervis Poir.
BALACBÁC, T.? Jussiaea suffruticosa Linn.
BALACBÁC, T. Eugenia jambos L.
BALACBÁLAC, T. Mallotus ricinoides Muell. Arg.
BALACBALÁC, V. Tournefortia argentea L. f.
BALAGÁÑGO, T. Melia candollei Juss.
BALÁGAY, V. Psophocarpus palustris Desv.
BALÁG-BALANGGÓTAN, T. Eleocharis.
BALÁGNAN. Calophyllum vidalii F. Vill.
BALÁGNAN, V. Calophyllum cuneatum Vidal.
BALÁI-LAMÓC, Il. Mussaenda grandiflora Rolfe.
BALÁI-LAMÓC, Il. Crataeva religiosa Forst.
BALÁI-TOCÁC, Il. Ixora.
BALÁNGHAS. Sterculia balanghas Blanco.
BALAÑGÍGAN, V. Guettarda speciosa Linn.
BALAÑGÍQUIN, Cag. Streblus asper Lour.
BALÁÑGOT, T. Typha angustifolia L.
BALAÑGÓTAN, T. Cyperus.
BALÁÑGUD, T. Scirpus mucronata L.
BALÁÑGUN, V. Musa sapientum L.
BALÁNOI, T. Ocimum sanctum L.
BALANTÁNA, V. Clerodendron intermedium Cham.
BALANTÍ, T. Homonoia riparia Lour.
BALANTÍ. Croton muricatum DC.
BALANTÍ, T. Alchornea mollis Muell. Arg.
BALANTÍ, T. Homalanthus fastuosus F. Vill.
BÁLAO, T. Dipterocarpus vernicifluus Blanco.
BALASÁBIS. Cupania regularis Blume.
BALÁSBAS, V., T. Graptophyllum hortense Nees.
BALÁSBAS-MALÓMAY, T. Graptophyllum hortense Nees.
BALÁSIN, T., V., Pamp. Anamirta cocculus W. and A.

BALÁTBAT (Paragua). Licuala.
BÁLATINAO. Diospyros pilosanthera Blanco.
BALÁTONG, V. Vigna catjang Endl.
BALÁTONG, T. Phaseolus mungo L.
BALÁTONG-ÁSO, T. Cassia tora L.
BALÁTONG-ÁSO, T. Cassia occidentalis L.
BALÁUEN, Pang. Vitex.
BÁLAY, V. Cassia fistula L.
BALÁYANG, Il. Musa sapientum L.
BALÁY-BÁYAN, Z. Pterospermum diversifolium Blume.
BALÁY-NAMÚC, Il. Crataeva religiosa Forst.
BALÁY-OÁC, Il. Parkia roxburghii G. Don.
BALAYÓHOT, T. Buchanania florida Schauer.
BALÁYON, T., V. Afzelia rhomboidea Vidal.
BALÁYON, V. Cassia fistula Linn.
BALÁYONG, T. Afzelia rhomboidea Vidal.
BALÉBO, Ig. Pinus insularis Endl.
BALEÑGÁSOY, T. Buchanania florida Schauer.
BALENGÚAY. Flagellaria indica L.
BALÉTE, T. Ficus clusioides Miq. and other species.
BALÉTE-GÁPAÑG (Marinduque). Ficus radicans Roxb.
BALAÍCAG, V. Dioscorea sativa L.
BALIBÁGAN, V. Dalbergia spinosa Roxb.
BALIBÁGAN, V. Guettarda speciosa L.
BALIBÁGO, T. Grewia.
BALIBÁGO, T., Pamp. Hibiscus tiliaceus L.
BALÍBAI, Pamp. Symphorema luzonicum F. Vill.
BALÍ-BALÍ, V. Couthovia celebica Koorders.
BALIBÁNBAN, V. Bauhinia tomentosa L.
BALÍBAY. Litsea luzonica Blanco.
BALÍC?, V. Allophylus cobbe Blume.
BALÍCAO, V. Schizostachyum.
BALICÁSAN, T., V. Talaumia angatensis F. Vill.
BALÍC-BALÍC, Pamp. Amomum ciliatum Blume.
BALÍC-BALÍC, T. Hoya diversifolia Blume.
BALÍC-BALÍC, T. Pongamia glabra Vent.
BALÍCTAN?. Cryptocarya villarii Vidal.
BALICTARÍN, T. Clerodendron blancoanum F. Vill.
BALICÚPCUP, V. Epipremnum medium Engl.
BALIGÁÑGAN, B. Duabanga moluccana Blume.
BALIGÁN-NIN-GÁÑGAN, B. Eugenia.
BALÍGNON, V. Melochia arborea Blanco.
BALIGÓHOT, B. Buchanania florida Schauer.
BALIHÚD, T. Buchanania florida Schauer.
BALÍLANG OÁC, T. Oroxylum indicum L.
BALÍLANG OÁC, T. Claoxylon wallichianum Willd.
BALÍLI, Pamp. Imperata arundinacea Cyr.
BALIMBÍN, T. Averrhoa carambola L.

BALIMBÍNG, T. Averrhoa carambola L.
BALINÁNAY, T. Calamus.
BALINAÓ-NAÓ (Unisan). Ixora.
BALINAÓ-NAÓ, T. Otophora blancoi Blume.
BALIÑGÁCTA, Il. Diospyros pilosanthera Blanco.
BALIÑGÁGTA-COLORADO (Abra). Diospyros.
BALIÑGÁHOOD, T. Buchanania florida Schauer.
BALIÑGÁSAY. Buchanania florida Schauer.
BALÍÑGAY. Flagellaria indica Blanco.
BALIÑGÁYO, T. Erythropalum.
BALIÑGBÍNG, V. Averrhoa carambola Linn.
BALÍNG CÁHOY, V. Glochidion.
BALIÑGHÁSAY, T. Buchanania florida Schauer.
BALINGNÁY, T. Flagellaria indica L.
BALIÑGÚA, V. Evodia triphylla DC.
BALÍÑGUAY, T. Flagellaria indica Linn.
BALINHÁSA, T. Buchanania florida Schauer.
BALINHÁSAY (Morong). Buchanania florida Schauer.
BALINHÁSAY (Abra). Semecarpus perrottetii March.
BALINSIÁGAO. Aporosa.
BALINTÚA (Zamboanga). Myristica philippinensis Lam.
BALINÚAY, T. Dracaena.
BÁLIO, V. Pandanus dubius Spreng.
BALÍSCUP (Zamboanga). Eugenia.
BALÍSENG, V. Clerodendron inerme R. Br.
BALITÁDHAM, V. Quisqualis indica L.
BALITBÍTAN, T?. Cynometra ramiflora L.
BALITBÍTAN, T. Sideroxylon balitbitan Blanco.
BALÍTI, T., Pamp. Ficus indica L. and other species.
BALÍTING PAYÁPA, T. Ficus.
BALÍTI PULÁ, T. Ficus clusioides Miq.
BALÍTNON, V. Melochia arborea Blanco.
BALITÓSON. Terminalia.
BALIÚT, Pang. Hopea.
BALÍYOCO, B. Andropogon schoenanthus L.
BÁLAM-BÁLAM. Leea?.
BÁLLANG, Cag. Livistona rotundifolia Mart.
BALÓBAR, Pamp. Eugenia jambos L.
BALÓBO, T. Diplodiscus paniculatus Turcz.
BÁLOC. Sapindus?.
BALOCÁNAC, T. Chisocheton paniculatus Hiern.
BALOCÁNAD, T. Aleurites moluccana Blume.
BALÓC BALÓC, T. Pongamia glabra Vent.
BALÓC-BALÓC, T. Gliricidia maculata H. B. K.
BALÓC-BALÓC, T. Linociera.
BALÓC-BALÓC, T. Scaevola koenigii Vahl.
BALÓD, T., V. Nauclea obtusa Blume.
BALOGÓ, T., V., Pamp. Entada scandens Benth.

BÁLOI, V. Musa paradisiaca L.
BALÓNG-CADYOS, V. Alleanthus luzonicus Benth and Hook.
BALONGCÁUIT, B. Cedrela taratara Blanco.
BALOÑGÍTA. Diospyros pilosanthera Blanco.
BÁLONG-LÚYON, Pamp. Corypha umbraculifera L.
BALÓNOS, V. Entada scandens Benth.
BALÓTANG-ÁSO, T. Cassia occidentalis L.
BALÓT-BALÓT (Tayabas). Pongamia glabra Vent.
BÁLOY, T. Musa paradisiaca L.
BALÓYONG, V. Cassia fistula L.
BALTÍC (Paragua). Agathis loranthifolia Salisb.
BALÚAN. Macaranga?.
BALÚBAD, T. Anacardium occidentale L.
BALÚBAT, Pang. Eugenia.
BALÚBO, T. Diplodiscus paniculatus Turcz.
BALUCÁNAD, T. Dysoxylum.
BALUCÁNAD, T. Aleurites moluccana Blume.
BALUCÁNAG, Il. Aleurites moluccana Blume.
BALUCBÚC, T. Clausena?.
BALÚCAO, T. Chisocheton.
BALUCLÍTU (Morong). Uncaria hookeri Vid.
BALÚCOT. Garcinia.
BALUDGÁÑGAN, T. Digitaria.
BALÚGAI. Derris.
BALUÑGCANÁYAN, V. Pittosporum floribundum W. and A.
BALÚÑGGAY, V. Moringa oleifera Lam.
BALUNSAYÍNG, V. Canna indica L.
BALÚNUT, B. Mangifera caesia Jack.
BÁMBAG. Plumbago viscosa L.
BAMBÁN, T. Maranta dichotoma Lour.
BAMBÁN. Amaranthus spinosus L.
BAMBÉNG, T. Bauhinia.
BAMTOLÍCO, Z. Diospyros.
BANÁASI, Il. Murraya exotica L.
BANABÁ, T., V.. Mang. Lagerstroemia speciosa Pers.
BANABANÁLO, T. Myristica.
BÁNAG, Il. Allium sativum Linn.
BÁNAG, V., T. Smilax china L. and other species.
BANÁGAN, V. Smilax indica Vitm. and other species.
BANÁGA-PULÁ, T. Thespesia macrophylla Blume.
BANNÁGO, T., V. Thespesia macrophylla Blume.
BANÁGO, T. Garcinia.
BANÁGO, T.? Diplodiscus?.
BÁNAI, V. Hedychium.
BÁNAI-BÁNAI, T. Sterospermum quadripinnatum F. Vill.
BÁNAI-BÁNAI, T. Sterospermum pinnatum Rolfe and other species.
BÁNAI-BÁNAI, Il., T. Naravalia laurifolia Wall.
BÁNAI-BÁNAYAN, V. Sterospermum quadripinnatum F. Vill.

BANÁLO, T. Thespesia populnea Corr.
BANÁLO, T. Cordia subcordata Lam.
BANÁOAG, V. Hedychium hasseltii Blume.
BANÁOT, Z. Murraya exotica L.
BANÁRO, T. Guettarda speciosa L.
BANÁRO, Pang. Thespesia macrophylla Blume.
BANÁSI, Pang. Murraya exotica L.
BANÁTI, V., Pamp. Murraya exotica L.
BANÁTO, T. Mallotus philippinensis Muell. Arg.
BANÁUAC, T., V. Uvaria purpurea Blume.
BÁNAY, V. Hedychium coronarium Koenig.
BÁNAY, Pamp. Alpinia brevilabris Presl.
BÁNAY. Sterospermum quadripinatum F. Vill.
BANÁYAN, V. Dioscorea eburnea Lour.
BÁNAY-BÁNAY. Evodia.
BANÁYAN. Sterospermum quadripinnatum F. Vill.
BANBÁN, T. Maranta dichotoma Wall.
BANBÁNG (Morong). Clinogyne grandis B. and H.
BANBÁYAN, Il. Shorea.
BANBÓM, T. Maranta dichotoma Lour.
BANCÁL, T. Sarcocephalus cordatus Miq.
BANCÁL, T. Nauclea.
BANCALÁGUAN. Terminalia calamansanay Rolfe.
BANCALÁN, T. Calophyllum inophyllum L.
BANCALÁNAN (Zamboanga). Nauclea.
BANCALÁUAG, V. Terminalia calamansanay Rolfe.
BANCALÁUAN, T. Buchanania florida Schauer.
BANCALÁUAN, T. Terminalia calamansanay Rolfe.
BANCÁL-CÁBOG. Sarcocephalus cordatus Miq.
BANCÓAN. Cyperus difformis L.
BANCOÍLAN, T. Bridelia stipularis Blume.
BANCÓRO, T. Morinda bracteata Roxb.
BANCÚDO, T., V. Morinda citrifolia L.
BÁÑGA, V. Calyptrocalyx spicatus Blume.
BÁÑGA (Camarines). Areca catechu L.
BÁÑGA. Corypha umbraculifera L.
BAÑGÁL, T. Gnetum gnemon L.
BAÑGÁL, T. Nauclea.
BAÑGÁLAD, V. Grewia paniculata Roxb.
BAÑGÁR, Il. Sterculia foetida L.
BAÑGÁTI, T., V. Abrus precatorius L.
BANGBÁNG, Il. Plumbago zeylanica L.
BANGCÁL. Nauclea glaberrima Blanco.
BANGCÁL, T. Sarcocephalus cordatus Miq.
BAÑGCÓANG-BONDÓC, T. Pandanus dubius Spreng.
BAÑGCÓLON, T. Cardiospermum halicacabum L.
BAÑGCÚDO, V. Morinda citrifolia L.
BAÑGCÚDO, V. Morinda bracteata Roxb.

BANG-HÁY, V. Hydnophytum.
BAÑGCÓBO, T., V. Morinda bracteata Roxb.
BAÑGÍL, T., V. Sophora tomentosa L.
BAÑGBÁY, V., T. Zingiber.
BAÑGLÉS, Il. Hopea.
BAÑGÓN, B. Caesalpinia.
BANGÓT, T. Pterocymbium javanicum R. Br.
BAÑGQUÍLING, V., T. Phyllanthus distichus Muell. Arg.
BAÑGRÁY, V. Zingiber.
BÁNIG (Morong Xanthophyllum.
BANÍLAC, V. Terminalia catappa L.
BANÍLAD, V., T. Sterculia urens Roxb.
BANINÚYO, T. Antidesma ghaesembilla Gaertn.
BANÍTAN, Pamp. Cryptocarya sp.
BANÍTAN. Xylopia dehiscens Merrill.
BANÍTI, T. Garcinia.
BANÍTI, B. Illipe betis Merrill.
BANÍTLON. Melochia arborea Blanco.
BANÍTLONG Zamboanga Pierardia?.
BANLATINÁO, Pang Diospyros.
BAN-NAÁSI (Il. Murraya exotica L.
BANÓT, T. Bauhinia cumingiana Benth.
BANQUÍLIN, T. Phyllanthus distichus Muell. Arg.
BANSALÁGIN T. Mimusops elengi L.
BANSALÁGON T., V. Mimusops elengi L.
BANSALÁGUE, T., V. Mimusops elengi L.
BANSALÁGUIN, T. Eugenia.
BANSÍLAI, T. Gomphia.
BANSÍLAY, V. Ochna squarrosa Linn.
BANTÁNA. Ixora.
BANTÁNA, V. Clerodendron intermedium Cham.
BANTÍGUI, V. Pemphis acidula Forst.
BANTOLÍNAO, V., T. Diospyros pilosanthera Blanco.
BANTOLÍNON T. Diospyros.
BANUÁNG, T. Octomelis sumatrana Miq.
BANUÁY, Ig. Vaccinium indutum Vidal.
BANÚTAN (Nueva Viscaya). Hopea palagata Vid.
BANÚYO, T. Dipterocarpus.
BANÚYO, T. Albizzia.
BÁOANG, V. Allium sativum Linn.
BAÓANG-BÁOANG, V. Pancratium zeylanicum Linn.
BÁONG, V Dioscorea sativa L.
BÁQUI-BÁQUI, V. Cyperus difformis Linn.
BÁQUI-BÁQUI, V. Spinifex squarrosus L.
BÁQUIN-BAQUÍT, Il. Helicteres spicata Colinb.
BAQUISQUÍSAN. Eleusine indica Gaertn.
BARÁBAG. Eugenia jambos L.
BARÁC, T. Curcurma zerumbet Roxb. and other species.

BARACBÁC, Il. Eugenia jambos L.
BÁRAG, Pamp. Smilax china L.
BARÁÑGOI (Bulacan). Orania regalis Zipp.
BARANHÁNYO, V. Eugenia.
BARANSIÁGO, T. Aporosa.
BARAUMÁRAN, T., V. Sophora tomentosa L.
BARAYBÁY, T. Cerbera odollam Gaertn.
BARÁYON, V. Afzelia rhomboidea Vidal.
BÁRBO, B. Celtis?.
BARBÓN. Andropogon.
BARCÓLON. Cardiospermum halicacabum L.
BÁREN, V. Pandanus dubius Spreng.
BARIÁT. Pinus insularis Endl.
BARINCUCÚBONG, Il. Hopea.
BARIÓ-AN, Pang. Columbia.
BÁRIT, V. Metrosideros vera Rumph.
BÁRIT, Il. Calamus haenkaemus Mart.
BÁRIT, T. Homalocenchus hexandrus O. Ktze.
BARIÚAN, Il. Pterospermum.
BÁRLIS. Diospyros pilosanthera Blanco.
BARÓBO, V. Diplodiscus paniculatus Turez.
BÁRONG? (Cagayan). Eugenia operculata Roxb.
BAROQUÉBOC, T. Scleria.
BÁROY. Pterospermum diversifolium Blume.
BÁRSIC, T. Mimusops elengi L.
BÁRU. Arenga saccharifera Labill.
BARUBATÓNES, V. Kyllinga monocephala Rottb.
BASÁR-BASÁR, Il. Loranthus.
BÁSENG-BÁSENG, V. Sida rhombifolia Linn.
BÁSENG, Il. Zingiber officinale Linn.
BASIÁC, T. Canarium.
BASIÁD (Tayabas). Canarium.
BASÍLAY. Ochna squarrosa Linn.
BASÍLOAG, Il. Dysoxylum blancoi Vidal.
BÁTA. Pinus insularis Endl.
BATABÍA ÑGA POTÍ, V. Musa.
BÁTAD, V. Sorghum vulgare.
BÁTANG (Bontoc). Pinus insularis Endl.
BÁTANG-BÁTANG (Cebu). Cissampelos pareira L.
BÁTAO, T., V. Dolochos lablab L.
BATÁVIA. Musa sapientum L.
BATBATIDÓR, Ig. Nepenthes alata Blanco.
BATÉTE. Wrightia?.
BATÍCAN. Dracontomelon cumingianum Baill.
BATICULÍN, T. Litsea perrottetii F. Vill.
BATICULÍNG, T. Litsea perrottetii F. Vill.
BATICULÍN, T. Sterospermum quadripinnatum F. Vill.
BATIDÓR, Il. Nepenthes alata Blanco.

BATÍNAN-ÁMO, T. Calophyllum wallichianum Planch and Triana.
BATÍNO, T. Litsea.
BATÍNO, T. Alstonia macrophylla Wall.
BATÍTI, V. Cynometra inaequalifolia A. Gray.
BATITÍNAN, T. Lagerstroemia batitinan Vidal.
BATITÍNAN, T. Shorea.
BÁTLAN. Sterospermum quadripinnatum F. Vill.
BÁTO (Balabac). Justicia.
BATÓAN, V. Dracontomelum mangiferum Blume.
BATOBATÓ, T., V. Litsea.
BATOBATÓ, T. Lepistemon reniformis Hassk.
BATOBATÓNIS, T. Euphorbia pilulifera L.
BATOLÍNAO (Cagayan). Diospyros pilosanthera Blanco.
BATÚAN, V. Garcinia.
BÁTUL, T. Strychnos multiflora Benth.
BÁUANG, V. Allium sativum Linn.
BÁUANG POTÍ (Jolo). Allium sativum Linn.
BÁUI, T. Pongamia glabra Vent.
BAÚSO (central Luzon). Olea.
BÁWANG, T. Allium sativum L.
BAYÁBAR-ÁSO, Pamp. Randia.
BAYÁBAS, T. Psidium guayava L.
BAYÁ-BAYABÁSAN, T. Gardenia obscura Vidal.
BAYÁCTO, B. Trachelospermum.
BAYÁG-CABÁYO, T. Barringtonia.
BAYÁG-CAMBÍNG, T. Orchipeda foetida Blume.
BAYÁG CAMBÍNG, T. Caesalpena bonducella Fleming.
BAYÁG USÁ. Mussaenda.
BAYÁG USÁ, T. Orchipeda foetida Blume.
BAYÁG USÁ, T. Tabernaemontana globosa Blanco.
BAYAMBÁN. Maranta dichtoma Wall.
BÁYANGBÁYANG, V. Amaranthus spinosus L.
BAYANTÍ, T. Aglaia.
BAYAQUÍBOC, T. Vernonia chinensis Less.
BAYASBÁS, V. Gynotroches axillaris Blume.
BAYÁTI, T., V., Pamp. Anamirta cocculus W. and A.
BAYMÁN, T. Quercus.
BAYNÓ, T. Nelumbium speciosum Willd.
BAYNÚD. Columbia serratifolia A. DC.
BAYÓC, T. Pterospermum blumeanum Kth.
BAYÓC, T. Pterospermum acerifolium Willd.
BAYÓC, T. Pterospermum diversifolium Blume.
BAYÓC-BAYÓC, T. Pongamia glabra Vent.
BAYÓG, T. Pterospermum blumeanum Kth.
BAYÓG. Callicarpa bicolor Juss.
BAYÓG BAYÓG, Pamp. Pterospermum.
BAYÓGO, V. Chionanthes ramiflora F. Muell.
BAYÓGO, T., V., Pamp. Entada scandens Benth.

BAYÚCAN, T. Quercus.
BAYÚCAN, T. Sesuvium indicum L.
BAYÚCAN, T. Dipterocarpus.
BAYÚCO, V. Artocarpus nitida Trecul.
BAYÚCO, V. Dittelasma rarak Benth.
BAYÚCO ÑGA BIRÍON, V. Artocarpus nitida Trec.
BAYÚCO ÑGA CACÁUON, V. Artocarpus cumingiana Trecul.
BAYÚCO ÑGA LANGCÁON, V. Artocarpus cumingiana Trecul.
BAYÚCO ÑGA LANHÁN, V. Artocarpus lanceolata Trecul.
BAYÚG, V. Pterospermum.
BAYUGTÍN, T. Pterospermum blumeanum Korth.
BAYÚNO, V. Mangifera caesia Jack.
BÉBE. Pinus insularis Endl.
BÉBENG. Pinus insularis Endl.
BÉHEN. Moringa oleifera Lam.
BEJÚCO-SÍPAY, T. Calamus.
BÉLIS, T. Canarium luzonicum Miq.
BELÚÑGA, T. Macaranga.
BENOÁNG, T. Commersonia platyphylla Andr.
BENTICOHÓL, T. Musa sapientum L.
BEOBAYÁNO, V. Buchanania florida Schauer.
BESSÍN, T. Bruguiera gymnorrhiza Lam.
BÉTIS, T., Pamp. Illipe betis Merrill.
BÉTIS LALÁQUE, T. Illipe betis Merrill.
BIÁS, T. Gnetum scandens L.
BIÁS-BIÁS, Pamp. Commelina benghalensis L.
BIÁS-BIÁS, T., V. Polyscias nodosa Seem.
BIÁS-PÓGO, T. Ammania baccifera L.
BIBÍLI, V. Cordia blancoi Vid.
BIBÍT, T. Engelhardtia?.
BIBÍT-PÁRANG. Sterospermum.
BÍCA, T., V. Vitis latifolia Roxb.
BICÁCAO, Il. Setaria italica Beauv.
BÍCAL, Il. Rhamnus.
BÍCAL-BÁBUY, T. Bambusa.
BÍDAY, Il. Ocimum sanctum L.
BIGÁ, T. Homalomena.
BIGÁ, V. Colocasia indica Schott.
BIGÁA, V. Ficus.
BIGÁA, T. Zizyphus trinervis Poir.
BIGÁS, T. Oryza sativa L.
BIGNÁI, T. Antidesma bunius Spreng.
BIGNÁI-CALABÁO, T. Antidesma.
BIGNÁI-MÁYA, T. Antidesma.
BIGNÁI-PÓGO, T. Antidesma ghaesembilla Gaertn.
BIGNÁY, Pamp. Antidesma bunius Spreng.
BIGNÁY-PÓGO. Phaenthus cumingii Miq.
BIGNÓN, Il. Kleinhovia hospita L.

BILIMBÍN, T. Averrhoa carambola L.
BÍLAN, Pamp. Macaranga tanarius Muell. Arg.
BÍLANG-BÍLANG ?, V. Cyanotis axillaris Roem. and Schult.
BÍLANG-BÍLANG, V. Sesuvium portulacastrum L.
BILANGTÓN, B. Calophyllum.
BILÁUN Macaranga mappa Muell. Arg?.
BÍLID-BÍLID Zamboanga Claoxylon.
BILIMBÍN, T. Averrhoa carambola L.
BILIMBÍNES. Averrhoa carambola L.
BÍLIS (Zamboanga). Trewia.
BILÓGO, T. Celastrus paniculata Willd.
BILÓLO, T. Eugenia sp.
BILUÁ, Pamp. Macaranga.
BILUÁ, T. Octomeles sumatrana Miq.
BILÚAN, T. Octomeles sumatrana Miq.
BILÚAN-LALÁQUE, T. Macaranga.
BILUCÁO, T. Garcinia cambogia Desrouss.
BÍLUNG, T. Macaranga.
BILÚÑGA, T. Macaranga tanarius Muell. Arg.
BILÚNG-DALÁGA, T?. Terminalia.
BINAGÚAN, V. Dipterocarpus affinis Brandis.
BINAHÍAN, T. Sauropus androgynus Merrill.
BINALÁTON, V. Musa paradisiaca L.
BINALÍUAN, T. Shorea.
BINAMBÁNG, T. Oryza sativa L.
BINÁTO, V. Musa sapientum L.
BINAYÓCO, T. Antidesma ghaesembilla Gaertn.
BINBÍÑGUAY, Il. Loranthus pauciflorus Blanco.
BIÑGÁBING. Macaranga moluccana DC.
BIÑGÁBING, T. Macaranga mappa Muell. Arg.
BIÑGLÍN, T., V. Polyscias nodosa Seem.
BIÑGLÍU, V. Dysoxylum blancoi Vidal.
BINIGUÁSAN, T. Heterostemma cuspidatum Decne.
BIÑGTICOHÓL, T. Musa paradisiaca L.
BINÓLO, T. Terminalia.
BINÓLO, B. Eugenia.
BINÓNANG, T. Octomeles sumatrana Miq.
BINÓÑGA, T V., Pamp. Macaranga tanarius Muell. Arg.
BINOYÓC-BOYÓC, T. Modecca palmata L.
BINTÍÑG-DALAGA, T. Pithecolobium lobatum Benth.
BINTÍÑG-DALÁGA (Tayabas Micromelum tephrocarpum Turcz.
BINTÓCO. Casearia moluccana Blume.
BINTÓCO, B. Evodia latifolia DC.
BINUÁN, T. Macaranga tanarius Muell. Arg.
BINÚANG. Octomeles sumatrana Miq.
BINUÁNG, T. Macaranga mappa Muell. Arg.
BINÚCAO, T. Garcinia cambogia Desrouss.

BINÚLO, T. Terminalia.
BINÚÑGA, T. Clerodendron macrostigium Schauer.
BINÚÑGA, V. Macaranga tanarius Muell. Arg.
BINÚÑGA, Il. Melochia arborea Blanco.
BINUSÍSI, T. Tristellateia australaisica Rich.
BÍO, Il. Garuga floribunda Decne.
BÍRI. Ficus hirta Vahl.
BÍRI, T. Carthamus tinctorius L.
BIRÍÑGI, T. Phaseolus vulgaris L.
BIRLÁG, T. Elaeocarpus.
BÍROG. Calophyllum inophyllum L.
BISACLÁT, T. Panicum.
BISÁCO, V. Epipremnum medium Engl.
BÍSCO, T. Musa paradisiaca L. var.
BISLÍS (Tayabas). Ixora.
BISLÓT, T. Eugenia.
BÍTA, V. Alstonia scholaris R. Br.
BÍTAI-BÁLANG, Pang. Parinarium.
BÍTANG. Kleinhovia hospita Linn.
BITANHÓL, T. Calophyllum inophyllum L.
BITANHÓL, T. Scolopia crenata Clos.
BITANHÓL, T. Flacourtia cataphracta Roxb.
BITANHÓL-NA-BABÁE, B. Myristica.
BITÁOG, V., Il., Pamp. Calophyllum inophyllum L.
BITÁOI, Z. Calophyllum inophyllum L.
BITBÍD, B. Eugenia.
BÍTCAC, T. Ternstroemia.
BITÍC, T. Shorea.
BÍTIS, T. Illipe betis Merrill.
BITLÁG, T. Chailletia gelonioides H. f.
BITNÓG, Il. Kleinhovia hospita L.
BITNÓN. Kleinhovia hospita L.
BITNÓNG, Il. Kleinhovia hospita L.
BITÓC. Calophyllum inophyllum L.
BITOCOLÍNG, T. Palaquium luzoniense Vidal.
BITOCOLÍNG, T. Litsea.
BITOÓ, Il. Calophyllum inophyllum L.
BITÓGO, T. Cycas circinalis L.
BITÓÑGOL, T. Flacourtia sepiaria Roxb.
BITÓON, V. Barringtonia speciosa Forst.
BÍTUG. Barringtonia speciosa Forst.
BÍTUNG, V. Barringtonia speciosa Forst.
BITÚÑGOL, T. Scolopia crenata Clos.
BÍUAS, T. Bruguiera caryophylloides Blume.
BÍUAS, T. Ceriops.
BÍUAS, T. Rhizophora.
BLÉDO. Amaranthus spinosus L.
BOÁ, Il. Areca catechu Linn.

BOÁC, Ig. Albizzia procera. Benth.
BOÁDA, Ig. Melastoma obvolutum Jack.
BÓBOA, V. Nephelium glabrum Noronh.
BÓBOA, V. Lansium domesticum Rumph.
BÓBOG, V. Sterculia foetida L.
BÓBOI, B., T. Ceiba pentandra Gaertn.
BÓBOI-GÚBAT, T. Thespesia populnea Corr.
BOBONÓYANG, V. Anaxagorea luzonensis A. Gray.
BÓBOY, T. Ceiba pentandra Gaertn.
BÓBUY-GUBÁT, T. Bombax malabaricum DC.
BOCÁBOC, T., V. Scaevola koenigii Vahl.
BOCÁUAY, T. Schizostachyum acutiflorum Munro.
BOCAUÍ, T. Bambusa diffusa Blanco.
BOCAUÍ, T. Beesha rheedii Kunth.
BOCAUÍ, T. Bumbusa.
BÓCBOC, T. Streblus asper Lour.
BODBÓD, T. Bauhinia.
BÓDOT, V. Dioscorea.
BOGÁUAC, T. Clerodendron.
BÓGNA, V. Eurya japonica Thunb.
BÓGO. Garuga.
BÓGO-BÓGO. Brucea sumatrana Roxb.
BOGOLÓYAC, B. Chisochaeton tetrapetalus Turcz.
BÓGOS, V. Acalypha stipulacea Klotzsch.
BÓGTO-TÁE, V. Streblus asper Lour.
BOHÁVE, V. Dysoxylum blancoi Vidal.
BOHÁYAN, V. Dioscorea.
BÓHO, T. Bambusa.
BÓHO, T. Dendrocalanus flagellifer Munro.
BÓHO-BÓHO, V. Lantana camara L.
BOHÓL. Gmelina villosa Roxb.
BOLAGTÁB, V. Solanum nigrum L.
BOLÁHAN. Oryza sativa L.
BOLÁLA, B. Aglaia?.
BÓLAO, Pamp. Santiria.
BOLÁTONG. Phaseolus mungo L.
BOL-LÓ, Ig. Acalypha grandis Benth.
BOLLÓGO, Il. Anacardium occidentale L.
BOLOBOTÓNES, Pamp. Euphorbia pilulifera L.
BOLOBOTÓNES, V. Kyllinga monocephala Rottb.
BOLOHÁN, T. Oryza sativa L. var.
BOLÓN, T. Curcurma xanthorrhiza Roxb.
BOLONGAÉTA, T. Diospyros pilosanthera Blanco.
BOLÓNG-CÁUIT. Jatropha curcas L.
BOLONGUÍTA, T. Diospyros pilosanthera Blanco.
BOLÓNG LÚYONG, Pamp. Livistonia papuana Bece.
BOLÓNG TÁMBAL, V. Dysoxylum blancoi Vidal.
BOLÓNG-TÁMBAL. Clerodendron intermedium Cham.

BOLONGUÍTA. Diospyros pilosanthera Blanco.
BOLÓT, V. Dioscorea fasciculata Roxb.
BONÁC, V. Ocimum basilicum L.
BANÁTO, T. Mallotus philippinensis Muell. Arg.
BONÉTES. Barringtonia speciosa Pers.
BÓÑGA, T., V. Areca catechu L.
BÓÑGA (Batangas). Bauhinia variegata L.
BOÑGÁBONG, V. Macaranga mappa Muell. Arg.
BOÑGABÓÑGA, T. Alternanthera denticulata R. Br.
BOÑGÁLON. Bauhinia grandiflora Blanco.
BOÑGÁNG-MATÚLIS, T. Areca catechu Linn.
BOÑGÁNG-PÁTO, T. Areca.
BÓÑGA-PÁLO. Areca catechu L.
BÓÑGA-SÁNTOL. Areca catechu L.
BOÑGÁN LABNÍ, Pamp. Calamus albus Pers.
BOÑGLÁS, V. Zizyphus.
BOÑGLÍU, V., T. Polyscias nodosa Seem.
BOÑGÓT-BOÑGÓT, V. Cyperus.
BONLAÍ, B. Lunasia amara Blanco.
BONLÍN, T. Polyscias nodosus Seem.
BÓNOG (Paragua). Garcinia.
BONOTÁN, V. Cocos nucifera Linn.
BÓNTOT-USÁ, V., T. Helicteres spicata Colinb.
BOÓ-BOÓ, Ig. Pinus insularis Endl.
BOOCÁN, V. Lansium domesticum Rumph.
BORNÁY GÚBAT, V. Antidesma.
BOROBOTÓNES, V. Kyllinga monocephala Rottb.
BORÓNA, Pamp. Setaria italica Beauv.
BORÓNA. Zea mays L.
BORÓT, V. Dioscorea fasciculata Roxb.
BOSBÓRON, T., V. Scaevola koenigii Vahl.
BOSÍCAD, V. Kyllinga monocephala Rottb.
BOSLÓG-ÁMO, T. Melastoma.
BÓTA, Ig. Mussaenda.
BÓTA-BÓTA, T. Excocaria agallocha L.
BÓTA-BÓTA, Il. Melastoma obvolutum Jack.
BÓTANG-GÚBAT, T. Homalanthus fastuosus F. Vill.
BOTÁT. Barringtonia racemosa DC.
BÓTO, T., V. Scaevola koenigii Vahl.
BOTÓAN, T. Musa sapientum L.
BOTOBOTÓNES, B. Cyperus rotundus L.
BOTOBOTÓNES. Euphorbia pilulifera L.
BOTOHÁN, T. Musa paradisiaca L.
BOTÓLAN, T. Fluggea obovata Wall.
BÓTON-CÍLO, V. Kyllinga monocephala Rottb.
BOTONCÍLLO, T. Gomphrena globosa L.
BÓTONG, T., V. Barringtonia speciosa Forst.
BÓTONG, V. Cocos nucifera Linn.

BÓTONG, V. Milletia sericea W. and A.
BÓTONG-BÓTONG, T. Barringtonia speciosa Forst.
BOTÓNG-MANÓC, T. Sterospermum quadripinnatum F. Vill.
BÓVI, V. Euphorbia pilulifera L.
BOYÓC-BOYÓC, T. Momordica cochinchinensis Spreng.
BUÁ, Cag. Areca catechu Linn.
BUÁS, Il. Malotus philippinensis Muell. Arg.
BUB-BÚGNAY. Antidesma bunius Spreng.
BUBÓY-GÚBAT, T. Bombax malabaricum DC.
BÚBUG. Erythrina indica Lam.
BÚBUR?. Dracontomelum mangifera Blume.
BÚBUY, T. Ceiba pentandra Gaertn.
BÚBUY-GÚBAT, T. Thespesia populnea Corr.
BUCÁCAO, Il. Setaria italica Beauv.
BÚC-BÓC, Pamp. Streblus.
BÚCTON (Masbate). Calamus.
BUENA VÍSTA, Sp.-Fil. Codiaeum variegatum Muell. Arg.
BUÉNG, Pamp. Acorus calamus Linn.
BUGÁJIN, V. Strychnos celebica Koorders.
BUGAYÓN, Il. Abrus precatorius L.
BÚGNA, V. Glochidion.
BÚGNAI, V. Antidesma bunius Spreng., and other species.
BÚGNAO. Semecarpus perrottetii March.
BÚGO, V., T. Garuga floribunda Decne.
BÚGOS, T., V. Acalypha grandis Benth., and other species.
BÚGTONG, V. Caesalpinia bonduc Roxb.
BUGUÁRON. Lagerstroemia batitinan Vid.
BUGUÍBUC, T. Eragrostis tenella R. and S.
BÚLIO, V. Dendrocalamus flagellifer Munro.
BUÍCAN, T. Shorea.
BUIQUÍQUIT, T. Mucuna monosperma DC.
BUJÚCAN (Albay). Fagraea.
BÚLAC, T. Gossypium herbaceum L.
BÚLAC, T. Ceiba pentandra Gaertn.
BULACÁN, V. Thespesia populnea Corr.
BULACÁN, V. Thespesia macrophylla Blume.
BULACÁN, T. Ipomoea peltata Choisy, and other species.
BULÁCAO (Iloilo). Argyreia.
BÚLAC-BULÁCAN. Ipomoea peltata Choisy.
BÚLAC-BULÁCAN, T. Asclepias curassavica L.
BÚLAC-CÁHOY, T. Gossypium perenne L.
BÚLAC-CASTÍLA, Pamp. Ceiba pentandra Gaertn.
BÚLAC-CASTÍLA, Pamp. Gossypium herbaceum L.
BÚLAC-CASTÍLA, T. Asclepias curassavica Linn.
BÚLAC-DAMÓ, T. Asclepias curassavica L.
BÚLAC-DONDÓL (Cebu). Ceiba pentandra Gaertn.
BÚLAC-MANÚC, T., Pamp. Adenostemma viscosum Forst.
BÚLAC-NA-MONTÍ, T. Gossypium perenne L.

BÚLAC-NA-BÚNDOC, T. Gossypium arboreum L.
BÚLAC-NA-TOTÓO, T. Gossypium perenne L.
BÚLAC-NA-TOTÓO, T. Gossypium arboreum L.
BÚLAC-ÑGA-BISÁYA, V. Gossypium arboreum L.
BULÁCLAC-NAÑG-DALÁGA. Mussaenda frondosa L.
BULAESÍNO, T. Ceiba pentandra Gaertn.
BÚLAG, T. Gossypium herbaceum L.
BULÁGAC, B. Uvaria ovalifolia Blume.
BULÁHAN, V. Lansium domesticum Rumph.
BÚLAI (Batangas). Dolichos lablab L.
BÚLAI-LÁVA, T. Crotalaria verrucosa L.
BULÁLA, Il. Sarcocephalus cordatus Miq.
BULALÁCAO, V. Argyreia nitida Choisy.
BULÁLANG, B. Pittosporum.
BÚLAN-BÚLAN, V. Laportea gaudichaudiana Wedd.
BULAÓ, T. Canarium.
BULAÓ, T. Santiria.
BULAÓ-BULAÓ, V. Parameria philippinensis Radlk.
BULÁON, T., Pamp. Vitex littoralis Decne.
BULÁNAN, V. Gomphia.
BULAUÍSAN, Il. Vitex.
BÚLAY (Batangas). Dipterocarpus vernicifluus Blanco.
BULÍ, T. Corypha umbraculifera L.
BULÍ-BURÍ. Corypha umbraculifera L.
BULÍ-CAHÓY. Vitex philippinensis Merrill.
BÚLO, V. Bambusa longinodis Miq.
BULOCÁNAN, V. Gomphia angustifolia Vahl.
BULOÑGUÍTAN, T. Diospyros.
BUNÁYON. Sonneratia pagatpat Blanco.
BÚÑGA (Cagayan). Dipterocarpus.
BÚÑGA, Cag. Pterospermum diversifolium Blume.
BÚÑGA, T. Areca catechu L.
BUÑGÁLON, V. Homalocenchus hexandrus O. Ktze.
BUÑGÁLON, T., V. Avicennia officinalis L.
BUÑGÁLU, T. Avicennia officinalis L.
BUÑGÁLUN, V. Sonneratia pagatpat Blanco.
BUÑGÁNON (Tinago). Ryparosa.
BUÑGLÁS. Zizyphus?.
BUÑGLÍN, T. Polyscias nodosa Seem.
BUÑGLÍO, V. Amoora.
BUÑG-LÓY, V. Polyscias nodosa Seem.
BUÑGÓN, Il. Allaeanthus luzonicus Benth. and Hook.
BUÑGÚLAN, T. Musa paradisiaca L. var.
BUNLÁO, V. Justicia gendarussa, L.
BUNNÉC, Il. Musa sapientum L. var.
BUQUÍÑGAN. Gnaphalium.
BUQUITQUÍT. Asclepias curassavica L.
BÚNTOT-PÚSA, T. Mallotus ricinoides Muell. Arg.

BÚNTOT-PÚSA, T. Setaria glauca Beauv.
BÚNTUT-ÚSA, T. Helicteris spicata Colinb.
BUNUÁY (Bontoc). Vaccinium indutum Vidal.
BUNÚGAN?, Cag. Calamus rhomboideus Blume.
BUQUÍÑGAN, T. Gomphrena globosa L.
BURÍ, T. Corypha umbraculifera L.
BUSÁIN, T. Bruguiera caryophylloides Blume.
BUSÁIN (Leyte). Pterocymbium javanicum R. Br.
BUSÁIN, V. Sterculia.
BUSÍ?, Cag. Calamus rhomboideus Blume.
BUSÍLAC, T. Amoora.
BUSÍLAC, T. Alchornea blumeana Muell. Arg.
BUSÍLAO, T. Aglaia minutiflora Bedd.
BUSÍLI, Pang. Diospyros.
BUSÍM. Bruguiera.
BUSLÍG, Il. Eleocharis.
BUTÁ, T. Excoecaria agallocha L.
BUTÁBUTÁ, T., Pamp. Excoecaria agallocha L.
BÚTANG-GÚBAT, T. Homalanthus.
BÚTAO, B. Ardisia humilis Vahl.
BÚTING. Phaseolus vulgaris L.
BUTÍÑGA, T. Phaseolus vulgaris L.
BUTÍÑGUI. Vigna.
BUTNÉG, Il. Musa sapientum L. var.
BUTNÉNG, Il. Musa sapientum L. var.
BÚTO-BÚTO, V. Cerbera odollam Gaertn.
BÚTO-BUTÓNIS, V. Phyllanthus.
BÚTO-BUTONÍSAN, T. Euphorbia atoto Forst.
BÚTONG, V. Dendrocalamus.
BÚTONG, V. Pongamia glabra Vent.
BÚTONG, V. Derris sinuata Benth.
BÚTONG, V. Milletia pulchra Benth.
BÚTONG-MANOC, V. Cyclostemon.
BUTÚAN, T. Musa sapientum L.
BUTÚLAN (Tayabas). Fluggea obovata Wall.
BUTÚÑG-MANÓC, B. Hydnocarpus heterophylla Blume.
BÚY, Il. Musa.
BÚYAG, T. Citrus medica L.
BUYAYÁVA, V. Euphorbia pilulifera L.
BUYÉÑ (Balabac). Mussaenda grandiflora Rolfe.
BÚYO, V., T. Piper betle L.
BÚYO-BÚYO, B. Astronia macrophylla Blume.
BÚYO-BÚYO (Albay). Piper caninum A. Dietr.
BÚYO-BÚYO. Trichosanthes amara L.
BUYÓC-BUYÓC, Il. Ehretia buxifolia Roxb.
BUYÓC-BUYÓC, T. Momordica cochinchinensis Spreng.
BÚYO IT ÁMO, V. Piper caninum A. Deitr.
BÚYO IT ÁYAM, V. Piper caninum A. Dietr.

BÚYO IT LINTÍ, V. Piper caninum A. Dietr.
BÚYON, V. Mussaenda anisophylla Vidal.
BÚYONG, V. Melastoma.
BÚYOR, V. Mussaenda.
BÚYUN (Zamboanga). Lophopetalum.

C.

CÁBAG. Sarcocephalus cordatus Miq.
CÁBAG-HAMBABÁLOS, V. Sarcocephalus cordatus Miq.
CABÁHOY. Eugenia.
CABAICÁBAI, T., V. Sophora tomentosa L.
CABÁJUY. Eugenia.
CABÁL, T. Fagraea morindaefolia Blume.
CABALLÉRO, Sp. Fil. Caesalpinia pulcherrima Swartz.
CABALÓÑGAN, T., Pamp. Strychnos ignatii Berg.
CABÁLTE, V. Elaeocarpus oblongus Gaertn.
CABAÓ-Y, V. Eugenia.
CABALÍTI, T., V. Colubrina asiatica Brongn.
CABATÍTI, T. Rhamnus wightii W. and A.
CABCÁB, V. Polypodium quercifolium L.
CABCÁBAN, V. Polypodium quercifolium L.
CABCÁRON, Il. Elephantopus spicatus Juss.
CABÍLAO, V. Commelina benghalensis L.
CABÍLTE, V. Elaeocarpus oblongus Gaertn.
CABÍQUI, T., V. Mimusops elengi Linn.
CABIT-CÁBAG, T. Mezoneurum glabrum Desf.
CABÍT-CÁBAG, T. Caesalpina nuga Ait.
CABÍTONG, T., Pang. Eugenia.
CABLÍN, T., Pamp. Pogostemon heyneanus Benth., and other species.
CÁBOG, T. Unona.
CÁBOG. Citrus hystrix DC.
CABÓGBOG, T. Antidesma ghaesembilla Gaertn.
CÁBO-NÉGRO. Caryota urens L.
CÁBOY. Unona.
CABRÁB, B., T., V. Erythrina indica L.
CÁBRA-CÁBRA, V. Heliotropium indicum. Linn.
CABUCABULÁUAN, B. Strychnos.
CABÚGAO, V. Citrus decumana Linn.
CÁBUL. Cucumis sativus Linn.
CABÚLAO (Tiagan). Citrus aurantium L.
CABÚTI, T. Boletus?.
CABÚTI, T. Polyporus.
CABÚYAO, Pamp. Citrus hystrix DC.
CÁCA, T. Nepenthes.
CACÁDLE, T. Streblus asper Lour.
CACAHUÁTE, Pamp. Gliricidia maculata H. B. K.
CACAHUÉTE. Arachis hypogaea L.
CACÁNA, T. Quercus soleriana Vidal, and other species.

CACÁO, Sp. Theobroma cacao L.
CACÁO-CACÁO (Ticao). Agrostistachys maesoana Vidal.
CACÁO-CACAOÁN. Talauma?.
CACÁO-CACAUÁN, T. Lunasia.
CACÁO-CACAUÁN (Tayabas). Aglaia.
CACÁO-ÍTA (Balabac). Fagraea crassipes Benth.
CACAUÁTE. Gliricidia maculata H. K. B.
CACAUÁTE, T. Arachis hypogaea L.
CACHÁ. Memecylon edule Roxb.
CACHÚMBA, Il. Argemone mexicana L.
CACHÚMBA, Pamp. Carthamus tinctorius L.
CACUENTÁSAN, T. Canna indica L.
CADÁBA. Gossypium herbaceum Linn.
CADAPDÁP, B. Diospyros.
CADAYÓHAN, T. Celosia argentea L.
CÁDCO, Ig. Polypodium dipteris Blume.
CADDÍL, B. Duabanga moluccana Blume.
CADDÓL. Pongamia glabra Vent.
CÁDIR. Duabanga moluccana Blume.
CADLÍN, V. Pogostemon cablin Benth.
CADLÓM, V. Pogostemon cablin Benth., and other species.
CADÚNG, Ig. Nepenthes alata Blanco.
CÁD-YOS, V. Cajanus indicus L.
CAFÉ, Sp. Coffea arabica L.
CAGATÚÑGAN, T. Pygeum.
CAGAYÁN, Il. Boehmeria nivea Hook. and Arn.
CAGÉL, Sp.-Fil. Citrus aurantium Linn.
CAGUÍNDI. Phyllanthus acidus Muell. Arg.
CAGUÍNDI, V. Vitis carnosa Wall.
CAGNÓIS, T. Cajanus indica L.
CAGYÓS. Cajanus indica L.
CAHÁNA (Jolo). Coffea arabica Linn.
CAHÉL, T., V. Citrus aurantium L.
CÁHOY-DALÁGA, T. Morinda bracteata Roxb.
CÁHOY-DÁLÁGA. Micromelum.
CÁHOY-DALÁGA. Pavetta.
CÁHOY-DALÁGA, T. Evodia.
CÁHOY-DALÁGA, T. Mussaenda grandiflora Rolfe.
CÁHOY-DALÁGA, T. Mollotus moluccanus Muell. Arg.
CÁHOY-DALÁGA. Tristira triptera Radlk.
CAICÁI, T. Adiantum lunulatum Burm.
CAIRÓCAN, T. Beilschmiedia cairocan Vidal.
CAIRÓNI, T. Dioscorea.
CAJÉL, Il. Citrus aurantium L.
CALÁAD. Cissampelos pareira L.
CALÁBANG, V. Daemonorops draco Mart.
CALABANTÓS, V. Mucuna nivea DC.
CALÁBAO, T. Monochoria vaginalis Presl.

CALÁBAO, T. Ottelia alismoides Pers.
CALABÁSANG-BILÓG. Cucurbita maxima Duch.
CALABÁZA. Cucurbita pepo Linn., and other species.
CALABÁZANG BILÓG, T. Cucurbita maxima Duchesne.
CALABÁZANG PULÁ, T. Cucurbita maxima Duchesne.
CALABÓA, Pamp. Blechnum brownei Juss.
CALABÓA. Monochoria vaginalis Presl.
CALÁBOT. Citrus toroso Blanco.
CALABÚYO, T. Saccopetalum.
CALACALAMÁYAN (Batangas). Cissampelos pareira L.
CALACAMÓTE, V. Ipomoea bona-nox Linn.
CALACAUÁYAN, V. Arundinella nervosa Nees.
CALACHUCHÍ, T. Plumiera acutifolia Poir.
CALAGÚÑG-ÚG, V. Tournefortia sarmentosa Lam.
CALÁLIOS, V. Caryota rumphiana Mart.
CALÁI, T. Monocarpia blancoi F. Vill.
CALÁI, T. Xylopia dehiscens Merrill, and other species.
CALAÍCAI (Leyte). Desmodium pulchellum Benth.
CALAI-CALAI, T. Various species of Anonaceae.
CALAÍTIC, Mang. Litsea.
CALALÁUAN, T. Asclepias curassavica L.
CALAMANSÁLAN, T. Stephegyne.
CALAMANSÁLAI, T. Stephegyne.
CALAMANSÁNAI, T. Terminalia calamansanai Rolfe.
CALAMANSÁNAI, T. Stephegyne.
CALAMANSÁNAI, T. Diospyros.
CALAMANSÁNAI, T. Bursera?.
CALAMANSÉ, T. Citrus aurantium L.
CALAMANTÁO, T. Antidesma ghaesembilla Gaertn.
CALAMÁYO, T. Erioglossum.
CALAMÁYON, T. Terminalia.
CALAMBÁE, V. Litsea.
CALAMBÍTI. Caesalpinia bonducella Flem.
CALAMBIBÍT, T. Caesalpina bonducella Flem.
CALAMBÓ-CALAMBÓAN, T. Cyperus.
CALAMÍAS, T. Averrhoa bilimbi L.
CALAMÍSMIS. Psophocarpus tetrogonolobus DC.
CALAMISMÍS, T. Psophocarpus tetragonolobus DC.
CALAMONDÍN, T. Citrus medica Linn. var.
CALÁNAG, B. Ailanthus moluccana DC.
CALANGCÁNG, V. Heptapleurum subulatum Seem.
CALANÍGI, V. Gardenia.
CALAMITTÍT. Terminalia.
CALANTÁS, T., Pamp. Cedrela toona Roxb.
CALANTÍPAY, T. Scirpus.
CALÁN-UM-OÚAC, V. Trichosanthes globosa Blume.
CALÁOAG, V. Curcuma virdiflora Roxb.

CALÁPI, V., B. Calamus albus Pers.
CALAPÍA (Mindanao). Palaquium.
CALAPÍNAI, T. Dodonaea viscosa L.
CALAPÍNI, T. Avicennia officinalis L.
CALASÚSI, T. Plumiera acutifolia Poir.
CALATÍÑGAN, T. Pterospermum.
CALATONDÓN, T. Cyathea integra J. Sm.
CALATSÚTSI, T. Plumeria acutifolia Poir.
CALATÚCHE, V. Plumeria acutifolia Poir.
CALATUMBÁGA. Crudia blancoi Rolfe.
CALÁUAG, V. Curcuma longa L.
CAL-AUÍTIT, Il. Terminalia.
CALAVÁGA, V. Curcuma longa L.
CALAVÁGA, V. Cucumis sativa L.
CALAYÁCAY, V. Desmodium pulchellum Benth.
CALAYÁTE, V. Tectona grandis L.
CALBÁNG, T. Bambusa.
CALIÁCAY, V. Desmodium pulchellum Benth.
CALÍAN, T. Glochidion.
CALIANTÁNG, T. Leea rubra Blume.
CALIAÑGTÁNG. Leea sambucina Willd.
CALIBÁYOAN. Bruguiera eriopetala W. and A.
CALÁICA. Clerodendron intermedium Cham.
CALÍCOT (Tayabas). Maesa indica A. DC.
CALIMÁNTAO (Unisan). Evodia.
CALIMÁNTAO, T. Diospyros.
CALIMANTAÓ. Vitex.
CALIMBAHÍN, T. Micromelum tephrocarpum Turcz.
CALINBAGÍN, T. Psidium guayava L.
CALÍÑGA, V. Cinnamomum pauciflorum Nees.
CALÍÑGAD, Pamp. Cinnamomum pauciflorum Nees.
CALÍÑGAD, T., V. Cinnamomum pauciflorum Nees.
CALÍÑGAG, T., V. Cinnamomum mercadoi Vidal, and other species.
CALÍÑGAN, V. Melochia corchorifolia L.
CÁLIN-MANÓG. Canthium mite Bartl.
CALIÓS, T. Streblus asper Lour.
CALIÓT, Pang., Il. Hopea plagata Vid.
CALIPÁYANG, V. Codiaeum variegatum Muell. Arg.
CALIRÁORAO, T. Eragrostis plumosa Link.
CALÍSAI, Pamp. Terminalia catappa L.
CALÍT-CALÍT, T. Vitis carnosa Wall.
CALÍTES, V. Amaranthus spinosus L.
CÁLO. Artocarpus incisa L.
CALOBCÓB, T. Eugenia jambos L.
CALOCÁGO, B. Eugenia.
CALOCATÍÑGAN, T. Pterospermum obliquum Blanco.
CALOCANTÍNG, T. Clitoria ternatea L.
CÁLOC-CÁTMO. Kayea.

CALOHÁDIA. Diospyros pilosanthera Blanco.
CALOHÁDIANG, Pamp. Diospyros.
CALÓIS. Streblus asper Lour.
CALOMÁLA, T. Elaeocarpus lanceaefolius Roxb.
CALOMANSÓLA, T. Symplocos.
CALOMÁTA, T. Clausena excavata Burm.
CALOMPÁN, T. Sterculia foetida L.
CALOMPÍT, T. Terminalia edulis Blanco.
CALONDÁGNI. Bridelia stipularis Blume.
CALÓO, V. Abrus precatorius L.
CALÓOY, V. Ocimum basilicum L.
CÁLOT, Pang. Dioscorea.
CALÓTANG-BILÓG. Trumfetta semitriloba L.
CALOYÁNANG. Diospyros pilosanthera Blanco.
CALÚAG, T. Casearia.
CALÚBAY, V. Lagenaria vulgaris Seringe.
CALUBCÚB, T. Eugenia.
CALÚGAY, T. Moringa oleifera Lam.
CALUGCÓG, T. Eugenia.
CALÚIS, T. Streblus asper Lour.
CALUMÁCAN, V. Elaeocarpus.
CALUMÁNAY, T. Rapanea philippinensis Mez.
CALUMÁNOG, V. Koordersiodendron pinnatum Merrill.
CALUMÁNOG, V. Terminalia edulis Blanco.
CALÚMBAN, T. Aleurites moluccana Blume.
CALUMÍÑGA, Ig. Gaultheria.
CALÚMPANG, T. Sterculia foetida L.
CALÚMPAG-SA-LÁTI, T. Xylocarpus granatum Koenig.
CALÚMPAG, T. Sterculia foetida L.
CALUMPAGÍN, T. Marlea begoniaefolia Roxb.
CALÚMPAN, Pamp. Sterculia foetida L.
CALUMPÁNG, T. Sterculia foetida L.
CALUMPAÑGÍN, T. Guettarda speciosa L.
CALUMPÁÑGA-SA-LÁTI, T. Xylocarpus obovatum Juss.
CALUMPÍT, T. Terminalia edulis Blanco.
CALUNÁCAN, V. Elaeocarpus obovatus Arn.
CALÚÑGAI, T., V., Pamp. Moringa oleifera Lam.
CALÚNGPANG, T. Sterculia foetida L.
CALUNTÍÑGAN, V. Anthocephalus candamba Miq.
CALUNTÍÑGAN-ÑGA-ITÍM, V. Nauclea purpurea Roxb.
CALUNTÍÑGAN-ÑGA-MULÁTO, V. Nauclea purpurea Roxb.
CALÚPAD, V. Clematis gouriana Roxb.
CALUPCÚP, T. Eugenia.
CALUPÍNES, Z. Avicennia officinalis L.
CALUTPÁMO. Phyllanthus acidus Muell. Arg.
CÁLUT, Pamp. Dioscorea hirsuta Blume.
CAMACAMATÍSAN, T. Solanum nigrum L.
CAMACHÍLIS, T. Pithecolobium dulce Benth.

CAMAGAHÁL (Morong). Diospyros.
CAMAGÓN, T. Diospyros discolor Willd.
CAMAGSÁ, T. Rourea multiflora Planch.
CAMAGSÁ, T. Smilax indica Vitm.
CAMAGSÁ-TAGUÍLIS, T. Rourea heterophylla Planch.
CAMAGSÁ-TAGUÍLIS, T. Connarus.
CAMAGÚAN. Diospyros discolor Willd.
CAMAISÁ, T. Croton tiglium L.
CAMAISÁ, T. Macaranga mappa Muell. Arg.
CAMAISÁ-SA-GÚBAT, T. Cleidion.
CÁMAL. Allaeanthus luzonicus, Benth. and Hook.
CAMALÁGUI, V. Tamarindus indica L.
CAMALÓN, T. Evodia.
CAMALÓÑGAY, T., V. Moringa oleifera Lam.
CAMALÚÑGUE, Pamp. Moringa oleifera Lam.
CAMALÚSON, V. Psophocarpus tetragonolobus DC.
CAMANCHÍLE, T. Pithecolobium dulce Benth.
CAMANCHÍLES. Pithecolobium dulce Benth.
CAMANDÁG, V. Croton tiglium L.
CAMÁÑGA, T. Croton.
CAMÁÑGE, V. Ocimum sanctum L.
CAMÁÑGI, T. Dalea nigra Mart. and Gal.
CAMÁÑGI, T. Gynura sarmentosa DC.
CAMÁÑGSI, T., V. Artocarpus camansi Blanco.
CAMAÑGUIÁNIS, T. Clausena excavata Burm.
CAMANÓC, V. Crypteronia.
CAMANSÍLE, T. Pithecolobium dulce Benth.
CAMANTÁYO, V. Cratoxylon formosum Benth. and Hook. f.
CAMANTÍGUI, T., Pamp. Impatiens balsamina L.
CAMANTIRÍS, Il. Pithecolobium dulce Benth.
CAMÁOG, V. Geodorum semicristatum Lindl.
CA-MARÍA, T. Artemisia vulgaris L.
CAMARIÁNG-SONGSÓNG, T. Leonurus sibiricus L.
CAMÁS (Zamboanga). Myristica gutteriifolia A. DC.
CAMASTÉLES. Pithecolobium dulce Benth.
CAMÁTIS, T., Il. Lycopersicum esculentum Mill.
CAMÁTIS. Physalis angulata L.
CAMAYÚAN, T. Gymnosporia.
CAMAYÚAN, T. Diospyros.
CAMBÁL. Pygeum latifolium Miq.
CÁMBRA-CÁMBRA, V. Heliotropium indicum L.
CAMIÁS, T. Averrhoa bilimbi L.
CANÍGANG, T., V. Ipomoea pes-caprae Roth.
CAMÍGAY, Il. Cryptocarya ilocana Vidal.
CAMÍIN, Z. Henslowia.
CAMILÍNG (central Luzon). Diplodiscus paniculatus Turcz.
CAMÍRING, Il. Semecarpus.
CAMÍT-CÁBAG, T. Caesalpina nuga Ait.

CAM-MÁLEG (Abra). Ficus.
CAMOCAMOTÍHAN, T., V. Ipomoea bona-nox L.
CAMOCHÍLE. Pithecolobium dulce Benth.
CAMOCHÍLES, T. Pithecolobium dulce Benth.
CÁMOG, Il. Clethra canescens Reinw.
CAMÓNAY, T. Diospyros.
CAMÓNG-CÁMONG. Capparis aurantioides Presl.
CAMOÑGSÍ, T., V. Artocarpus camansi Blanco.
CAMONSÍLES, T. Pithecolobium dulce Benth.
CAMÓTIN, T. Strychnos potatorum L. f.
CÁMOT-CÁBAG, T. Caesalpinia bonduc Roxb.
CAMÓTE, Sp.-Fil. Ipomoea batatas L.
CAMÓTING-CÁHOY, T., V. Manihot utilissima Pohl.
CÁMOT-PÚSA, T. Mezoneurum.
CÁMOT-PÚSA, T. Harrisonia bennetii Benth. and Hook. f.
CAMPÓPOT, T. Tabernaemontana pandacaqui Poir.
CAMPÓPOT, Pamp. Jasminun sambac Ait.
CAMÚLAO, Il. Citrus hystrix DC.
CAMÚÑGUI (Zamboanga). Harrisonia bennetii Benth. and Hook. f.
CAMUNÍNG, T. Atalantia.
CAMUNÍNG, T. Murraya exotica L.
CAMÚMIN, T. Rourea heterophylla Planch.
CAMUNÍN, V., Pamp. Murraya exotica L.
CAMUNTÁY, V. Citrus hystrix DC.
CÁMUT-CÁBAG, T. Dalbergia ferruginea Roxb.
CÁMUT-CÁBAG, T. Azima nova Blanco.
CAMÚYO, T. Citrus hystrix DC.
CÁNA, V. Cardiospermum halicacabum L.
CANAASÁGA, Pamp. Abrus precatorius L.
CANÓBONG, V. Tacca pinnatifida Forst.
CANÁLA, V. Musa.
CANÁLONG, V. Tacca rumphii Schauer.
CANÁRA, V., T. Musa.
CANÁREM. Bischofia javanica Blume.
CANÁUAY, T. Uncaria.
CANDÁBA, V. Gossypium herbaceum L.
CANDARÓMA, Il. Cinnamomum pauciflorum Nees.
CANDÓL, V. Benincasa cerifera Savi.
CANDÓN, Il. Memecylon edule Roxb.
CANÉLA, V. Ocimum basilicum L.
CANÉLA. Cinnamomum pauciflorum Nees.
CANÉLA-DE-MÓNTE. Cinnamomum.
CANÉT, T. Artocarpus.
CÁÑGAY, Pamp. Zanthoxylum avicennae DC.
CÁÑGON-CÁÑGON, T. Hygrophila salicifolia Nees.
CAÑGCÓNG, T., Pamp. Ipomoea reptans Poir.
CANGCÓAG-DÁPO, T. Jussiaea repens L.
CANÍÑGAG, T., V. Cinnamomum mercadoi Vidal.

CANÍSI, V. Piper betle L.
CANLÁRA, V. Strychnos ignatii Berg.
CANÍÑGAG, T. Xylopia.
CANÓMAY, T., V. Diospyros multiflora Blanco, and other species.
CANÓNAY, T. Croton.
CANSASÁGA, Pamp. Abrus precatorius L.
CANSÍLAN, V. Cratoxylon blancoi Vidal.
CANLÍSAY, V. Cratoxylon.
CANSÚYOT. Aporosa.
CANTÍÑGAN (Mang). Pterospermum.
CANTIÑGÉN, Il. Cedrela toona Roxb.
CÁNTO-CÁNTO, T. Exacum tetragonum Roxb.
CANTÓN. Gossypium barbadense L.
CANTÓN. Boehmeria nivea, H. and A.
CANTÓTAI, T., Pamp. Paederia foetida L.
CANTÓTAN. Paederia foetida L.
CANTÓTAN, T. Vinca rosea L.
CANTÓTAY, T. Paederia foetida L.
CANTÚTAC, T. Paederia foetida L.
CANTÚTAN, T. Paederia foetida L.
CANUBSÚBAN, T. Scirpus.
CANUBSÚBAN, T. Panicum.
CANUBSÚBAN, Pamp. Polygonum barbatum L.
CÁNUS-CÁBAG, T. Mezoneurum.
CAÑA, Sp. Bambusa.
CAÑA-DÚLCE, Sp. Saccharum officinarum L.
CAÑA-ESPÍNA, Sp. Bambusa.
CAÑA-PÍSTOLA, T. Cassia fistula L.
CAÑA-FÍSTULA, Sp. Cassia fistula L.
CAÑÓN, Il. Lilium philippinense Baker.
CAPÁL, T. Hoya multiflora Blume.
CAPALÁUAN, V. Homalomena miqueliana, Schott.
CÁPOL-CÁPOL, T. Asclepias curassavica L.
CÁPOL-CÁPOL, T. Calotropis gigantea R. Br.
CAPANITÚLOT, T. Justicia gendarussa L.
CÁPAS, Il. Ceiba pentandra Gaertn.
CÁPAS-SÁÑGLAY, Il. Ceiba pentandra Gaertn.
CAPÁYAS, T., V. Carica papaya L.
CAPCÁPA, Il. Polypodium quercifolium L.
CAPÍLI, T. Aleurites moluccana Willd.
CÁPOC (Joló). Ceiba pentandra Gaertn.
CAPÓN, T. Areca alba Rumph.
CAPÓPAT-VISÁYA, V. Jasminum sambac Ait.
CAPÚLAO, V., T. Cynomorium philippinense Blanco.
CAPÚLI. Physalis peruviana L.
CAPÚTOL, V. Oryza minuta Presl.
CARABÁVI, Il. Bridelia stipularis Blume.
CARADÁP, B. Scheichera.

CARACÁLLA. Phaseolus caracalla Blanco.
CARACATÓN, V. Musa paradisiaca L. var.
CARACHÚCHA, T. Plumiera acutifolia Poir.
CARACÓB-BUTIGUÍ, V. Eugenia.
CARÁDAT, V. Leea javanica Blume.
CARAGDÁ. Trichosanthes amara L.
CARAGLÍ, T. Gardenia obscura Vidal.
CARAHÚMAI, T. Pandanus.
CARÁMAY. Phyllanthus.
CARAMBUÁYA, Il. Euphorbia neriifolia L.
CARAMPÁLIT, Pamp. Sesuvium portulacastrum L.
CARANCÁN, V., B. Heptapleurium.
CARANYÁN, V. Gomphia angustifolia Vahl.
CARAÑGCÁNY, V. Heptapleurum venulosum Seem.
CARÁOL, Z. Acacia.
CARAPDÁP, T. Erythrina indica L.
CARÁUAN, B. Duabanga moluccana Blume.
CARÍQUIS, Il. Albizzia julibrissin Durazz.
CARISQUÍS, T., Il. Albizzia julibrissin Durazz.
CARITÁNA, V. Bryophyllum calycinum Salisb.
CARITÁNA, V. Kalanchoe spathulata DC.
CARLÍN, T. Pogostemon cablin Benth.
CARMÁI, T. Glochidion.
CARNÁTE, V. Musa sapientum L. var.
CÁRO, Il. Casuarina equisetifolia Forst.
CAROBCÓB, B. Eugenia.
CAROBCÓB-BUTIQUÍ (Camarines). Eugenia.
CAROCSÁN, T. Linociera.
CARÓPI, V. Amomum ciliatum Blume.
CAROPSÁN. Linociera luzonica F. Vill.
CARÓT, Il. Amorphaphallus campanulatus Blume.
CARÓT, Il. Dioscorea triphylla L.
CARUCANSÓLI, T. Leucas aspera Spreng.
CARUGÚ, T., V. Myristica.
CASÁBANG, Il. Zanthoxylum oxyphyllum Edgw.
CASABHÁ, V. Carthamnus tinctorius L.
CÁSAI, T. Pithecolobium montanum Benth.
CÁSA-SAGÁ. Abrus precatorius L.
CÁSAY, B. Albizzia littoralis, Teysm and Benn.
CÁSAY, T. Aglaia.
CÁSAY, V. Pithecolobium montanum Benth.
CÁSAY, V. Adenanthera pavonina L.
CASIBAINLÁNG (Paragua). Iguanura.
CASÍBEN, Il. Sapindus turczaninowii Vid.
CASINDÍC, T. Erythrina indica L.
CASÍRAG, Z. Dodonaea viscosa L.
CASÍTAS, V. Cassia alata L.
CASLÁ, V. Jatropha curcas L.

CASNÚT-CÁBAG, T. Azima nova Blanco.
CASOPANGUÍL, T. Clerodendron intermedium Cham.
CASOPANGÍL-SA-GÚBAT, T. Clerodendron.
CASOPANGUÍL-NA-PUTÍ, T. Clerodendron.
CASÓY, T., V. Anacardium occidentale Linn.
CÁSTIO-CASTIÓGAN, T. Hibiscus abelmoschus L.
CASTÍOGAN, T. Hibiscus abelmoschus L.
CÁSTO-CASTOLÍAN, Pamp. Hibiscus abelmoschus L.
CASTÓLI, T. Hibiscus abelmoschus L.
CASTÚLI, T. Hibiscus abelmoschus L.
CASTÚMBA, Pamp., T. Carthamus tinctorius L.
CASÚBANG-ÁSO. Argemone mexicana L.
CASÚBBA. Carthamus tinctorius L.
CASUBHÁ, T., Pamp. Carthamus tinctorius L.
CASUBHÁNG-ÁSO, Il. Argemone mexicana L.
CASÚI-CASÚIAN, T. Dehaasia.
CASUÍT, Pamp. Capparis.
CASUPÁÑGIL-GÚBAT, T. Clerodendron blancoi Naves.
CASUPÁÑGIL-GÚBAT, T. Clerodendron infortunatum L.
CÁSTIO, T. Hibiscus abelmoschus L.
CASÚY, T. Anacardium occidentale L.
CATACÁ-TACÁ, T. Bryophyllum calycinum Salisb.
CATACÁ-TACÁ, T. Kalanchoe laciniata DC.
CATALÓÑGA, V. Strychnos ignatii Berg.
CATAMANTÁS. Antidesma cumingii DC.
CATANDÁ, T. Cassia alata L.
CATANDÁ, T. Cassia tora L.
CATANDÁ, T. Crotalaria.
CATANDÁNG-ÁSO, T. Cassia tora L.
CATANGÁL, V. Eurycles amboinensis Herb.
CÁTANG-CÁTANG, T., B. Ipomoea pes-caprae Roth.
CÁTANG-CÁTANG. Alpinia brevilabris Presl.
CÁTANG-CÁTANG, T. Ipomoea pes-caprae Roth.
CÁTAP (Zamboanga). Croton leiophyllus Muell. Arg.
CATÁPANG. Shorea guiso Blume.
CATÁRAY (Balabac). Blumea chinensis DC.
CATÁYPA (Dinagat). Ardisia perrottetiana A. DC.
CATBALÓÑGA. Strychnos ignatii Berg.
CATCÁTAN, Pamp., V. Alpinia brevilabris Presl.
CATCÁTAN, V. Hedychium coronarium Koenig.
CATCHÍBONG, V. Datura alba Nees.
CATCHÚBUNG, V. Datura alba Nees.
CATCHÚBUNG, V. Datura metel L.
CATELÁNA, T.? Diospyros.
CATÍCOT, T. Maesa indica A. DC.
CATÍGUIS, T. Sapindus turczaninowii Vid.
CÁTIL, Ig. Eriosema chinense Vog.

CATIMÓN, V. Cucumis melo L. and other species.
CATMÓN, T., V. Dillenia philippinensis Rolfe.
CATLUÉN, V. Pogostemon cablin Benth.
CATÓN (Albay). Ficus.
CATÓNGAL, T. Pancratium zeylanicum L.
CATÓN-MACHÍNG (Zamboanga). Canarium.
CATÓLAN, V. Alpinia brevilabris Presl.
CATÓTANG, V. Hedychium coronarium Koenig.
CATÓTANG, V., Pamp. Alpinia gigantea L.
CATÓTANG, V., Pamp. Alpinia brevilabris Presl.
CÁTOY (Albay). Conocephalus.
CÁTOY (Albay). Artocarpus.
CATSÚMBA, T. Carthamus tinctorius L.
CATUBACÚLAN, T. Dysoxylum.
CATUÍT, T. Euphorbia tirucalli L.
CATÚNGAL, T. Eurycles amboinensis Herb.
CATÚÑGAO, Ig. Loranthus spicifer F. Vill.
CATÚRAI, T. Sesbania grandiflora Benth.
CAUÁD-CAUÁRAN, T. Panicum.
CAUÁD-CAUÁSAN, T. Naravalia.
CÁUAI, T., V. Sophora tomentosa L.
CÁUAT-CAUÁRAN, T. Cynodon dactylon L.
CAUÁYAN-ÁNOS?. Bambusa longinodis Miq.
CAUÁYAN-BALÍCAO, T. Bambusa luzonica Munro.
CAUÁYAN-BOCÁUI. Schizostachyum acutiflorum Munro.
CAUÁYAN-BÚHO. Dendrocalamus.
CAUÁYAN-CHÍNA?. Schizostachyum blumei Nees.
CAUÁYANG-BÓO, T. Bambusa laevis Blanco.
CAUÁYAN-GUÍD, V. Bambusa blumeana Roem. and Schult.
CAUÁYANG-TOTÓO, T. Bambusa arundinacea Retz.
CAUÁYANG QUILÍNG, T. Bambusa monogyna Blanco.
CAUÁYAN-LUMANPÁO?. Dendrocalamus.
CAUÁYAN-ÑGA-ITÚM, V. Phyllostachys bambusoides Sieb. and Zucc.
CAUÁYAN-OSUÍ. Schizostachyum acutiflorum Munro.
CAUÁYAN-PÁNA. Bambusa.
CAUÁYAN-TÁYO-UÁNAC (Tayabas). Schizostachyum acutiflorum Munro.
CAUÁYAN-TAINÁNAC. Dendrocalamus.
CAUÁYAN-TINÍC. Bambusa blumeana R. and S.
CAUÁYAN-TÓBO. Bambusa blumeana Roem.
CAUÁYANG TOTÓO, T. Bambusa arundinacea Retz.
CAUMPÁNG (Jolo). Sterculia foetida L.
CÁUON, T. Arenga sacchifera Lab.
CAVÁL, T. Garcinia.
CAVILÁN, T. Vitis carnosa Wall.
CAYÁGA. Hibiscus rosa-sinensis L.
CAYÁÑGA, T., V., Pamp., Il. Hibiscus rosa-sinensis L.
CAYAÑGA-RÓSA, Il. Hibiscus rosa-sinensis L.

CAYAÑGCÁN, V. Heptapleurum venulosum Seem.
BAYAÑGCÁN. Dioscorea pentaphylla Pers.
CAYANTÓL, Z. Linociera?.
CAYANTÓN, Z. Ficus.
CAYAOYÁO, T. Alstonia spectabilis R. Br.
CAYÁPO, V. Pistia stratioles Linn.
CÁYO, B. Ceiba pentandra Gaertn.
CAYOB-CÓB (Cebu). Ophiorrhiza.
CAYOMÁNIS, V. Cocos nucifera L.
CÁYONG, V. Glochidion littorale Blume.
CÁYOS, V. Dioscorea hirsuta Blume.
CAYUMÁNIS, T. Clausena pentaphylla DC.
CAYUTÁNA, Pamp. Zanthoxylum avicennae DC.
CAYUTÁNA, T. Zanthoxylum oxyphyllum Edg.
CEBÓLLI-CEBOLLÍSAN, T. Ipomoea.
CERÉZAS, Sp.-Fil. Muntingia calabura L.
CHÁ, T. Aphananthe.
CHACHÁ-CHACHÁHAN, T. Scoparia dulcis L.
CHACHÁ-CHACHÁHAN, T. Lippia nodiflora Rich.
CHÁ-CIMARRÓN. Ehretia.
CHÁM-BÚNDOC, T. Ehretia buxifolia Roxb.
CHAMPÁCA, Sp.-Fil. Michelia champaca Linn.
CHAMPÁGA, T. Michelia champaca Linn.
CHANCHÁE. Cissampelos pareira L.
CHANG-PÁRANG (Angat). Osbeckia chinensis L.
CHÉCHE (Nueva Vizcaya). Stephegyne.
CHICALÓTE. Argemone mexicana L.
CHÍCO, Sp.-Fil. Achras sapota L.
CHÍCO-MAMÉY. Lucuma mammosa Gaertn.
CHÍLE, Sp.-Fil. Capsicum minimum Roxb.
CHÍLENG-BUNDÓC, T. Capsicum minimum Roxb.
CHÍLENG-BUNDÓC, T. Piper.
CHÍLI-PICÁNTE, Sp.-Fil. Capsicum minimum Roxb.
CHINCHÁO-CHINCHÁUAN, T. Cissampelos pareira Linn.
CIANBÓG-TÚGBA. Ternstroemia toquian F. Vill.
CÍDRA. Citrus medica L.
CÍDRA-CAYÓTE. Cucumis citrullus Sir.
CILIÑGÍWA, V. Averrhoa bilimbi L.
CINAMÓMO, Sp.-Fil. Lawsonia alba Lam.
CINAMÓMO-DE-CHÍNA, Sp.-Fil. Aglaia odorata Lour.
CINCHÁO-CINCHÁUAN, T. Cissampelos pareira L.
CÍNCO-CÍNCO. Gynandropsis pentaphylla DC.
CÍNCO-LLÁGAS (Manila). Erianthemum bicolor Sch.
CÍNTAS-CINTÁSAN, T. Vallisneria spiralis L.
CIRÚLLAS. Spondias purpurea L.
CÍSCA. Imperata arundinacea Cyrill.
CÍSIP, Ig. Loranthus.
CÓBAG, T. Dioscorea sativa L.

CÓBAG-NA-QUIRÓI, T. Dioscorea.
COBÁMBA, T. Canscora diffusa R. Br.
CÓBE. Dittelasma rarak Benth.
CÓBONG-CÓBONG, V. Cyperus elatus Linn.
COCÁTMON, V. Buchanania florida Schauer.
CÓCO, Sp.-Fil. Cocos nucifera L.
CÓCONG-MANÓC, T. Barleria prionitis L.
CÓGON, T., V., B. Imperata arundinacea Cyrill.
CÓGON-CÓGON, T. Hypoxis franquevillei Miq.
COHÓMBRO. Cucumis sativa L.
CÓLA, T. Geodorum semicristatum Lindl.
COLABATÍAN, T. Cyperus.
CÓLANG-BUNDÓC, T. Geodorum semicristatum Lindl.
CÓLAS, T. Geodorum semicristatum Lindl.
COLASÍMAN, T. Portulaca oleracea L.
COLATCÓLAT. Agaricus.
COLÁTAY, T. Cynodon dactylon Pers.
COLÉNGAY, T. Astronia.
CÓLES, T. Morinda bracteata Roxb.
CÓLES, T. Memecylon edule Roxb.
CÓLES-MALÚEO, T. Pisonia inermis Forst.
COLIÁT, T. Gnetum gnemon L.
COLINTÁSAN, V. Canna indica L.
CÓLO, V. Artocarpus incisa L. f.
COLOBÓT, T., V. Citrus hystrix DC.
COLOCANTÍÑG. Clitoria ternatea Linn.
COLOCÓGO, V. Ocimum sanctum L.
COLOCOLÓG, V. Clerodendron intermedium Cham.
COLOHÁDIA, Pamp. Diospyros.
COLONÁUAS, T. Averrhoa bilimbi L.
COLONCÓGON, B. Hernandia peltata Meissn.
COLONCÓGON, V. Ocimum gratissimum L.
COLOPCÓP, T. Eugenia.
CÓLOT, V. Dioscorea hirsuta Blume.
COLÓTAN, T. Triumfetta semitriloba L.
COLÓTAN, T., V., Pamp. Urena sinuata L.
COLÓT-COLÓTAN, T. Chrysopogon aciculatus Trin.
COLÓT-COLÓTAN, T., V., Pamp. Urena sinuata L.
COLOYÁNANG, Pamp. Diospyros.
CÓLUNG-CÓLUNG, V. Crotolaria.
COMBÁR-COMBÁRAN, T. Hyptis brevipes Poir., H. capitata Jacq.
COMIMPÓL, V. Hyptage madablota Gaertn.
COMMONSÍL, V. Pithecolobium dulce Benth.
CONÁCON. Elaeocarpus floribundus Blume.
CONDÓL, T. Benincasa cerifera Savi.
CONGÍ, Pamp. Oxalis corniculata L.
CONTÍNG-COTÍÑGAN, T. Heliotropium indicum L.
CÓNTY, T. Solanum migrum L.

CÓPANG, T., Il. Parkia roxburghii G. Don.
COPCÓP, T. Eugenia montana Blanco.
COPRALÍN, T. Ichnocarpus frutescens R. Br.
COROBCÓB, B. Eugenia.
COROCARCÚDAN, V. Lippia nodiflora Rich.
CÓRONG, T. Chailletia.
CORÓNG-CÓRONG, V. Erythrina ovalifolia Roxb.
CORONÍTAS, Sp.-Fil. Lantana camara L.
CORÓS-CORÓSAN, T. Chloris barbata Sw.
CORÓT, V. Dioscorea fasciculata Roxb.
CORÓT, Il. Amorphophallus campanulatus Blume.
COSIBÉN, Il. Sapindus turczaninowii Vid.
COSINDÍC. Erythrina indica L.
CÓSOL, V. Eurycles amboinensis Herb.
CÓSOL, V. Kaempheria galanga L.
CÓSOL-CÓSOL, V. Monochoria hastaefolia Presl.
CÓTING-COTÍÑGAN. Heliotropium indicum L.
COTMÓC, B. Terminalia edulis Blanco.
COTÓLAN. Urena multifida L.
CROCALÁSAY. Selaginella.
CUACUACÓHAN, T. Abutilon indicum G. Don.
CUANTÓN, Il. Amaranthus spinosus L.
CÚBAO. Dictyoneura.
CUBATÍLI, T. Aglaia grandis Miq.
CÚBI, V. Artocarpus cumingiana Trec.
CÚBI. Dittelasma rarak Benth.
CUBÍLI (Bulacan). Cubilia rumphii Blume.
CUCHÁI, T. Allium uliginosum Don., A. tricoccum L.
CUCUBÍTAN, T., V., Pamp. Trichosanthes anguina L.
CUCÚN-BANÚC (Masbate). Hymenodictyon excelsum Wall.
CUDIÁPA, V. Celosia argentea Linn.
CUDIÁPA, V. Amaranthus paniculatus L.
CUÉLA. Homalium villarianum Vidal.
CUÉLANG (Benguet). Cratoxylon floribundum F. Vill.
CUINTÁS-CUINTÁSAN, T. Canna indica Linn.
CUÍSOL, V. Kaempheria galanga L.
CULÁD, V. Dioscorea fasciculata Roxb.
CULÁLAO, Pamp. Curcuma longa Linn.
CULAMBÍSAN, B. Garcinia.
CULANTÁ, T. Barleria prionitis Linn.
CULANTRÍLLO, Pamp. Adiantum lunulatum Burm.
CULÁNTRO (Manila). Coriandrum sativum L.
CULÁPO, T. Boletus.
CULÁSI, B. Decaspermum paniculatum Turcz.
CULÁSI, T. Lumnitzera purpurea Presl.
CULÁTAI, Pamp. Jasminum sambac Ait.
CÚLES, T. Memecylon edule Roxb.

CULÉTES, V. Amaranthus spinosus L.
CULIÁO, Il. Curcuma longa Linn.
CULIÁPA (Iloilo). Amaranthus mangostanus L.
CULIÁT, V., T. Gnetum gnemon L.
CULÍCUL, V. Pithecolobium lobatum Benth.
CULILÍI. Commersonia platyphylla Andr.
CULÍLIS, T. Isolepis barbata R. Br.
CULÍLIS, T. Amaranthus viridis L.
CULILÍSIAO (Tayabas). Linociera cumingiana Vidal, Elaeocarpus.
CULÍNG-BÁBUY, T. Chisocheton.
CULÍNG-MANÓC, V. Canthium.
CÚLIOT, Pang. Hopea.
CÚLIS, T. Memecylon edule Roxb.
CÚLIS-NA-PULÁ, V. Aporosa microcalyx Hassk.
CÚLIT, T., V. Morinda bracteata Roxb.
CÚLOC-CÚLOC, V. Eugenia.
CULUBÚNG, Pamp. Musa.
CÚLU-CULÚ, B. Calophyllum.
CULÚTAN. Urena sinuata L.
CULU-CULUTÁN, T. Urena sinuata Linn.
CULÚT-PÁMO, Pamp. Vitis carnosa Wall.
CUMBÁR, Pamp. Hypoestes laxiflora Nees.
CÚNAG, T. Calamus.
CUNÁLON, V. Diospyros cunalon A. DC.
CÚNIG, Il. Curcuma longa Linn.
CÚNTI, T. Solanum nigrum L.
CÚPANG, T., Il. Parkia roxburghii G. Don.
CÚPANG-BUNDÓC, B. Gleditschia maculata H. B. K.
CUPCÚP, Pamp. Eugenia.
CÚPIT-CÚPIT, Il. Lepistemon reniformis Hassk.
CÚRAG. Calamus.
CURAGDÁ, V., Pamp. Trichosanthes anguina L.
CURCANÉLA (Albay). Rauwolfia.
CURRIBUETBUÉT, Il. Tabernaemontana pandacaqui Poir.
CURÚCAT (Nueva Viscaya). Shorea guiso Blume.
CURYÁO (Nueva Viscaya). Shorea guiso Blume.
CUSCUSÍPA, Il. Cissampelos pareira L.
CUSIBÉN, Il?. Cupania.
CUSNÁO, Il. Curcuma longa Linn.
CÚSOL, Pamp., V. Kaempheria galanga L.
CÚSUNG, Pamp. Cyperus rotundus L.
CUTCÚRAN, T. Plectranthus.
CÚTI, B. Solanum nigrum L.
CUTÍL, Ig. Eriosema chinense Vog.
CÚTO-CÚTO, T. Bridelia stipularis Blume.
CUYAO-YÁO (Masbate). Alstonia.
CUYA-QUÍA, Z. Pometia.

CUYANYÁN, B. Alstonia.
CÚYON-CÚYON, V. Lepiniopsis ternatensis Valeton.
CÚYOS-CÚYOS, V. Taxotrophis ilicifolia Vidal.
CÚYOS-CÚYOS, T. Cupania.

D.

DÁAT, T. Xerotes longifolia R. Br.
DÁAT, T. Scleria.
DACANDÁNG, V. Tephrosia.
DACÚTUNG (Jolo). Clerodendron cumingianum Schauer.
DAGÁBAS, T., V. Pteris opaca J. Sm.
DAGALÍGUAN, V. Astronia.
DAGÁMIT, V. Rubus glomeratus Blume and other species.
DAGANGDÁNG, V. Tephrosia luzonensis Vogel.
DAGANGDÁNG (Jolo). Maesa.
DÁGMAY. Colocasia antiquorum Schott.
DÁGMAY-ÑGA-APÍPI, V. Colocasia antiquorum Schott.
DÁGMAY-ÑGA-BOLÍLAO, V. Colocasia antiquorum Schott.
DÁGMAY-ÑGA-INÍTLOG, V. Colocasia antiquorum Schott.
DÁGMAY-ÑGA-QUINSÓL, V. Colocasia antiquorum Schott.
DÁGMAY-ÑGA-TAPÓL, V. Colocasia antiquorum Schott.
DAGUÍNOT, V. Rubus parviflorus L.
DAGUÍNOT, V. Fragaria indica Andr.
DÁHA. Mallotus.
DAHÍLI, V. Cocos nucifera Linn.
DAÍLA, V. Epipremnum medium Engl.
DAITÁNAG, Pamp. Pterocarpus indicus Willd.
DALÁCAN, Il. Palaquim oleiferum Blanco.
DALAGÁNUM, V. Uvaria dulcis Dunal.
DALÁGAO, V. Uvaria dulcis Dunal.
DALÁGUIT, V. Ficus indica L.
DALÁMO, V. Fleurya interrupta Gaud.
DALÁNAN, V. Tectona grandis Linn. f.
DALANDÁN, T. Citrus aurantium Linn.
DALANDÓN, V. Tectona grandis Linn. f.
DALANGÍAN, V., T. Artocarpus camansi Blanco.
DALAÑGUÍL. Ficus indica L.
DALANTÁ, V. Zizyphus dalanta Blanco.
DALAÓRA, V. Justicia dichotoma Blume.
DALÁQUIT, V. Ficus.
DALÁRA. Terminalia catappa L.
DALÁYAP, V. Citrus medica Linn.
DALÁYAT, Z. Linociera.
DALÉNSE, T. Terminalia.
DALENSÍN, T. Terminalia.
DALÍMA (Jolo). Punica granatum Linn.
DALINDÍÑGAN, T. Shorea.
DALÍÑGA, V. Dioscorea fasciculata Roxb.

DALÍÑGAG, V. Dioscorea fasciculata Roxb.
DALINHÁS, T. Polyalthia.
DALINSÍ, B. Terminalia catappa Linn.
DALIPÁCO, Il. Adiantum lunulatum Burm.
DALIPÁOEN, Il. Alstonia scholaris R. Br.
DALÍSAY (Mindanao). Terminalia catappa L.
DALÍVI-DALÁGA. Musa paradisiaca L.
DAL-LOPÁVEN, Il. Alstonia scholaris R. Br.
DALOCNÁSAN, B. Eugenia.
DALONDÓN, V. Tectona grandis L. f.
DALONDÓNG, V. Diospyros pilosanthera Blanco.
DALONÓBAN. Pipturus asper Wedd.
DALÓNOT, T., Pamp. Pipturus asper Wedd.
DALONÓTAN, V. Pipturus asper Wedd.
DALUGDÚG, V. Caesalpinia bonducella Fleming.
DALUGUÍAN. Artocarpus camansi Blanco.
DALÚNOT, T. Pipturus asper Wedd.
DALÚPAN, T., V., Pamp. Urena sinuata L.
DALÚPAN, T. Hibiscus abelmoschus L.
DALÚPANG, V. Urena sinuata Linn.
DALÚRAY. Aglaia argentea Blume.
DALÚRU-BABÁE, B. Lumnitzera purpurea Presl.
DALÚRU-LALÁQUE, B. Sonneratia pagatpat Blanco.
DALÚRUY, Pamp. Aglaia.
DAMA DE NÓCHE, Sp. Cestrum nocturnum L.
DAMÁR (Camarines). Agathis loranthifolia Salisb.
DAMBUHÁLA, T. Diospyros.
DAMÓ-HÍA, T. Mimosa pudica L.
DAMÓNG-DÁGAT, T. Spinifex squarrosus L.
DAMÓÑG-HÍYA, T. Biophytum sensitivum DC.
DAMÓRO, T., Pamp. Carum copticum Benth.
DAMÓRO, V. Fleurya interrupta Gaud.
DAMÓRO, T., V. Carum copticum Benth.
DAMORTÍS, Il. Pithecolobium dulce Benth.
DAMPÁLIT, T., V., Pamp. Sesuvium portulacastrum L.
DAMPÓL, T. Glochidion.
DAMPÓL, T. Terminalia.
DAMPÓL, T. Bischofia javanica Blume.
DAMÚ-MARÍA. Artemesia grata Wall.
DAMÚÑG-GÚBAT, T. Pogonatherum crinitum Trin.
DAMÚÑG-PÁSIG, T. Panicum.
DAMÚS-APÍ, T. Panicum.
DÁNAG, T. Capparis.
DANÁPRA, Pterocarpus.
DANCÁGI, V. Strychnos ignatii Berg.
DANCÁLAN, T., V., B. Calophyllum inophyllum L.
DAÑGLÍ, Il. Vitex trifolia L. f.
DAÑGLÍ (Tayabas). Grewia laevigata Vahl.

DAÑGLÍN, Il. Grewia laevigata Vahl.
DAÑGLÍN, Il. Dipterocarpus.
DAÑGLÍÑGAN, T. Callicarpa.
DAÑGLÍNG-ÁSO, V., T. Helicteres spicata Colinb.
DAÑGLÍNG-ÁSO, T., V. Grewia multiflora Juss.
DAÑGLÚC, T. Saccopetalum longipes Vidal.
DÁÑGOY, T. Grewia.
DANÍGGA (Cagayan). Cedrella toona Roxb.
DANÍRI, V. Oldenlandia diffusa Roxb.
DANLÍG, T. Shorea.
DANLÓY. Grewia umbellata Roxb.
DANSÓ, T. Selaginella.
DANÚPRA (Cagayan). Cedrella toona Roxb.
DANYLIN, T. Grewia laevigata Vahl.
DÁO, T., V. Dracontomelum mangifera Blume.
DÁO, V. Zingiber zerumbet Rosc.
DÁOA, V. Setaria italica Beauv.
DAO-DÁUA, V. Fleurya interrupta Gaud.
DÁPAL, V. Opuntia cochinillifera Mill.
DAPDÁP, T., V., Pamp. Erythrina indica Lam., and other species.
DAPEDÁPE. Erythrina indica Lam.
DAPNÍT, Pamp. Schleichera.
DÁPO, T. Universally applied to epiphytic orchids, ferns, lycopodiums, etc.
DÁPO-MARIPÓSA. Phalaenopsis amabalis Blume.
DAPONÁYA, V. Coleus acuminatus.
DAPÓ-SA-CÁHUY. Loranthus philippinensis Blanco.
DAPÓÑG-BÁBA, T. Hoya multiflora Blume.
DAPÓÑG-TIBÁTIB, T. Rhaphidophora montana Schott.
DAPÓ-SA-CAUÁYAN, T. Cleisistoma amabale T. and B.
DAPÓ-SA-PÁJO, T. Loranthus ampullaceus L.
DARACÁN, Il. Palaquium oleiferum Blanco.
DARACÓT, V. Triumfetta semitriloba L.
DARÁPUT, V. Samadera indica Gaertn.
DARÁSIG, V. Oxalis acetosella L.
DARÁYA, T. Cratoxylon polyanthum Korth.
DARIAÑGÁO, T. Albizzia procera Benth.
DARÍAS, T., V. Pteris opaca J. Sm.
DARÍPAY, T., B., V. Ipomoea pes-caprae Roth.
DAROBCÓB, T. Eugenia macrocarpa Roxb.
DÁT, V. Scleria.
DÁTILES. Muntingia calabura Linn.
DÁUA, T., V. Setaria italica Beauv.
DÁUA, T. Eugenia tetragona Wight.
DÁUA-DÁUA, T. Panicum crusgalli L.
DÁUAG, T. Capparis micrantha DC.
DÁUAG, T. Capparis horrida L. f.
DAÚSUM, V. Eurycles amboinensis Herb.
DÁUT, T. Scleria.

DÁVA, T., V. Setaria italica Beauv.
DAYÁCA, T. Wallichia tremula Mart.?
DAYAGSÁC. Ficus quercifolia Roxb.
DÁYANG, T. Blechnum brownei Juss.
DÁYANG, T. Anisoptera.
DÁYANG, T. Cyathula prostrata Blume.
DÁYAP, T. Citrus acida Roxb.
DÁYAP-DÁYAP. Plectrona horrida H. and T.
DÁYAP-DAYÁPAT, T. Atalantia.
DÁYAP-GÚBAT, V. Xanthophyllum.
DÁYAP-NA-MONTÍ, T. Atalantia monophylla Corr.
DAYÁQUIT. Ficus indica Linn.
DAYÍA, V. Rhaphidophora pertusa Schott.
DAYTÁNAG, Pamp. Pterocarpus.
DECDÉC, Il. Chailletia griffithii Hook. f.
DÍA, Z. Zizyphus.
DÍAC, Pamp. Memecylon.
DIBÁTIB, V. Epipremnum medium Engl.
DICLÁP. Zizyphus trinervis Poir.
DICÚTA, Pamp. Paederia foetida L.
DIÉGO-DE-NÓCHE. Mirabilis jalapa L.
DIGLÁS, T. Terminalia.
DIGQUÍT-DIGQUÍT, T. Pisonia aculeata L.
DIGTÁN (Tayabas)?. Calamus mollis Blanco.
DÍIS, V. Bauhinia tomentosa L.
DILÁAN, V. Buchanania florida Schauer.
DÍLA-DÍLA, T. Elephantopus mollis H. B. K.
DÍLA-DÍLA, Pamp. Lepidopetalum.
DÍLA-DÍLA, T. Cynometra inequalifolia A. Gray.
DÍLA-DÍLA (Marinduque). Excoecaria agallocha Linn.
DÍLA-DÍLA. Onychium auratum Kaulf.
DÍLAG-BUTIQUÍ, T. Podocarpus.
DÍLAN-BUTIQUÍ. Dentella repens L.
DÍLANG-ÁSO, T. Hypoestes.
DÍLANG-BÁCA, B. Olea.
DÍLANG-BÁCA, T. Opuntia cochinillifera Mill.
DÍLANG-BOÁYA, V. Aloe barbadensis Mill.
DÍLANG-BUTIQUÍ, T. Tylophora bifida F. Vill.
DÍLANG-BUTIQUÍ, T. Blumea laciniata DC.
DÍLANG-BUTIQUÍ, T. Dentella repens Forst.
DÍLANG-HÁLO, V. Aloe barbadensis Mill.
DÍLANG-USÁ, T. Elephantopus spicatus Juss.
DÍLANG-USÁ, T. Carallia integerrima.
DILÁO, T. Curcuma longa L.
DILÁO-PUTÍ, T. Curcuma.
DILÁNAN. Citrus hystrix DC.
DÍLIG, Il. Canthium confertum Korth.
DILIMÁN (Manila). Polypodium.

DILIVÁRIO, T. Acanthus ilicifolius L.
DILUÁRIO, T. Argemone mexicana L.
DINCÁLIN, T. Calophyllum inophyllum L.
DINGLÁS, T.? Terminalia.
DINGLÁS. Eugenia.
DINGLÁS?, Il. Hopea.
DINGCÁLIN. Calophyllum inophyllum L.
DINLÁS, T. Eugenia.
DINUGÚAN, T. Musa paradisiaca L. var.
DIRÁN, Il. Zizyphus.
DÍRIG, Il. Otophora blancoi Blume.
DÍRIG, Il. Capura.
DIRÍTA, T. Alstonia.
DÍTA, V., T. Alstonia scholaris R. Br.
DITÁA. Alstonia scholaris R. Br.
DITÁAN (Zambales). Calamus haenkeanus Mart.
DÍTA-DÍTA (Camarines). Astronia pulchra Vidal.
DIUÁLAT-NA-ÍTEM, T. Dysoxylum.
DOÁTLO. Urophyllum glabrum Jack.
DOBLÉSA, T. Lumnitzera purpurea Presl.
DÓCAT-DÉCAT, V. Cyathula prostrata Blume.
DÓCOT-DÉCOT, T. Achyranthes aspera L.
DÓCOT-DÓCOT, V. Pupalia atropurpurea Moq.
DÓCOT-DÓCOT, V. Desmodium laxiflorum DC.
DÓGUE. Dioscorea sativa.
DALDÓL, V. Ceiba pentandra Gaertn.
DOLÍTAN. Palaquium luzonense Vidal.
DOLÍTAN-PACÁTAN, T. Sideroxylon.
DOLÓTAN-PULÁ, T. Sideroxylon.
DOLÍTAN-PUTÍ, T. Garcinia.
DOLOÁRIN, T. Acanthus ilicifolius L.
DOLOCNÁSAN, B. Eugenia.
DOLOÑGÍAN, T., V. Artocarpus.
DOLOÑGÍAN, T., V. Artocarpus camansi Blanco.
DOLÓNTAS, T. Chrysanthemum indicum L.
DOLOVÁRIO. Acanthus ilicifolius L.
DONDÓL, Il. Ceiba pentandra Gaertn.
DONGÓN, T. Heritiera littoralis Dry.
DONHÁO, T. Astronia.
DÓOL, V., Pamp. Moringa oleifera Lam.
DÓSOL, Z. Kaempheria galanga L.
DOYÓC-DOYÓC, V. Gynotroches axillaris Blume.
DUADUÁRAN, T. Panicum.
DÚAT, T., V., Pamp. Eugenia jambolana Lam.
DÚCA, V. Dittelasma rarak H. f.
DÚCA, V. Erioglossum edule Blume.
DUCLÁP, T. Zizyphus trinervis Poir.
DUCLÍTAN, T. Sideroxylon duclitan Blanco.

DUCTÚLAN, T. Eugenia.
DUCTÚNG-ÁHAS, T. Naravelia laurifolia Wall.
DUCÚM, V. Hibiscus abelmoschus L.
DÚEG. Bischofia javanica Blume.
DUELÍTAN. Sideroxylon cinereum L.
DÚGAN, T. Eugenia.
DUGÁRON, T. Bridelia stipularis Blume.
DUGAYÓN, V. Decaspermum paniculatum Turcz.
DUGÓAN. Myristica philippinensis Lam.
DUGÓN-LÁTE, T. Heritiera littoralis Dry.
DUGTÓNG-ÁHAS, T. Parameria philippinensis Radlk.
DUGTÚNG-ÁHAS, T. Streptocaulon baumii Decne.
DUGDÚNG-ÁHAS, T. Vitis quadrangularis Wall.
DUGMÁN, V. Wolffia schleideni Miq.
DUGÓAN, B. Myristica.
DUGÚAN, T. Myristica oumingii Warb. and other species.
DÚHA?, V. Pterocymbium javanicum R. Br.
DUHÁO (Zamboanga). Myristica mindanaensis Warb.
DÚHAT, T., V., Pamp. Eugenia jambolana Lam.
DÚHAT-MANÓC, T. Ixora.
DUÍAN (Jolo). Durio zibethinus Linn.
DULANÁBI. Acanthus iliciformis L.
DÚLAO, V. Curcuma longa L.
DÚLAO-BABÁE, T. Globba strobilifera Zoll.
DULAUÁRI, Pamp. Acanthus ilicifolius L.
DULÍAN (Jolo). Durio zibethinus Linn.
DULÍAN, Il. Dioscorea batatas Decne.
DULÍTAN-PULÁ, T. Palaquium.
DULUÁRIO, T. Argemone mexicana L.
DULÚPANG, V. Abutilon indicum G. Don.
DUMALÍ, T. Oryza sativa L. var.
DUMÁNAI, T. Homonoia riparia Lour.
DUMAYÁCA, T. Wallichia tremula Mart.
DUÑGÁO, T. Astronia.
DUÑGÁRUG, V. Ficus cuneata Miq.
DÚÑGON, T., V. Heritiera littoralis Dry.
DUÑGÓN. Tarrietia sylvatica Merrill.
DUÑGÓL. Tarrietia sylvatica Merrill.
DUÑGÓN-DUÑGÓNAN, T. Pygeum.
DUÑGÓN-LÁTE, T. Heritiera littoralis Dry.
DUÑGÚN, T., V. Heritiera littoralis Dry.
DUÑGÚN, V. Tarrietia sylvatica Merrill.
DUÑGURÚÑGUT, C. Citrus hystrix DC.
DÚRA, V. Ruta graveolens L.
DÚRANG-PÁRANG, T. Dalea nigra Mart. and Gal.
DURIÁN. Durio zibethinus Linn.
DURÚGU, T., V. Myristica.
DÚS. Bauhinia binnata Blanco.

DÚSO, T. Kaempheria galanga L.
DÚSUL, T. Kaempheria galanga L.
DÚYONG, Il. Shorea.

E.

ÉBANO. Maba buxifolia Pers.
EM-ÉM, Ig. Chloranthus brachystachys Blume.
ESCÓBANG-HABÁ, T., V., Pamp. Sida rhombifolia L.
ESCOBANG-HABÁ, T. Sida carpinifolia L.
ESES-MÁYA, T. Ficus.

F.

FALUMORÉA, T. Calophyllum.
FANGFÁÑGUN, Ig. Vernonia.
FAÑGÍNHAN. Pterocymbium javanicum R. Br.
FABÍCTAN, T. Geodorum semicristatum Lindl.
FÉSA, T. Canarium.
FRÚTA, Sp.-Fil. Strychnos ignatii Berg.

G.

GÁBI, Cag., T., V., Pamp. Colocasia antiquorum Schott.
GÁBI-GÁBI, V. Monochoria hastaefolia Presl.
GÁBI-GÁBI, V. Bootia cordata Wall.
GÁBI-GABÍHAN, T. Typhonium divaricatum Decne.
GABÍHAN, T. Monochoria hastaefolia Presl.
GABÍLO, T. Garuga.
GÁBING-MORÁDA, V. Colocasia antiquorum Schott.
GÁBING-ONÁC, T. Alocasia indica Schott.
GÁBING-POLÁ, T. Colocasia antiquorum Schott.
GÁBING-SILÁÑGAN, T. Colocasia antiquorum Schott.
GÁBLOS, T. Ardisia.
GABUÉN, V. Blumea balsamifera DC.
GÁBY-ÑGA-GUINÁTOS, V. Colocasia antiquorum Schott.
GÁBY-NA-SIBÓYAS, T. Colocasia antiquorum Schott.
GÁBY-NA-SINIBÓYAS, T. Colocasia antiquorum Schott.
GÁCCA, Ig. Loranthus.
GÁ-GA, T. Mallotus ricinoides Muell. Arg.
GÁLA-GÁLA, T. Agathis loranthifolia Salisb.
GALÁMAI-ÁMO, T., V. Heptapleurum venulosum Seem.
GALAMÍNY-AMÚC, B. Walsura robusta Roxb.
GALÁÑGA. Maranta arundinacea L.
GALÍANG, V. Colocasia antiquorum Schott.
GALONÁLPAS, Pamp. Cyperus rotundus L.
GAMAGAMATÍSAN, T. Solanum nigrum L.
GAMÓT-SAMBÁLI, T. Parameria philippinensis Radlk.
GANDÁ, V. Allium sativum L.
GANDÚS, T., V., Pamp. Colocasia antiquorum Schott.
GAN-GÁN, V. Flemingia strobilifera R. Br.

GÁPAS, V. Gossypium herbaceum L.
GÁPAS-CÓSTA. Gossypium herbaceum L.
GÁPAS-GÁPAS, V. Vitex obovata Thunb.
GARÁDAT, B. Leea javanica Blume.
GARAMANSÁTAY, T. Ternstroemia toquian F. Vill.
GARANGÁN, V. Averrhoa carambola Linn.
GARBÁN, V. Epipremnum medium Engl.
GARONÑGÓN, Cag. Hopea.
GAS-GÁS, V. Rhodamnia glabra Vidal.
GASPÁS-CASÉRA. Gossypium herbaceum L.
GÁTAS-GÁTAS. Euphorbia pilulifera L.
GATÁSAN, T. Garcinia duodecandra Pierre.
GATÁSAN, T. Terminalia.
GATÁSAN, V. Fagraea morindaefolia Blume.
GATÁSAN, T., V. Garcinia cornea Linn. and other species.
GATÁSAN DILÁO (Tayabas). Garcinia.
GATÁSAN-PULÁ, T. Garcinia venulosa Choisy.
GÁTAS-GÁTAS, T., V. Euphorbia pilulifera L.
GÁUAY-GÁUAY, V. Sesbania grandiflora Pers.
GÁUAY-GÁUAY ÑGA PULÁ, V. Sesbania grandiflora Pers.
GÁUAY-SING-BUÁYA, V. Alocasia.
GÁVAI-GÁVAI, V., T., Pamp. Nymphaea lotus Linn.
GÁVAY, T., V., Pamp. Colocasia antiquorum Schott.
GÁWAY-GÁWAY. Nymphaea lotus L.
GAYÓMAN-MANÓC, T. Adiantum lunulatum Burm.
GÁYOS, V. Dioscorea hirsuta Blume.
GÍCOS-GÍCOS, V. Abrus precatorius L.
GILALÁS, T. Mirabilis jalapa L.
GILIG-GILÍGAN, T. Abutilon indicum Don.
GIMUBÁON, V. Vitex.
GINÁBANG, Il. Macaranga.
GINGUÍU, T. Holarrhena macrocarpa Hassk.
GINLAGÁSE (Mindoro). Hopea.
GÍNTIN-GÍNTIN, V. Blumea balsamifera DC.
GOÁN-GOÁN, V. Aristolochia indica L.
GÓGO, T. Entada scandens Benth.
GÓGO-CÁSAY, T. Pithecolobium.
GÓGON-TOCÓ. Albizzia saponaria Blume.
GÓGONG BISÁYA, T.? Aglaia grandis Miq.
GÓHONG BÁCAY, V., Pamp. Entada scandens Benth.
GOLANDRÍNA, Sp. Euphorbia pilulifera L.
GOLASÍMAN, T. Portulaca oleracea L.
GOMAMÍLA, T., V., Pamp. Hibiscus rosa-sinensis L.
GÓNA, Pamp. Polypodium quercifolium L.
GORGORÉTA, Il. Nepenthes alata Blanco.
GÓRUNG-GÓRUNG, V. Crotolaria.
GOYABÁNO, Sp.-Fil. Anona muricata L.
GOYÓN-GOYÓN, T. Cratoxylon.

GOYÓBAN, T. Musa paradisiaca L. var.
GRANÁDA, Sp. Punica granatum L.
GRANÁTES, T. Nelitris.
GRANÁTES. Melastoma.
GRANÁTIS, T. Melastoma malabatricum L.
GUANABÁNO, Sp.-Fil. Anona muricata L.
GUAYÁBAS, Sp. Psidium guayava L.
GUBGÚBAO, Ig. Ardisia.
GUAYÁBO. Psidium guayava L.
GUENÁYANG, T. Eugenia.
GUÍCOS-GUÍCOS, T. Connarus.
GUÍCOS-GUÍCOS, T. Rourea heterophylla Planch.
GUÍCOS-GUÍCOS, V. Abrus precatorius L.
GUÍD (Tiagan). Citrus hystrix DC.
GUÍJO, T. Shorea guiso Blume.
GUILALÁS, T. Mirabilis jalapa L.
GUILÁMHON, V. Cyperus difformis Linn.
GUÍLING-GUILÍÑGAN, T. Abutilon indicum G. Don.
GUÍLIT, T. Pygeum.
GUINÁBANG (Abra). Macaranga tanarius Muell. Arg.
GUINÁTOS, V. Colocasia antiquorum Schott.
GUINBABAÓ. Allaenthus.
GUÍÑGUEN, T. Glycosmis pentaphylla Corr.
GUÍÑGUIN, T. Holarrhena.
GUÍNTIN-GUÍNTIN, V. Blumea balsamifera DC.
GUIRÍC-GUTÍN, B. Cupania?.
GUÍSAY-CALABÁO, T. Cyperus.
GUIS-GUÍS, T. Rhodamnia glabra Vidal.
GUISÍAN, T. Nephelium glabrum Noronh.
GUISÍAN, T. Ratonia montana B. and H.
GUISÍAN, T. Kayea racemosa Pl. and Tr.
GUISÍHAN, T. Eugenia.
GUISÍHAN, T. Dittelasma rarak Hook f.
GUISÍHAN, T. Nephelium glabrum Noronh.
GUISÍHANG. Shorea guiso Blume.
GUÍSO, T. Shorea guiso Blume.
GUISÓC, T. Shorea guiso Blume.
GUISÓC-GUISÓC. Aglaia.
GUÍSOL, T. Kaempheria galanga L.
GUÍSON, T., V. Sophora tomentosa L.
GUÍSONG-DILÁO, T. Shorea mangachapuy F. Vill.
GUÍSUL, V. Kaempheria galanga L.
GUÍTIN-GUÍTIN. Blumea balsamifera L.
GULANGULAMÁNAN, T. Cissampelos pareira L.
GULILÍSIAO (Tayabas). Elaeocarpus.
GUMAMÉLA. Hibiscus rosa-sinensis L.
GÚME, T. Eriachne.
GUMÍAN, V. Artocarpus blumei Trec.

GÚMI-GÚMI, T. Xyris complanata R. Br.
GÚMI-GÚMI, T. Fimbristylis schoenoides Vahl.
GÚMI-GÚMI, T. Eleocharis pellucida Presl.
GÚMI-GÚMI, T. Cyperus.
GÚMI-GÚMI, T. Eriocaulon sexangulare Linn.
GUBAYÁCAN, T. Rourea heterophylla Planch.
GUBUGUANÁBAO, V. Linociera luzonica F. Vill.
GÚBUNG-GÚBUNG, V. Crotalaria linifolia L. f.
GUSUTÁN. Elaeocarpus floribundus Blume.
GÚTA-GÁMBA. Garcinia venulosa Choisy.
GUTLÍ, T., V. Acalypha grandis Benth.
GUYÁBA, Sp. Psidium guayava L.
GUYÁBAS, Sp. Psidium guayava L.
GUYÓN-GUYÓN, T. Cratoxylum blancoi Blume.

H.

HÁBA, Sp. Phaseolus lunatus L.
HÁBUL, V. Elephantopus spicatus Juss.
HAGACHÁC, T. Dipterocarpus pilosus Roxb.
HAGADHÁD. Dipterocarpus.
HAGÁHO, V. Eugenia.
HAGANÁSI (Camarines). Leucosyke capitellata Wedd.
HAGNÁYA. Polypodium.
HAGOBÁOA, V. Pancratum zeylanicum L.
HÁGON, B. Memecylon.
HAGÓNAY, T. Wedelia biflora DC.
HAGÓNOG. Uncaria.
HAGÓNOG, T. Spilanthes acmella L.
HAGÓNOI, T. Spilanthes acmella L.
HAGÓNOY-SA-BÚQUID. Sambucus javanica Blume.
HAGÓNOY-SA-LÁSANG, V. Elaeocarpus.
HAGORÍLIS, T. Deeringia celosioides R. Br.
HAGOSÓS, T. Ficus.
HAGNICHÍC, V. Phrynium.
HAGUÍGUIT, V. Leptosolena haenkei Presl.
HAGUÍNUT, V. Ficus.
HAGUPÁÑGA, T. Aglaia.
HAGÚPIT, V. Ficus.
HAGUSHÚS, B. Canarium.
HAGUSNÁY, T. Panicum.
HAGUYÚY (Tayabas). Dodonaea viscosa Linn.
HÁLA-HÁLA, T. Trichosanthes anguina L.
HALAMIHÁM?, V. Daemonorops.
HALAÚMO, V. Mallotus paniculatus Muell. Arg.
HALIBUTBÚT, B. Tabernaemontana cumingiana A. DC.
HALIGÁÑGO, T. Hymenodictyon.
HALIMÓMO, T. Ehretia.
HALENTIHÍNAO, V. Astronia cumingiana Vidal.

HALOBAGBÚG, T. Ipomoea.
HÁLOM, T., V. Amaranthus viridis L.
HÁLON, T. Morinda tinctoria Roxb.
HÁLON, T. Amaranthus melancholicus L.
HALÓPAG-ÁMO (Tayabas). Nephelium lit-chi Camb.
HALUGÁBAT, T. Capparis micrantha DC.
HAMAMÁLE, V. Leeea sambucina Willd., and other species.
HAMBABÁI, V. Nauclea.
HAMBABÁLOD, T., V. Nauclea obtusa Blume.
HAMBABÁLOS, T. Sarcocephalus cordatus Miq.
HAMBABÁYOD, V. Nauclea.
HAMBÁLOD, T., V. Nauclea.
HAMÍNDAN, V. Macaranga bicolor Muell. Arg.
HAMÍNDAN, B. Clerodendron brachyanthum Schauer.
HAMITANÁGO, V. Kleinhovia hospita L.
HAMLÍBNO, V. Blumea balsamifera DC.
HAMOLÁUON, V. Vitex.
HAMPAPÁRE, V. Cissampelos pareira Linn.
HAMPÁS-TABÁLANG, T. Smilax.
HAMPÁS-TAGBÁLANG. Dioscorea.
HAMTÁC, V. Vigna catjang Endl.
HAMULÁON, T., B. Vitex littoralis Decne., and other species.
HANAGÓ, B. Albizzia.
HANÁRION, T. Trema amboinensis Blume.
HANÁRION, T. Sponia.
HANDALÁMAY. Pipturus asper Wedd.
HANDARÁMAI, V. Pipturus asper Wedd.
HANÉLE, T. Ficus.
HANGÁRAY, T. Bruguiera ritchieii Merrill.
HANGÓR, T., V. Achyranthes aspera L.
HÁÑGOT, T. Achyranthes aspera L.
HÁÑGUT-NA-BABÁE. Lepidagathis.
HANLILIMÓCON, V. Deeringia celosioides R. Br.
HANMABABÁO, T., V., Pamp. Rourea heterophylla Planch.
HANMABABÁO, T., V., Pamp. Connarus.
HANMABALÁR. Cnestis trifolia Pers.
HANÓPOL, T., V. Conocephalus erectus Blanco.
HANTUTÚÑGAO, T. Melastoma.
HANÚGDONG, T. Gyrocarpus jacquinii Roxb.
HAPÍTON, T., V. Dipterocarpus grandiflorus Blanco.
HÁRA, T. Leea.
HARÁÑGAN, T., V. Centripeda orbicularis Lour.
HÁRAS, V. Piper corylistachyon C. DC.
HÁRAS, V. Scleria.
HÁRAS, V. Garcinia cowa Roxb.
HÁRUM, V. Amaranthus spinosus L.
HAUÍLI, T. Ficus.

HAĆLI? (Jolo). Cyanotis axillaris Roem. and Schult.
HAWÍLI. T. Ficus.
HÁYA-HÁYA, V. Buddleia neemda Hamilt.
HÁYOC (Tayabas). Vitis lanceolaria Roxb.
HAYÓPAG, T. Quercus llanosii A. DC.
HEBÓNG, Mang. Aglaia.
HIBIÓC, Vis. Arenga saccharifera Lab.
HICAMÁS, T. Pachyrhyzus angulatus Rich.
HIDIÓC, V. Arenga saccharifera Lab.
HIÉRBA DE SAN PÉDRO, Sp. Phyllanthus niruri Muell. Arg.
HIGANTÓNG, V. Clerodendron fragrans Vent.
HIGOTBALÁTO, T., V., Pamp. Sida carpinifolia L.
HÍGUIS-MANÓC?, T. Eclipta alba Hassk.
HILALAY-ÓN. Heliotropium indicum L.
HÍMAG, V. Ipomoea paniculata R. Br.
HIMAMÁO, T. Chisocheton.
HIMAMÁO, T. Dysoxylum blancoi Vidal.
HIMBABÁLOB, T. Nauclea.
HIMBABÁO, Pamp., V. Excoecaria agallocha L.
HIMBABÁO, T. Allaeanthus luzonicus Benth. and Hook.
HIMPAPÁRAY, V. Melochia indica A. Gray.
HIMPAPÁRA, V. Cissampelos pereira Linn.
HIMPÁS-LAGBÁLANG. Smilax divaricata Blanco.
HIMĆLAO, V. Clausena willdenovii W. and A.
HINAGDÚNG, V. Trema aspera Blume.
HIMARÁMAY, V. Pipturus asper Wedd.
HINDALÁMAI, V. Pipturus asper Wedd.
HINDURÚGU, T., V. Myristica.
HINGASÍN, V. Derris uliginosa Benth.
HINGASINÁN, V. Derris uliginosa Benth.
HIÑGOÑGÓTO, T. Bridelia stipularis Blume.
HINGÚE-CALÁBO, T. Beaumontia.
HIÑGUÉN, T. Malasia tortuosa Blanco.
HIÑGUÍO, T. Ichnocarpus frutescens R. Br.
HIÑGUÍON. Monochoria vaginalis Presl.
HIMLALAY-ÓN, T. Heliotropium indicum L.
HINTÁN. Terminalia catappa L.
HINTIPÁLO, T. Drosera indica L.
HINTOTÓOR, T. Crudia blancoi Rolfe.
HIPGÍI, V. Ichnocarpus ovatifolius A. DC.
HÍPON-HÍPON, V. Vernonia chinensis Less.
HÍTAM, V. Terminalia catappa L.
HOÁG, V. Flagellaria indica Linn.
HOJA CRUZ, Sp. Crescentia alata H. B. K.
HOJAS DE BUYO. Piper betle L.
HALIGÁÑGA, T. Hymenodictyon.
HOLÓG, V. Rhaphidophora.
HOLÓG-ÑGA-ISÁ, V. Pothos cylindricus Presl.

HOMÁI-HOMÁI, V. Typha angustifolia Linn.
HÓNGO, T. Elaeocarpus.
HÓPONG-HÓPONG. Litsea.
HÓROG, V. Epipremnum medium Engl.
HOTHÓT, T. Trichosanthes anguina L.
HÓTOG, V. Rhaphidophora.
HUÁC, V. Flagellaria indica Linn.
HUALÍS, T. Lepidopetalum.
HUAMPÍT, T.? Clausena wampi Oliv.
HÚBAR (Balabac). Jasminum sambac Ait.
HULABLÚB, V. Solanum nigrum L.
HULÁYA, V. Gynandropsis pentaphylla DC.
HULÁYA-SANG-ÁYAM, V. Cleome viscosa Linn.
HULIGÁÑGA, T. Hymenodictyon excelsum Wall.
HÚPONG-HÚPONG, V. Buchanania florida Schauer.
HÚSU-HÚSU, B. Eugenia.
HÚYA-HÚYA, V. Mimosa pudica L.
HÚYA-HÚYA, V. Biophytum reinwardtii Wall.

I.

IÁCAL, T. Hopea plagata Vidal.
ÍBA, T., Pamp. Phyllanthus distichus Muell. Arg.
ÍBA, V. Averrhoa bilimbi Linn.
IBABÁ. Aglaia.
IBABÁO, V. Cassia fistula L.
IBA-IBÁAN, T. Phyllanthus urinaria L.
IBAIBÁN, T. Rourea.
IBIÓC, V. Arenga saccharifera Lab.
ÍBO, V. Chisocheton tetrapetalus Turcz.
ÍBUD-ÍBUD, V. Tristellateia australasica A. Rich.
ÍCOG-ÍCOG-SANG-CUTÍ, V. Heliotropium indicum Linn.
IDÍAO. Pterocarpus.
IDÍOC, V. Arenga saccharifera Lab.
ÍGANG, T. Vitex aherniana Merrill.
IGÁSUD, V. Strychnos ignatii Berg.
IGÁSUR. Trichosanthes amara L.
IGÍÑGA, T. Clerodendron intermedium Cham.
IGNÁMA. Dioscorea divaricata Blanco.
IGUÍA, Turraea virens L.
IGUÍO, Pamp. Dysoxylum blancoi Vid.
IGUÍÑGA. Clerodendron intermedium Cham.
IGÚT, V. Eugenia.
ÍGIW, T. Dysoxylum blancoi Vidal.
ILAI-BÁQUIB, Il. Basella rubra L.
ILALU-GÁBAT. Capparis.
ÍLANG-ÍLANG, T., V., Il. Cananga odorata H. and Th.
ÍLANG-ÍLANG DE CHÍNA. Artabotrys odoratissimus R. Br.
ÍLIB, Pamp. Imperata arundinacea Cyr.

ILOÍLO, Pamp. Aglaia argentea Blume.
ILÓÑGO, T. Elaeocarpus.
INÁLIA, T. Lemna.
INAÑGDÓN, T. Callicarpa.
INÁTA, T. Limnophila gratioloides R. Br.
INÁTA (Bulacan). Utricularia flexuosa Vahl.
INÁTA, T. Ceratophyllum submersum Linn.
INÁTA, T. Hydrilla.
INAUÁQUI, V. Albizzia saponaria Blume.
INDÁNG, V. Litsea perrottetii, B. and H.
INGÁS. Semecarpus perrottetii March.
INÍAM, V. Antidesma ghaesembilla Gaertn.
INIGNÍN, T. Casearia glomerata Roxb.
INOYÁBAN. Parastemon.
INÚMANG-CÁLO, T. Nepenthes.
INYÁM, V. Antidesma.
IOÁS, T. Harpullia blancoi F. Vill.
IPIL, T., V. Afzelia bijuga A. Gray.
IPIL, Z. Adenanthera.
IRING, T. Grewia?
IRIS, Mang. Tabernaemontana.
IROC, T. Arenga saccharifera Lab.
ISAI, T. Enhalus koenigii Rich.
IS-IS, T., V., Pamp. Ficus aspera L?.
ISIOÍSIO, T., V., Pamp. Ficus hispida L?.
ITÍBAN, T. Parameria philippinensis Radlk.
ITMÓ, V., T. Piper betle L.
ITMÓNG-DALÁGA, T. Ehretia blancoi A. DC.
ITMÓNG-OUÁC, T. Gnetum gnemon L.

J.

JAMOLÁUON. Vitex littoralis Decne.
JANDAYAGCÓT, V. Tabernaemontana.
JÁRAS. Garcinia.
JARRÍTO, T. Nepenthes.
JÁRRO, Il. Nepenthes alata Blanco.
JATSAHENGÍM, T. Canarium.
JAUNÁQUI (Albay). Albizzia saponaria Blume.
JAVÍLI (Zamboanga). Bridelia.

L.

LABÁYO (Tayabas). Commersonia platyphylla Andr.
LÁBBA-LÁBBA, Il. Zizyphus trinervis Poir.
LÁBIG, Il. Livistona rotundifolia Mart.
LABINDANÁIA, Il. Livistona rotundifolia Mart.
LABNÉI, Pang. Calamus albus Pers.
LABNÍ-ÁUAY-NA-MALÓTO, Pamp. Calamus albus Pers.
LABNÍB, B. Calamus.

LABNÍS, Il. Boehmeria nivea Hook. and Arn.
LABNÍT, B. Calamus albus Pers.
LÁBOG, V. Hibiscus surattensis Linn.
LÁBOG-LÁBOG, V. Malachra bracteata Cav.
LÁBON, V. Abroma alata Blanco.
LABRÚS. Boehmeria nivea H. and A.
LABSÓB. Ficus pseudopalma Blanco.
LÁCAB-BÚLAN, V. Blumea balsamifera DC.
LACATÁN, T. Musa sapientum L.
LACBÓNG-LACBÓNG, V. Vernonia chinensis Less.
LACDÁN-BÚLAN, V. Blumea balsamifera DC.
LAC-HÁ. Ficus.
LACLÁY-GUÍNAN, T. Flemingia.
LACTÁNG, T., V., Pamp. Anamirta cocculus W. and A.
LADCÓ, Ig. Wendlandia luzoniensis DC.
LÁGA (Cebu). Abrus precatorius L.
LAGÁRI. Phyllanthus.
LAGAYRÁI, T., B. Ipomoea pes-caprae Roth.
LAGRÁÑGAN. Guettarda speciosa L.
LÁGI-LÁGI, V. Eugenia lineata Duthie.
LAGÍNI, V. Vitis carnosa Wall.
LAGÍWLAGÍW, T. Acanthus ilicifolius L.
LÁGNA, T. Conocephalus suaveolens Blume.
LÁGNI, Pamp. Calamus.
LAGÍNI. Cedrela toona Roxb.
LAGNÍG. Clausena?
LAGNÓB. Ficus.
LAGNÚB. Ficus.
LÁGO, T. Carthamus tinctorius L.
LAGÓG (Iloilo). Celtis philippinensis Blanco.
LAGÓLO, T. Acrostichum aureum L.
LAGÓNHON, V. Ardisia serrata Pers.
LAGPÁCUM, V. Solanum nigrum L.
LAG-TÁL, V. Anamirta cocculus W. and A.
LÁGU, T. Olax.
LAGUICDÍ, Mang. Diospyros.
LAGUÍNO, V. Capparis horrida Linn.
LÁGUIO-LÁGUIO, T. Acanthus ilicifolius L.
LAGÚNDI, T. Vitex obovata Thunb.
LAGÚNDI, T. Vitex negundo Linn.
LAGÚNDI-LÁTI, T. Pluchea indica Less.
LAGÚNDI-SALÁSA, V. Buddleia asiatica Lour.
LAGUNDÍN-DÁGAT. Vitex trifolia L.
LAGUNDÍNG-GAPÁNG, T. Vitex obovata Thunb.
LAGUÍNO, V. Capparis.
LAGVÁY, T., V., Pamp. Colocasia antiquorum Schott.
LÁHA? (Jolo). Pandanus odoratissimus Linn. f.
LÁHO, V. Myristica.

LAIÓC-LAIÓC, V. Jasminum marianum DC.
LAÍYA. Harrisonia bennetii B. and H.
LALACDÁN, V. Blumea balsamifera DC.
LALÁSI, Ig. Leucosyke capitellata Wedd.
LALÓGO, V. Pandanus sylvestris Rumph.
LAMBAYÓNG, T., B., Il. Ipomoea pes-caprae Roth.
LAMBÓTAN, T. Calamus.
LAMIIÁY, V. Corchorus capsularis L.
LAMÍO, T. Dracontomelon mangiferum Blume.
LAMÍSI, C. Wrightia ovata A. DC.
LÁMOT-LAMÓTAN, T. Adiantum lunulatum Burm.
LAMPACÁNAI, V. Typha angustifolia Linn.
LAMPARAHÁN, T. Gnetum gnemon L.
LAMPAYÓNG, T., B., V. Ipomoea pes-caprae Roth.
LAMPÚYAN, T. Zingiber.
LAMPÚYANG, V. Zingiber zerumbet Rose.
LAMPÚYANG, T. Curcurma xanthorrhiza Roxb. and other species.
LAMPÚYANG-DORÁC, V. Curcuma caesia Roxb. and other species.
LAMPÚYANG-ITÁYAM, V. Zingiber.
LAMPÚYANG-ÑGA-GUINATÓLA. Globba marantina Linn.
LAMPÚYANG-ÑGA MAPULÁ, V. Globba marantina Linn.
LAMPÚYANG-ÑGA-MAPUTÍ, V. Amomum cardamomum L.
LAMPÚYANG-TÁPOL, V. Curcuma caesia Roxb. and other species.
LAMÚDIO, T., V. Carum copticum Benth.
LAMÚYO, T. Oryza sativa L. var.
LANÁ. Sesamum indicum L.
LANÁRAY (Tayabas). Bruguiera parviflora W. and A.
LANCÁ, T. Artocarpus integrifolia L. f.
LANCÓAS, Pamp. Alpinia galanga Swartz.
LÁNDO, T. Bridelia.
LANÉTE, V. Picrasma javanica Blume.
LANÉTE, T. Wrightia ovata A. DC.
LÁÑGA (Cag.). Sesamum indicum L.
LAÑGÁLA, V. Fleurya interrupta Gaud.
LAÑGCÁ, Il. Artocarpus integrifolia L. f.
LAÑGCÁUAS, V. Alpinia galanga Swartz.
LANGGÁSI, V. Leucosyke capitellata Wedd.
LÁÑGAS, V. Semecarpus microcarpa Wall. and other species.
LANGÉRAY, T. Bruguiera ritchieii Merrill.
LÁÑGIL. Albizzia saponaria Blume.
LÁÑGIL, T. Albizzia lebbek Benth.
LÁÑGIL, T. Albizzia retusa Benth.
LAÑGÍÑGI, V. Vitis carnosa Wall.
LAÑGÍS, Pamp. Sesamum indicum L.
LANGÑGÁ, T. Sesamum indicum L.
LAÑGPÁ. Cedrela toona Roxb.
LAÑGUÍGI. Phyllanthus acidus Muell. Arg.
LAÑGUÍL. Albizzia lebbek Benth.

LAÑGUÍS. Sesamum indicum L.
LANÍGDA, B., V. Cedrela toona Roxb.
LANÍGPA, V. Cedrela toona Roxb.
LANÍÑGUING, T. Ficus cumingii Miq.
LANÍPGA, V., B. Cedrela toona Roxb.
LANÍTI, T. Wrightia ovata A. DC.
LANÓGO, V. Pandanus sylvestris Rumph.
LÁNOT, V. Musa textilis Nees. var.
LANÓTAN, T. Hibiscus grewiaefolius Hassk.
LANÓTAN, V. Musa textilis Nees. var.
LANÓTAN, T. Goniothalamus, and other arborescent species of Anonaceae.
LANÓTANG-ITÍM, T. Phaeanthus nutans Hook. f. and Th.
LANÓTAN-ITÍM. Hibiscus.
LANÓTI, T. Zizyphus trinervis Poir.
LANSÍNA, T. Ricinus communis L.
LANSÓNE, T. Lansium domesticum Rumph.
LANSÓNES, T. Lansium domesticum Jack.
LANTÁ, T., V., Pamp. Anamirta cocculus W. and A.
LANTÍN, T. Plantago erosa Wall.
LANTÚNDAL. Musa paradisiaca L.
LANÚSI, Cag. Wrightia ovata A. DC.
LANÚTAN, T. Saccopetalum longipes Vidal, and other species of Anonoceae.
LANÚTAN, T. Thespesia campylosiphon Rolfe.
LANÚTAN, T. Xylopia dehiscens Merrill.
LANÚTAN-ITÍM. Phaeanthus nutans H. f. and T.
LANÚTAN-PUTÍ. Goniothalamus giganteus Hook. f. and Th.
LANÚTI, Il. Wrightia ovata A. DC.
LANZÓN. Lansium domesticum Jack.
LAOCPÁO, Cag. Vernonia arborea Ham.
LAPNÉI, Zamb. Calamus albus Pers.
LAPNÍS, C. Boehmeria nivea. H. and A.
LAPNÍS. Malachra bracteata Cav.
LAPNÍS NA BOLOHÁN, T. Malachra bracteata Cav.
LÁPO-LÁPO, Il. Gyrocarpus jacquini Roxb.
LAPONÁYA, V. Coleus acuminatus Benth.
LÁQUIS-LÁQUIS. Acanthus ilicifolious L.
LÁRA. Capsicum minimum Roxb.
LARÓAN-ANÍTO, T. Clerodendron intermedium Cham.
LÁSA. Nipa fructicans Wurmb.
LASÁLIA. Wendlandia luzonensis DC.
LASGÁS, B. Villaria philipinensis Rolfe.
LASÑGÁTON, T., V. Laportea gaudichaudiana Wedd.
LÁSO, V. Allium sativum Linn.
LASONÁ, Il. Allium cepa Linn.
LASTÓN, V. Vigna catjang Endl.
LASUNÁ, T. Allium cepa L.
LAUÁAN, T., V. Anisoptera thurifera Blume.
LÁUAN-NA-PULÁ, T. Vatica.

LÁUAN-MAPUTÍ, T. Dipterocarpus.
LÁUAN SANDÁNA. Anisoptera thurifera Blanco.
LÁUAS, T., Nymphaea stellata Willd.
LÁUAS, T. Limnanthemum cristatum Griseb.
LÁUAT, V. Litsea chinensis Lam., and other species.
LÁVAS, T., V., Pamp. Nymphaea lotus Linn.
LAYÁ, Il. Alstonia scholaris R. Br.
LAYÁ, B. Zingiber zerumbet Rosc.
LAYÁL, Z. Zingiber officinale Linn.
LAYASÍN, T. Leucosyke capitellata Wedd.
LÁYO, B. Alyxia odorata Wall.
LAYÓHAN, V. Phyllanthus distichus Muell. Arg.
LEÁSIN, T. Leucosyke capitellata Wedd.
LECHÍA. Nephelium litchi Camb.
LECHÍAS, T. Nephelium longana Camb.
LECHÍAS, T. Nephelium glabrum Noronh.
LÉGAS, T. Semecarpus perrottetii March.
LÉÑGAY, T. Melastoma.
LÉNGÑGA, T. Sesamum indicum L.
LÉNGUA-DE-PÉRRO, Sp. Fil. Euphorbia neriifolia L.
LÉNO, T. Psychotria malayana Jack.
LETERÁN, T. Gouania.
LÉTLET-TÚBUY, T. Piper corylistachyum C. DC.
LÍA, T. Wolffia schleideni Miq.
LIÁPA, Z. Terminalia.
LIBÁCAN, T. Litsea.
LÍBAI, T. Achryanthes aspera L.
LÍBAS. Eugenia.
LÍBAS. Modecca trilobata Roxb.
LÍBAS-LÍBAS. Symplocos.
LIBÁTO, T. Lumnitzera purpurea Presl.
LIBÁTO, T. Basella rubra L.
LIBÁTO-PUTÍ, T. Cumingia philippinensis Vidal.
LIBÁTO-NA-PUTÍ, T. Neesia altissima Blume.
LIBÁTO-PULÁ (Tayabas). Lumnitzera purpurea Presl.
LIBÁTO-PULÁ, T. Xylocarpus granatum Koenig.
LÍBAY, T. Achyranthes obtusifolia Lam.
LIBÍRAN, T. Scirpus.
LIBÚN, V. Emilia sonchifolia DC.
LICTÁNG, T., V., Pamp. Anamirta cocculus W. and A.
LIGÁAS, T. Semecarpus perrottetii March.
LÍGAO, T. Zizyphus trinervis Poir.
LÍGAO, T. Zizyphus arborea Merrill.
LÍGAO. Grewia.
LÍGAS, T. Semecarpus perrottetii March.
LIGÁSAN, T. Ceriops candolleana Arn.
LÍGUID-LÍGUID, V. Alpinia.
LILÍTAN, V. Paederia foetida L.

LIMÁ-LIMÁ, T., V. Dioscorea.
LIMÁ-LIMÁ, T. V., Pamp. Heptapleurium caudatum Vidal.
LIMÁNG-SÚGAT. Erianthemum bicolor Schrank.
LIMBÁON, V. Cocos nucifera Linn.
LIMOLÍMO, T. Heptapleurium caudatum Vidal.
LIMOLÍMO, Il. Vitex.
LIMÓN, Sp. Fil. Citrus medica L. var.
LIMONÁTO. Triphacea aurantiola Lour.
LIMONCÍTO, Sp. Triphacia trifoliata DC.
LIMORÁN. Zalacca edulis Reinw.
LIMORÁN, T. Calamus.
LINALÍNA-ÁHAN, T. Zinziber.
LÍNAS, B. Eugenia.
LINATOGÁNAC, V. Samadera indica Gaertn.
LINCAMÁS, Il. Eriosema chinense Vog.
LIÑGÁ, T. Sesamum indicum L.
LIÑGA-LIÑGÁHAN, T. Hyptis capitata Jacq.
LIÑGASÍNA, T. Ricinus communis L.
LÍÑGAT, T. Begonia rhombicarpa A. DC.
LIÑGATÓN (?). Laportea guadichaudiana Wedd.
LÍÑGO. Sesamum indicum L.
LÍNO, Pamp. Morinda bracteata Roxb.
LÍNO, V. Morinda citrifolia Linn.
LÍNOG, Z. Scaevola koenigii Vahl.
LINTÁNG-ÁGUIN, T., V., Pamp. Anamirta cocculus W. & A.
LINTÓN-GÁMAI, V. Samadera indica Gaertn.
LÍO-LÍO, Ig. Ficus.
LIOSÍN (Zambales). Heritiera littoralis Dry.
LIPÁ, T. Laportea gaudichaudiana Wedd.
LIPÁ, T. Fleurya interrupta Gaudich.
LÍPAI, T. Mucuna monosperma DC.
LIPÁNG-ÁSO. Fleurya interrupta Gaud.
LIPÁNG-CASTÍLA, T. Fleurya interrupta Gaud.
LIPÁNG-DÓTON, Pamp. Laportea gaudichaudiana Wedd.
LIPÁTA, V. Excoecaria agallocha L.
LIPÁTA, T. Rauwolfia.
LIPÁTA (Ticao). Cerbera odollam Gaertn.
LIPATÁT-GÚBAT, B. Ixora amboinica DC.
LÍPAY, V. Laportea gaudichaudiana Wedd.
LÍPAY, V. Mucuna pruriens DC.
LIPÓTE, T. Eugenia.
LIPSIPÁN, T. Lepidagathis luzoniae Nees.
LÍRIO, V. Rhaes discolor Hance.
LÍRIO, V. Crinum.
LÍRIO, T. Habranthus versicolor Herb.
LISÁC, T. Nauclea.
LISÁÑGAY, Z. Curcuma longa Linn.
LISÓHAN, V. Musa.

LÍSONG-INSÍC, T. Payena.
LÍTA, V. Voacanga.
LITBÍT, V. Piper corylistachyon C. DC.
LITLÍ, V. Piper corylistachyon C. DC.
LITLÍT. Piper.
LÍNAS, V. Bauhinia tomentosa L.
LIVÍAN. Castanopsis philipppinensis Vidal.
LOBÁLOB, T. Bridelia stipularis Blume.
LÓBAS, Pamp. Vitis geniculata Blume.
LÓBIS, V. Cocos nucifera Linn.
LÓBI-LÓBI, V. Eulophia elongata Blume.
LOBÍO, T. Mollugo hirta Thunb.
LÓBI-ÑGA-HINBÁON, V. Cocos nucifera Linn.
LÓBI-ÑGA PILÍPOG, V. Cocos nucifera Linn.
LOCÁY? T. Limnophyton obtusifolium Miq.
LOCÓAN (Masbate). Calamus.
LÓCO-LÓCO, V. Hyptis suaveolens Poir.
LÓCO-LÓCO, T., Pamp. Ocimum sanctum L.
LOCTÓN. Trichocarya.
LOCTÓN. Duabanga moluccana Blume.
LODÓCONG, Pamp. Moschosma polystachyum Benth.
LODÓNO. Celtis philippinensis Blanco.
LOPÓNG, Ig. Rhododendron verticillatum Vidal.
LOGÓG, V. Celtis philippinensis Blanco.
LOGONHÓN (Iloilo). Ardisia serrata Pers.
LOHÓD-LOHÓD, V. Pollia sorzogonensis Endl.
LOLÍO, T. Artocarpus odoratissima Blanco.
LOLÓAN, Il. Pistia stratiotes L.
LOLOQUÍSEN, Il. Limnanthemum cristatum Griseb.
LOMBAYÓNG, V. Cassia fistula L.
LOMBÓY, T. Eugenia jambolana L.
LÓMOT, T. Potamogaton javanicus Hassk.
LÓMOT-LOMÓTAN, T. Hydrilla verticillata Casp.
LÓMOT-LOMÓTAN, T. Adiantum lunulatum Burm.
LÓÑGA, V. Sesamum indicum L.
LÓÑGAS (Cebu). Semecarpus pubescens Thw.
LOÑGÁYAN. Wrightia ovata A. DC.
LONÍTI. Wrightia ovata A. DC.
LONÓC, V. Ficus.
LÓNO-LÓNO. Payena.
LOPÁ, Pamp. Fleurya interrupta Gaud.
LÓPO-LÓPO, V. Allmania nodiflora R. Br.
LÓPO-LÓPO, V. Achyranthes aquatica R. Br.
LÓUAN-LÓUAN, V. Pistia stratiotes Linn.
LOVÍAN, T. Castanopsis philippinensis Vidal.
LÓY-A, V. Zingiber.
LUBÁCAN, V. Cocos nucifera Linn.
LUBÁLUB, T. Bridelia stipularis Blume.

LUBÍ. Cocos nucifera L.
LUBÍGAN, T. Acorus calamus Linn.
LUBÍ-LUBÍ, V. Geodorum semicristatum Lindl.
LUBÍ-LUBÍ. Osmelia.
LUBÍ-LUBÍ, T., V., B. Solanum nigrum L.
LÚBID-LÚBID, B. Semecarpus.
LUBÍ-LUBÍLI (Bataan). Cubilia rumphii Blume.
LUBTÓB. Ficus.
LUBTÚB. Duabanga moluccana Blume.
LUCBÁN, T. Citrus decumana Linn.
LUCBÁN-GÚBAT. Citrus.
LUÉTI (Zamboanga). Ardisia philippinensis DC.
LUGÓ, Il. Terminalia catappa L.
LÚGOS (Zamboanga). Areca catechu Linn.
LUJÚLA. Oxalis acetosella L.
LULÚPAO, Il. Abutilon indicum Don.
LUMÁNPAO, T. Bambusa lumampao Blanco.
LUMÁNAI, T. Homonoia riparia Lour.
LÚMANG, Cag. Caryota rumphiana Mart.
LUMÁNOG, V. Terminalia calamansanay Rolfe.
LUMÁTI. Lagerstroemia batitinan Vid.
LUMBÁN, T. Aleurites moluccana Willd.
LUMBÁNG, T. Aleurites moluccana Willd.
LUMBIÁC (Tayabas). Iguanura.
LUMBÓI, T., Pamp., V., Il. Eugenia jambolana L.
LUNÁ. Ficus caulocarpa Miq.
LÚNAS, T. Lunasia amara Blanco.
LÚNAS, T. Gonocaryum tarlacense Vidal.
LÚNAS, T. Oleandra neriiformis Cav.
LÚNAS. Pancratium zeylanicum L.
LÚNAS. Nymphaea lotus L.
LÚNAS-BUNDÓC, T. Lunasia amara Blanco.
LÚNAS-NA-ITÍM. Gonocaryum tarlacense Vidal.
LUNBÁN, T. Aleurites trisperma Blanco.
LÚPID, A. Bauhinia.
LÚPO, V. Vitis carnosa Wall.
LURÚT?, Cag. Calamus rhomboideus Blume.
LÚSONG (Lepanto). Vaccinium barandanum Vidal.
LUTÚNAN (Zamboanga). Eugenia.
LÚYA, T. Zingiber officinale L.
LÚYA-LÚYA, T. Panicum.
LÚYA-LÚYA, V. Cyanotis cristata Roem. and Schult.
LÚYA-LÚYA, T. Zingiber.
LÚYA-LUYÁHAN, T. Panicum repens L.
LÚYA-LÚYA-IT-ÁYAM (Iloilo). Globba parviflora Presl.
LÚYAN, T. Diospyros nigra L.
LÚYANG-ÁSO, T. Zingiber.
LÚYA-ÑGA-ISÁ, V. Zingiber.

LÚYANG-ÓSIU, T. Zingiber.
LÚYONG. Diospyros nigra Retz.
LÚYONG-LÚYONG, V. Cratoxylon sumatranum Blume.
LÚYOS, Pamp. Areca catechu L.
LUYÚSIN, T. Pygeum.

M.

MAASÍC, Pamp. Tephrosia luzonensis Vogel.
MABÁLOT, T. Sarcocephalus cordatus Miq.
MABÓLO, T., V. Diospyros discolor Willd.
MABÚLO, T. Trichodesma zeylanicum R. Br.
MACAÁSIN, T. Carallia integerrima DC.
MACAÁSIN, T. Eugenia lineata Duthie.
MACAÁSIN, V. Shorea.
MACAÁSIN-PULÁ, T. Eugenia.
MACAÁSIN-PUTÍ, T. Palaquium.
MACABÁLO, Pang. Lagerstroemia speciosa Pers.
MACABÁÑGON. Aglaia.
MACABÍÑGAO, T. Quercus llanosii A. DC. and other species.
MACABÚHAI, T. Tinospora crispa Miers.
MACABÚHAI, T. Lunasia amara Blanco.
MACAISÁ, T. Cleidion javanicum Blume.
MACAISÁ, B. Ehretia philippinensis A. DC.
MACAISÁ, T. Ailanthus moluccana DC.
MACAHÍYA, T. Mimosa pudica L.
MACAHÍYA, T. Biophytum sensitivum DC.
MACALALÁNANG, T. Clerodendron intermedium Cham.
MACALASCÁLAS, B. Talauma.
MACALBÁNG, V. Dendrocalamus membranaceus Munro.
MACALÍÑGAG, T. Cinnamomum pauciflorum Nees.
MACAMBÓJO (Iloilo). Garcinia venulosa Choisy.
MACÁN, V. Panax fruticosum L.
MACÁPIL, T. Dalbergia lanceolaria Linn.
MACASAMPÁLOC, T. Tamarindus indica L.
MACASÍLAD, T. Corypha.
MACASÍLI, V. Dysoxylum blancoi Vidal.
MACÁSIN. Eugenia.
MACÁSIN-MULÁTO, T. Eugenia.
MACÁSLA, V. Croton tiglium L.
MACATÚRAY. Stereospermum.?
MACHÍN. Musa paradisiaca L. var.
MACÚPA, T. Eugenia jambos L.
MACÚPA, T., V. Eugenia malaccensis L.
MÁDANG, T. Litsea magnifica B. and H.
MADONDÓN, T. Vangueria spinosa Roxb.
MÁDRE-CACÁO, Sp. Fil. Gliricida maculata H. B. K.
MAGAÁN, B. Kayea.
MAGABAGÁBA, T. Arytera rufescens Radlk.

MAGABÓYO, V. Celtis philippinensis Blanco.
MÁGAI, V. Agave americana Linn.
MAGÁLAT. Harpullia arborea Radlk.
MAGÁLAY, T. Bruguiera ritchieii Merrill.
MAGALÁYAO, C. Afzelia rhomboidea Vidal.
MAGARANBÚLO (Tayabas). Cyclostemon.
MAGARAPÁLA, T. Terminalia.
MAGARÍLAO, T. Nauclea.
MAGARÍLAO, T. Terminalia.
MAGASPÁNG, V. Fluggea obovata Wall.
MAGATÁDI?, Cag. Mangifera altissima Blanco.
MAGÁTAS, Pamp. Euphorbia pilulifera L.
MAGCABÚGAO, V. Atalantia monophylla Correa.
MAGCÁSAO, V. Aralia javanica Miq.
MAGLIMÓCON. Urophyllum glabrum Jack.
MAGLOLÓPOY, Z. Sterculia.
MAGOTAMBÍS, V. Antidesma.
MAGSALÓRO, V. Tacca palmata Blume.
MAGSALÓRO-NGA-DACÚ, V. Tacca pinnatifida Forst.
MAGSINÁYA. Aglaia.
MAGTÁBIG, V., Pamp. Rourea heterophylla Planch.
MAGTAMBÓCAO (Leyte). Canavalia ensiformis DC.
MAGUÉY, Sp. Fil. Agave americana Linn.
MAGUÍLIC, Z. Litsea.
MAGUÍLIC, T. Geunsia cumingiana Rolfe.
MAGÚLIOC, T. Buchanania florida Schauer.
MAGULÍVE, T. Chisochaeton tetrapetalus Turcz.
MAGÚMU (Albay). Vitex.
MAGUSÁYAC, V. Fagraea morindaefolia Blume.
MAGUTTÁTA, V. Maesa haenkeana Miq.
MAHIHÍIN, Il. Biophytum sensitivum DC.
MAHÓTAY, V. Mallotus.
MAISIPAÍSI, T. Clausena excavata Burm.
MAÍZ, Sp. Fil. Zea mays L.
MALAACHUÉTE, Pamp. Mallotus ricinoides Muell. Arg.
MALAACHUÉTE, T. Melochia arborea Blanco.
MALAÁCLE (Tayabas). Dracontomelum.
MALAADÚAS, T. Ailanthus moluccanus DC.
MALAADÚAS, T. Dracontomelum cumingianum Baill.
MALAAMÚYON, T. Ormosia calavensis Blanco.
MALAANÍS, Pamp. Scoparia dulcis L.
MALAANÓNAN, T. Shorea malaanonan Blume.
MALAÁPI, T. Premna.
MALAAPÓLID, Pamp. Kyllinga monocephala Rottb.
MALAAPÓLID, Pamp. Cyperus rotundus L.
MALAASÍS, T. Vangueria spinosa Roxb.
MALAÁTES, T. Glochidion.
MALÁBAC, V. Atalantia nitida Oliv.

MALABACÁUAN, T. Randia.
MALABÁCHAO (Cebu). Loranthus blancoanus F. Vill.
MALABÁGA, T. Clerodendron.
MALABÁGAN Pamp. Dysoxylum blancoi Vidal.
MALABÁGNA, T. Croton.
MALABÁGO, V. Hibiscus tiliaceus L.
MALABÁGUIO, T. Olax imbricata Roxb.
MALABÁGUIS, B. Eugenia.
MALABÁHI, B. Eugenia.
MALABAHÍO, B. Memecylon.
MALABALÁNTE, T. Polygonum.
MALABALÁTONG, Pamp. Flemingia.
MALABALÚBAT?. Semecarpus gigantifolia Vidal.
MALABALÚGBUG-DÁGIS, Pamp. Oxalis corniculata L.
MALABANABÁ, T. Amoora grandifolia C. DC.
MALABANABÁ, T. Duabanga moluccana Blume.
MALABÁÑGAO. Pamp. Dysoxylum blancoi Vidal.
MALABAÑGQUILÍN, V. Connaropsis philippica F. Vill.
MALABATÓAN, T. Garcinia ovalifolia Hook. f.
MALABÁYA, T. Chisocheton tetrapetalus Turcz.
MALABAYÁBAS. Dysoxylum.
MALABAYÁBAS, T. Eugenia.
MALABAYÁBAS, T. Gardenia obscura Vidal.
MALABAYÁBAS, T. Gardenia pseudopsidium Blanco.
MALABÁYO. Hibiscus tiliaceus L.
MALABILÚCAS, T. Litsea.
MALABOCBÓC. Ipomoea quamoclit L.
MALABOCBÓC. Meusa ferrea Linn.
MALABOCBÓC, T. Calophyllum.
MALABOHÓC, T., V. Cassytha filiformis L.
MALABOHÓC, V. Casuarina equisetifolia Forst.
MALABÓÑGA, T. Iteadaphne confusa Blume.
MALABÓÑGA, T. Macaranga.
MALABÓÑGA. Beilschmeidia madang Blume.
MALABONÓT. Sterculia stipularis R. Br.
MALABOTÓNES, V. Kyllinga monocephala Rottb.
MALABUCBÚC?, T. Meusa ferrea L.
MALABÚLAC, T. Bombax malabaricum DC.
MALABULÁON, Pamp. Symphorema luzoniense Vid.
MALABÚNAO, B. Ochrocarpus.
MALABÚÑGA. Macaranga tanarius Muell. Arg.
MALABÚÑGA, B. Phoebe umbelliflora Blume.
MALABUNÓT, T. Sterculia.
MALABÚTONG, T. Olea.
MALACABÚGAO, V. Citrus.
MALACABÚYAO, T. Aegle decandra Naves.
MALACACÁO, T. Erioglossum edule Blume.
MALACACÁO. Lepidopetalum.

MALACACÁO, T. Lunasia grandiflora Muell. Arg.
MALACACÁO, T. Sterculia.
MALACÁDIOS, B. Dehaasia.
MALACÁDIOS, T. Phoebe.
MALACÁDIOS. Myristica.
MALACADPÓ, T. Micromelum tephrocarpum Turcz.
MALACAFÉ, T. Glochidion.
MALACAFÉ?, V. Mussaenda grandiflora (Meyen) Rolfe.
MALACAFÉ, T. Randia.
MALACAFÉ (Paragua). Agrostistachys maesoana Vidal.
MALACAFÉ (Tayabas). Webera.
MALACAPÍ, T. Elaeocarpus.
MALACAQUÍOS, T. Sesbania aegyptiaca Pers.
MALACÁHUC, T. Rourea multiflora Planch.
MALACALANTÁS, B. Canarium.
MALACÁLIOS. Elaeocarpus monocera Cav.
MALACALESQUÍS, T. Adiantum.
MALACALUBCÚB, T. Litsea.
MALACALÚMPIT, B. Terminalia calamansanay Rolfe.
MALACAMONSÍLE, T. Pithecolobium montanum Benth.
MALACAMÓTE, V. Ipomoea bona-nox Linn.
MALACAMÓTE, T. Beddomea luzonensis Vidal.
MALACÁPAI, T. Diospyros malacapai A. DC.
MALACÁRIOS, Z. Desmodium umbellatum DC.
MALACÁRO, V. Desmodium.
MALACAROPCÓP (Bataan). Eugenia montana Blanco.
MALACÁRPA. Randia.
MALACATMÓN, T. Delima sarmentosa L.
MALACATMÓN, T. Tetracera macrophylla Wall.
MALACATMÓN, T. Dillenia speciosa Gilg.
MALACATÚRAY, Z. Sterospermum.
MALACATÚRAY, T. Cassia.
MALACAUÁYAN, T. Panicum.
MALACAÚYAN, Z. Hemigyrosa.
MALACBÁN, T. Vatica.
MALACBÓC (Morong). Acalypha tiliaefolia Muell. Arg.
MALACDÓG, Il. Combretum.
MALACLÁC. Clethra canescens Reinw.
MALACMÁC, T., Pamp. Pygeum.
MALACMÁC, T., Pamp. Palaquium oleiferum Blanco.
MALACULÁIN-BÍSAN, T. Gynotroches axillaris Blume.
MALADÍAC. Tristira triptera Radlk.
MALADÍTA, T. Rauwolfia amsoniaefolia A. DC.
MALADOSDÓS, V. Erianthemum bicolor Schrank.
MALADÚHAT, B. Eugenia.
MALADÚÑGUN, T. Heritiera littoralis Dry.
MALAGAHÁNIP, T. Dalbergia.
MALAGAHÁNIP, T. Terminalia.

MALAGAÍTMON, T. Diospyros.
MALAGÁNIT, T. Albizzia.
MALAGARÁYAT, T. Strychnos.
MALAGARÁYAT, T. Eugenia.
MALAGASÁHA, B. Pisonia umbellata Seem.
MALAGÓSO, T. Mollugo stricta L.
MALAGQUÍT, T. Oryza sativa L. var.
MALAGUIBÚYO, V. Celtis philippinensis Blanco.
MALAGUINÍSAN, V. Kayea philippinensis Planch.
MALAÍBA, T. Melia candollei Juss.
MALAÍBA, T. Phyllanthus reticulatus Muell. Arg.
MALAIBÓHOD. Buchanania florida Schauer.
MALAÍCMO, T. Celtis philippinensis Blanco.
MALAÍGOT B. Ixora.
MALAÍHAO, T. Dracontomelum.
MALAIPÚTAI, B. Streblus asper Lour.
MALAISÁ, T. Ardisia pyramidalis Pers.
MALAISÍS, T. Ficus.
MALAISÍS, T. Malaisia tortuosa Blanco.
MALAÍTMO, T. Celtis philippinensis Blanco.
MALAÍTMO, T. Gnetum gnemon L.
MALAÍYAO, T. Dracontomelum mangiferum Blume.
MALALÍGAS-NA-BABÁE. Lunasia.
MALALÍGAS-NA-LALÁQUE, T. Buchanania.
MALALIMÓN. Taxotrophis ilicifolia Vidal.
MALALÚCBAN, T. Champereia griffithii Planch.
MALALÚPAY, Pamp. Micromelum.
MALALÚYA, T. Globba parviflora Presl.
MALAMÁNGA, Cag. Litsea.
MALAMAYÁNA, T. Coleus acuminatus Benth.
MALAMBÁNG, T. Mallotus.
MALABANGCÁBAS (Zamboanga). Pittosporum.
MALAMOLÁUIN, T. Evodia.
MALAMOLÁUIN, T. Glycosmis.
MALANÁNCA. Ficus luzonensis Merrill.
MALANÚIG, Cag. Caryota rumphiana Mart.
MALAPACPÁC-BALÁUAY, T. Epipremnum medium Engl.
MALAPÁCO, T. Jussiaea suffruticosa L.
MALAPÁHO, T. Dipterocarpus vernicifluus Blanco.
MALAPÁHO, T. Mangifera.
MALAPÁHO, T. Sindora wallichii Benth.
MALAPAITPÍT, Sapindus turczaninowii Vidal.
MALAPÁJO. Dipterocarpus vernicifluus Blanco.
MALAPALÍTPIT, Pamp. Sapindus turczaninowii Vidal.
MALAPANDACÁQUE, B. Gonocaryum.
MALAPANGDÁN, T. Freycinetia insignis Blume.
MALÁPAO. Dipterocarpus vernicifluus Blanco.
MALAPAPÁYA, T., V. Polyscias nodosa Seem.

MALAPATÓPAT, T. Canthium confertum Korth.
MALAPÍGAS, T. Desmodium umbellatum DC.
MALAPILÁUAY, B. Canarium.
MALAPÓCO, T. Jussiaea suffruticosa L.
MALAPOTOCÁN, T. Clerodendron macrostegium Schauer.
MALAPÚAD, Pamp. Olea.
MALAPÚSO, B. Litsea.
MALAPUTÁD, T. Barringtonia racemosa Blume.
MALAPUTÁT, T. Cleidion.
MALAPUTÁT, T. Terminalia.
MALAPUTÁT, T. Palaquium.
MALAPUTÚTAN, T. Palaquium.
MALAPÚYAO, T. Pygeum.
MALAPÚYAO, T. Cynometra.
MALARÁYAP, T. Gymnosporia montana Roxb.
MALARÁYAT, T. Cratoxylon formosum B. and H.
MALARÁYAT. Atalantia nitida Oliv.
MALARICONDÚRON, Pamp. Callicarpa.
MALARÚHAT, T. Eugenia operculata Roxb.
MALARÚHAT-NA-PULÁ, T. Eugenia cymosa Lam.
MALARÚNGON, T. Heritiera littoralis Dry.
MALASÁCOT, T. Terminalia.
MALASÁGA, T. Ormosia calavensis Blanco.
MALASÁGA, T. Derris scandens Benth.
MALASÁGUIN. Dysoxylum arborescens Miq.
MALASÁGUIN?, T. Aglaia palembanica Miq.
MALASÁGUIN-PUTÍ (Tayabas). Erioglossum edule Blume.
MALASÁGUIN-LALÁQUE. Kayea.
MALASÁGUIN-PULÁ, T. Amoora.
MALASÁGING-PULÁ, T. Alaia.
MALASÁGING-PUTÍ, T. Eugenia.
MALASAMBÓNG, T. Vernonia vidalii Merrill.
MALASAMPÁGA, T. Wikstroemia indica Mey.
MALASANDÍA, V. Ipomoea pes-tigridis Linn.
MALASÁNGUI. Cinnamomum.?
MALASANTÓL, T. Sandoricum.
MALASANTÓL, T. Thespesia populnea Corr.
MALASAPSÁP, T. Pterocymbium javanicum R. Br.
MALASAPUTÍ, Pamp. Palaquium.
MALASCÓG, T. Symphorema luzonensis Vidal.
MALASÍAC, B. Ardisia humilis Vahl.
MALASÍCO, T. Litsea.
MALASINÓRO, B. Fagraea.
MALASITUÍN, Pamp. Gonocaryum tarlacense Vidal.
MALASÓRO, B. Diospyros.
MALASUCÁ, V. Antidesma.
MALASÚRUT, B. Guettarda speciosa Linn.

MALATABÁ, T. Callicarpa.
MALATÁCO, T. Albizzia.
MALATADIÁNG (Morong). Canthium arboreum Vidal.
MALATÁGUN, B. Canarium.
MALATÁLANG, T. Myristica cumingii Warb.
MALATÁLANG, Pamp. Diospyros.
MALATALÍSAY, V. Terminalia.
MALATAMBÍS. Kibara coriacea Perk.
MALATAMÓYAN, T. Casearia.
MALATAMPÓY, T. Eugenia.
MALATÁÑGAN-TÁÑGAN, B. Hernandia peltata Meissn.
MALATÁPAY, T. Alanguim octopetalum Blanco.
MALATÁPAY, T. Grewia.
MALATÁPAY, T. Diospyros discolor Willd.
MALATÁYON, Pang. Adenanthera.
MALATIBÍG, T. Anneslea crassipes Hook.
MALATIBÍ (Morong). Melia.
MALATÍGUI. Albizzia?.
MALATÍNTA, T. Phyllanthus reticulatus Muell. Arg.
MALATOCÓ, T. Albizzia odoratissima Benth.
MALATÓRO. Albizzia saponaria Blume.
MALATÚBA, V. Cl idion avanicum Blume.
MALATÚBA, B. Croton consanguineum Muell. Arg.
MALATÚBIG, T. Eugenia.
MALATUMBÁGA, T. Crudia blancoi Rolfe.
MALATUMBÁGA, T. Combretum squamosum Roxb.
MALATUMBÁGA, T. Nelitris.
MALATÚÑGAO, Cag. Melastoma.
MALANBÁN, T. Planchonia.
MALAÚBE, T., V. Aristolochia tagala Cham.
MALAÚPLI. Ficus ampelas Burm.
MALAÚNOT, T. Sterculia.
MALÁWIN, T. Vitex negundo L.
MALAYÁMBO, T. Eugenia.
MALAYANTÓC, T. Holarrena macrocarpa Hassk.
MALIÁNA, T., V., Pamp. Coleus atropurpureus Benth.
MALIBÁGO, T. Thespesia populnea Corr.
MALIBÁGO, T. Hibiscus tiliaceus L.
MALICASCÁSAN, V. Talauma angatensis F. Vill.
MALÍCO, V. Evodia mindanaensis Merrill.
MALÍ MALÍ, T., Pamp. Leea aculeata Blanco.
MALÍÑGA, T. Benincasa cerifera Savi.
MALÍNTA, T. Phyllanthus reticulatus Muell.
MALÍS, V. Abutilon indicum G. Don.
MALÍSA. Capsicum minimum Roxb.
MALÍSA (Camarines). Ananassa sativa Lindl.
MALÍSA, T. Piper nigrum L.
MALISMALÍS, Pamp. Euphorbia pilulifera L.

MÁLIT, T. Cynodon dactylon Pers.
MÁLIT-CALABÁO, T. Panicum.
MALONGÁIN, T. Melia candollei Juss.
MALUBÁGO, B. Hibiscus tiliaceus L.
MALÚBO, T., V. Diplodiscus paniculatus Turcz.
MALÚCO, T. Pisonia inermis Forst.
MALUGÁGNAO, V. Vitex.
MALÚGIT, V., Pamp. Moringa oleifera Lam.
MALUGÓSO, V. Mollugo pentaphyllum Linn.
MALULÚCBAN, T. Champereia griffithii Planch.
MALUNÁL-UÑGÁYAM, T. Dalbergia.
MALÚÑGAY, T., V. Moringa oleifera Lam.
MALUÑGÁYEN. Melia candollei Juss.
MALÚÑGIT, V., Pamp. Moringa oleifera Lam.
MALUSÚÑGAY, T. Crudia blancoi Vidal.
MALÚTAY, T. Erycibe.
MÁLVAS, Sp. Abutilon indicum G. Don.
MÁLVAS DE CASTÍLLA, Sp. Fil. Abutilon indicum G. Don.
MÁLVAS-TAGBÁLANG, T. Delima sarmentosa L.
MAMAGUÉL, T. Harrisonia bennetii B. and H. f.
MAMÁLE, V. Leea sambucina Willd. and other species.
MAMÁLIS, T. Pittosporum fernandezii Vidal.
MAMÁLIS-BABÁE, T. Pittosporum.
MAMANÉD. Columbia longipetiolata Merrill.
MÁMAO (Jolo). Rhaphidophora pertusa Schott.
MAMBÓB. Stephegyne diversifolia Hook.
MAMBÓG, T. Mitragne.
MAMBÓG, B. Nauclea blancoi Vidal.
MAMBÓG. Stephygne speciosa Korth. and other species.
MAMBÓG, T., V. Morinda bracteata Roxb.
MAMÉY, T. Lucuma mammosa Gaertn.
MAMÍN, B., T. Piper betle L.
MAMÍTIC, T., V. Hygrophila salicifolia Nees. and other species.
MAMÓLIS, T., V., Pamp. Sida frutescens Blanco.
MAMÓN, V. Piper betle L.
MAMPÁLAN (Jolo). Mangifera indica Linn.
MAMPÉL, V. Uncaria acida Roxb.
MAMPÓL, V. Loranthus pentandrus L.
MAN. Cinnamomum pauciflorum Nees.
MANÁ, T., Il. Jatropha multifida L.
MANABÁ, B. Premna.
MANABRÓNG, B. Aglaia.
MANÁŁAO, T. Aglaia oligantha C. DC.
MANALÍSID, V. Heliconiopsis amboinensis Miq.
MANANAÑGTÁNG, V. Dysoxylum blancoi Vidal.
MANANÁOG, V. Strychnos ignatii Berg.
MANÁOG, V. Saccolabium.
MANÁPO, B. Sindora wallichii Benth.

MANÁSA, T. Bridelia ovata Muell. Arg.
MANÁUL, V. Tournefortia argentea L. f.
MANÁYAO (Central Luzon). Diplodiscus paniculatus Turcz.
MANBÁN, T. Maranta dichotoma Wall.
MANCÓNO, V. Xanthostemon verdergonianus Naves.
MANDALÚSA (Cebu). Erianthemum bicolor Schrank.
MÁNGA, T., V. Mangifera indica L.
MÁNGA-ANÍS. Mangifera anisodora Blanco.
MANGACHAPÓI, T. Vatica mangachapoi Blanco.
MANGA-DÓLONG, V. Abrus precatorius L.
MANGÁGAO, V. Hoya multiflora Blume.
MANGASINÓRO, Z. Shorea.
MANGASINÓRO, Z. Albizzia?.
MANGASINÓRO, T. Fagraea volubilis Jack.
MANGASIRÍQUI (Bulacan). Quercus philippinensis A. DC.
MANGATÓLAY?. Koordersoidendron pinnatum Merrill.
MÁNGGA, T., V. Mangifera indica L.
MÁNGGIS (Jolo). Garcinia mangostana Linn.
MÁÑGHA, T. Clerodendron.
MAÑGÍPOD, T. Areca catechu L.
MAÑGÍT. Ehretia buxifolia Roxb.
MAÑGLÁTI. Lagerstroemia batitinan Vidal.
MAÑGLÁY, Pamp. Zingiber.
MANGOSTÁN, V. Garcinia cornea Linn.
MANGOSTÁNA, V. Garcinia ovalifolia H. f. and T.
MAÑGQUÍET, T. Desmodium.
MANGUÍS (Jolo). Garcinia mangostana Linn.
MANGUÍT, T., V. Ehretia buxifolia Roxb.
MANGÚPOD. Areca catechu L.
MANGÚYAO, B. Sophora tomentosa L.
MANÍ. Arachis hypogaea L.
MANÍC-MANÍCAN, T. Cyperus.
MANÍLAD, T. Scyphiphora hydrophyllacea Gaertn.
MANI-MANÍAN, T. Desmodium.
MANI-MANÍHAN, T. Cassia tora L.
MANKÍT, T. Urena.
MANLÓAB, T. Quercus.
MAÑGÁL, T. Samadera indica Gaertn.
MANQUÍL, T. Eugenia javanica Lam.
MANQUÍT. Desmodium pulchellum Benth.
MANTALÁ, T., V. Sophora tomentosa L.
MANÚL, V. Jasminum sambac Ait.
MANUMBÁGA (Zamboanga). Myristica simiarum A. DC.
MANUNGÁL, T., B., V., Pamp. Samadera indica Gaertn.
MANUÑGBÁGA, V. Hemigyrosa canescens Thw.
MANZÁNAS, Sp. Fil. Zizyphus jujuba Linn.
MANZÁNA-RÓSA, Sp. Fil. Eugenia jambos Linn.
MANZANÍTAS, Sp. Fil. Zizyphus jujuba Linn.

MAÓRO, V. Lumnitzera purpurea Presl.
MAPOLÁ. Hibiscus mutabilis Linn.
MAPUTÍ, T. Leucas aspera L.
MAQUITARÍN (Tayabas). Orophea.
MARABÍCAT, T. Diospyros.
MARACÚLAN, Il. Litsea.
MARAGAHÚLO, T. Symplocos.
MARAGAOÉD, Il. Cinnamomum.
MARALÍGAO, V. Casearia cinerea Turcz.
MÁRANG, T. Litsea.
MÁRANG, T. Artocarpus.
MARANMÁRANG, V. Ficus.
MARAPÁCO, Il. Polypodium dipteris Blanco.
MARAPÓTO, V. Hibiscus abelmoschus L.
MARARÁYAT-CÁHOY, T. Capparis micrantha DC.
MARASAGÁT, Il. Vitex.
MARAVÍCAL (Morong). Diospyros.
MARAVÍLLAS, Sp. Fil. Mirabilis jalapa L.
MARAYÁBAY, T. Cerbera odollam Gaertn.
MARAYÁPA, T., V., Pamp. Coleus atropurpureus Benth.
MARBÁAR, V. Zanthoxylum avicennae DC.
MARGÓSO, T. Momordica balsamina L.
MARGÓSO-DAMÚLOG, Pamp. Mollugo.
MARICACÁO, T. Gliricidia maculata H. B. K.
MARINDÁTO. Cnestis trifolia Pers.
MARICÚM, V. Hibiscus abelmoschus L.
MARÍSCOS, T. Chrysopogon aciculatus Trin.
MAROPÓTO, V. Hibiscus abelmoschus L.
MARUCÚM, V. Hibiscus abelmoschus L.
MARULÍNAO, V. Bauhinia tomentosa L.
MARUMANCÁS, T. Sideroxylon.
MARUMANCÁS-NA-LALÁQUE, T. Sideroxylon.
MASAMBÓNG. Desmodium.
MASIPÓN, Cag. Saurauja.
MATÁRES, T. Micromelum.
MATABÁNG-DÍCUT, Pamp. Paederia foetida L.
MATALÁPAY, B. Symplocos.
MATAMATÁ, B. Schleichera.
MATÁNG-ÁRAN, V. Mussaenda grandiflora Rolfe.
MATÁNG-ÁRAO, T. Melicope ternata Forst.
MATÁNG-DIÁBLO, T. Evodia roxburghiana Benth.
MATÁNG-OLÁNG, T. Salacia prinoides DC.
MATÁNG-OLÁNG, V. Phyllanthus reticulatus Muell. Arg.
MATÁNG-PÚNE, V. Abrus precatorius L.
MATÁNG-ÚLÁN (Tayabas). Breynia cernua Muell. Arg.
MATÁNG-ULÁNG (Tayabas). Breynia cernua Muell. Arg.
MATÁVIA, T. Musa paradisiaca L. var.
MATINGGAÍN. Mussaenda frondosa L.

MAUÍNG-DÁTO, V. Samadera indica Gaertn.
MAÚBAN, T. Planchonia.
MAÚRING, T. Quercus.
MAVINDÁTO, V., Pamp. Rourea heterophylla Planch.
MAYACYÁT, B. Canarium.
MAYAGÁRIN. Citrus hystrix DC.
MAYÁGOS, V. Homonoia riparia Lour.
MAYÁGOS-LALÁQUI, V. Acalypha.
MAYAMÁGAR, V. Commersonia platyphylla Andr.
MAYÁNA, T., V., Pamp. Coleus atropurpureus Benth.
MAYÁNO (Paragua). Gardenia.
MAYÁPIS, T. Dipterocarpus mayapis Blanco.
MAYÓRO. Timonius philippinensis Merrill.
MAYÓYOS, V. Homonoia riparia Lour.
MAYÚMUS. Micromelum tephrocarpum Turcz.
MABÚTBOT, B., V. Eugenia.
MÉLBAS, T. Abutilon indicum Don.
MELÍNDRES (Manila). Lagerstroemia indica L.
MELÓN, Sp. Fil. Cucumis melo Linn.
MELÓNG-OUÁC, T. Modecca heterophylla Blume.
MIÁGOS, V. Homonoia riparia Lour.
MIÁGUS, V. Eugenia.
MIÁPI, T., V. Avicennia officinalis L.
MÍDLLA, Pamp. Lagerstroemia.
MÍQUI, Pamp. Xylocarpus obovatus Juss.
MÍJO (Cebu). Setaria italica Beauv.
MÍLI-PÍLI, V. Canarium.
MILÓN-DAGÁ, T. Melothria indica Lour.
MÍMBRE. Homonoia riparia Lour.
MIMÓÑGA, T. Macaranga tanarius Muell Arg.
MÍSAY-CALABÁO, T. Cyperus.
MÍTLA, Pamp. Lagerstroemia speciosa Pers.
MOBÓTI, V. Antidesma.
MÓCO (Iloilo). Musa sapientum L. var.
MOGBÓC, V. Xanthophyllum.
MOLÁUIN, T. Vitex littoralis Decne.
MOLÁUIN, T. Murraya exotica L.
MOLÁUIN-ÁSO, T. Premna nauseosa Blanco.
MOLÁVE, T. Vitex littoralis Decne. and other species.
MOLÁVIN, T. Murraya exotica L.
MOLÁVIN, T. Vitex negundo L.
MOLÁVIN, T. Vitex littoralis Decne.
MOLOPÓLO, T., V., Pamp. Urena sinuata L.
MOLUGÓSO, T. Mollugo stricta L.
MONGO-MONGÓHAN, T. Cassia tora L.
MÓNGOS, T. Phaseolus mungo L.
MÓPIO, V. Erianthemum bicolor Schrank.
MÓRO, Sp. Fil. Andropogon muricatus Retz.

MORÁDO, Sp. Fil. Graptophyllum hortense Nees.
MORÁDONG. Justicia.
MORÁDONG-MAPUTÍ, T. Justicia gendarussa L.
MORÁDONG-MAPUTÍ, T. Graptophyllum hortense Nees.
MORÁL. Morus alba Linn.
MORÁNDONG-MAPUTÍ. Graptophyllum hortense Nees.
MÓRAS. Morus alba L.
MOSBORÓN, T., V. Scaevola koenigii Vahl.
MÓTA, Pamp. Cyperus rotundus L.
MOSTÁZA, Sp. Brassica juncea H. f. and Th.
MUGUÉY, Sp. Fil. Agave americana Linn.
MUGUÍS. Koordersoidendron pinnatum Merrill.
MULÁON (Iloilo). Vitex littoralis Decne.
MULÁTO, T. Vitex.
MULÁUEN-BABÁE. Vitex.
MULÁUIN, T. Vitex littoralis Decne.
MULÁUIN-ÁSO, T. Premna vestita Schauer.
MULÍNG-MULÍNG, T. Diplodiscus paniculatus Turcz.
MÚNGO, V. Phaseolus mungo L.
MUNTÁUI, V. Harrisonia bennetii B. and H. f.
MURÁON-BALOÑGÓN (Iloilo). Jasminum.
MURÚGNA, V. Phyllanthus.
MÚTHA, V. Kyllinga monocephala Rottb.
MÚTHA, T. Cyperus rotundus L.
MUNTÁNI, V. Harrisonia bennetii B. and H. f.

N.

NÁBO, B. Gnetum gnemon L.
NÁBO, V. Abroma alata Blanco.
NÁBO, V. Ficus.
NACBOLÍGAN, Il. Clerodendron macrostegium Schauer.
NÁGA, V. Pterocarpus indicus Willd. and other species.
NAGBOLÍGAN, Il. Clerodendron macrostegium Schauer.
NÁLA, Z. Afzelia bijuga A. Gray.
NÁLIS. Picrasma javanica Blume.
NAMÁUED, T. Columbia.
NAMBABÁLOS. Sarcocephalus cordatus Miq.
NAMACPÁCAN, Il.? Ochrocarpus pentapetalus Blanco.
NÁME. Dioscorea sativa L. and other species.
NÁNCA, T. Artocarpus integrifolia L. f.
NÁÑGA, V. Plectocomia elongata Mart. and Blume.
NÁNGCA, T. Artocarpus integrifolia Linn. f.
NÁÑGOS, V. Eugenia.
NÁPAN, B. Piper corylistachyon C. DC.
NAPNÁP, V. Cephalostachyum capitatum Munro.
NARANGÍTAS, T., V. Citrus aurantium Hook. f.
NARÁNJA, T. Citrus decumana L.
NARANJÍTAS, T. Citrus aurantium L. var.

NÁRDO (Cebu). Polyanthes tuberosa Linn.
NÁRRA, T., V. Pterocarpus indicus Willd. and other species.
NÁRRA-PULÁ (Unisan). Pterocarpus vidalianus Rolfe.
NÁTO, V. Palaquium barnesii Merrill, n. sp.
NÁTO, T. Sterculia rubiginosa Vent.
NÁTO, V. Terminalia catappa L.
NÁTOB, T. Terminalia.
NENÉNU, Cag. Anisoptera thurifera F. Vill.
ÑGÁLUY, Ig. Boehmeria weddeliana Vidal.
ÑGAÑGAÍTA, T. Ehretia onava A. DC.
ÑGISIÑGÍSI, T. Lepidopetalum.
ÑGÓÑGOT, Pamp. Cocos nucifera L.
NÍGUI, T. Xylocarpus obovatus Juss.
NILÁD, T. Scyphiphora hydrophyllacea Gaertn.
NILÁR, T. Scyphiphora hydrophyllacea Gaertn.
NILÓMOT (Tayabas). Oryza sativa L.
NÍNO, T., V. Morinda citrifolia Linn.
NÍNO, T., V. Morinda bracteata Roxb.
NÍOG, T., C., Il., B., V. Cocos nucifera L.
NÍOG-ÑGA-POTÍ, V. Cocos nucifera Linn.
NÍOG-NÍOG, T. Geodorum semicristatum Lindl.
NÍOG-NÍOG, T. Osmoxylon.
NÍOG-NIÓGAN, T. Quisqualis indica L.
NIÓG-NIÓGAN, T. Ficus pseudopalma Blanco.
NÍPA, T. Nipa fructicans L.
NÍPAI, V. Mucuma atropurpurea DC.
NÍPAY, T. Mucuna pruriens DC. and other species.
NÍPIN (Zamboanga). Phyllanthes reticulatus Poir.
NÍPIS. Agave americana L.
NÍTO, T., V. Lygodium dichotomum Sw. and other species.
NÍTONG-PUTÍ, T. Lygodium scandens Sw.
NOC-NÓC, V. Ficus.
NOLALÁQUI, T. Litsea.
NONÓC, V. Ficus indica L. and other species.
NÓOG-NÓOG (Cebu). Solanum verbascifolium L.

O.

OÁY, Il. Calamus pisicarpus Blume.
ÓBAT, T. Smilax.
OBÍEN, Il. Artocarpus.
ÓBUD-ÓBUD, V. Cyperus.
ODAÓDEG, Ig. Berchemia philippinensis Vidal.
ÓDLING, V. Cynometra ramiflora Linn.
OÉY, Pang. Calamus buroensis Mart.
OGÁO, B. Diospyros.
ÓGOB, B.? Artocarpus incisa L. f.
OISÁC, T. Nauclea.
OLÁNG, T. Smilax indica L.

OLÁÑGO, V. Pandanus radicans Blanco.
OLAÓMAG, T., V. Sophora tomentosa L.
OLASÍMAN, T. Portulaca oleracea L.
OLÁYAN. Quercus soleriana Vidal.
OLÉT, Ig. Helicia cumingiana Presl.
OLÍÑGON, V. Cratoxylon celebicum Blume.
OLÍVAS, Sp.-Fil. Eusideroxylon.
ÓLOB. Artocarpus rima Blanco.
ÓLOD, Pamp. Cynometra inaequifolia A. Gray.
OLONGÁIN. Trichodesma zeylanicum R. Br.
ÓLOY, T. Artocarpus.
OMÁDING, Pamp. Cyperus rotundus L.
OMÁDIUNG, Pamp. Cyperus rotundus L.
ONÁNAT, Ig. Gnaphalium luteo-album L.
ONÁOA, T. Capura.
ONÁVA, T. Ehretia acuminata R. Br.
ÓÑGOT, Z. Cocos nucifera Linn.
ÓÑGSAY (Manila). Coriandrum sativum Linn.
ONORÁN, Pamp. Cyperus rotundus L.
ÓNTI, T. Solanum nigrum L.
OÓÑGON, Il. Bruguiera gymnorrhiza Lam.
OÓÑGON, Il. Rhizophora mucronata Lam.
OÓNOG, Il. Albizzia julibrissen Duraz.
OPLÁY. Alstonia scholaris R. Br.
OPLÍ, T. Ficus.
OPLING-MÁYA (Tayabas). Ficus.
ÓPO, T. Lagenaria vulgaris Seringe.
ÓPONG-ÓPONG, B. Litsea.
ORACIÓN, Sp. Fil. Mirabilis jalapa L.
ORATÁN, Il. Aglaia.
ORÁYI, T., V. Amaranthus spinosus L.
ORÉGANO, Sp. Fil. Limnophila repens Benth.
ORÉGANO, Sp. Fil. Coleus aromaticus Benth.
ORÉGANO-LALÁQUI, T. Coldenia procumbens L.
ORÓT, V. Dioscorea hirsuta Blume.
ÓROY, V. Amorphophallus campanulatus Blume.
ÓSIU, T. Bambusa diffusa Blanco.
ÓTE-ÓTE. Pittosporum.
OUÁY, Il. Calamus pisicarpus Blume.
ÓVAI-NA-PAÑGLÁO, Il. Naravelia.
OYAÑGÍA, V. Abrus precatorius L.
OYÍSAN, T. Myristica.
OYÓC, Ig. Myristica.

P.

PAANBALIVÍS, T.? Boerhaavia repens L.
PÁBTO, T. Acalypha.
PÁC. Artocarpus camansi Blanco.

PACÁC, Il. Artocarpus camansi Blanco.
PACÁCAL. Mallotus ricinoides Muell. Arg.
PACAGONCÓN-CASTÍLA. Cassia alata L.
PACALCÁL, Pamp. Mallotus ricinoides Muell. Arg.
PACANCÁL, Pamp. Palaquium latifolium Blanco.
PACÁPIS, V. Clerodendron intermedium Cham.
PÁCAT-ÁRO, T. Pisonia aculeata DC.
PACAYÓMCOM-CASTÍLA, Pamp. Cassia alata L.
PACAYÓMCON. Lycopodium.
PACHAÍÑGAN, T. Canarium.
PÁCO. Asplenium esculentum Presl.
PÁCOL, V. Musa.
PÁCONG-ANÚANG. Onychium auratum Kaulf.
PACÓPOD, T. Vitis carnosa Wall.
PACPÁC-BÁLANG, T. Berrya.
PACPÁC-LÁÑGAO, T. Desmodium triflorum DC.
PACPÁC-LÁUIN, T. Rhaphidophora pertusa Schott.
PACPÁC-LÁUIN, T. Polypodium quercifolium L.
PACNÁN, T. Quercus.
PACÚPIS, T. Trichosanthes anguina L.
PADDÁN, Cag. Pandanus odoratissimus Linn. f.
PADÓNG-PADÓÑGAN, V. Celosia cristata Miq.
PAÉTAN, V. Lunasia amara Blanco and other species.
PAGÁLO. Acrostichum.
PAGAPLACÍM, Il. Ficus.
PÁGAT, Ig. Cnicus wallichii DC.
PÁGAT-PÁGAT (Laguna). Diospyros.
PAGATPÁT, T., V., B. Sonneratia pagatpat Blanco.
PAGATPÁT, T. Diospyros.
PAGBÚT, Pamp. Gardenia obscura Vidal.
PÁGLA, B. Garcinia.
PAGLUMHÚYEN. Eugenia.
PAGPÁGAN, Cag. Illipe betis Merrill.
PAGSAINGÁIN, T. Canarium luzonicum Miq.
PÁGUA, V. Musa textilis Nees. var.
PAGUÍLING, T. Ficus.
PAGURÍÑGON, B. Cratoxylum floribundum F. Vill.
PAHAMPÁC, Pamp. Gouania.
PÁHO, T., V. Mangifera longipes Griff.
PAHOHÓTAN, V., T. Mangifera odorata Griff.
PÁHO-SÉCO (Cebu). Mangifera longipes Griff.
PAHÚTAN, T. Semecarpus.
PAÍHOD, V. Albizzia procera Benth.
PAÍHOT. Albizzia procera Benth.
PAÍLAN. Illipe betis Merrill.
PAIMAÍBAI, T. Litsea.
PAÍMO. Sindora wallichii, Benth.
PAÍNA, T. Hopea plagata Vidal.

PAIPAÍ-ÁMO, T. Polypodium quercifolium L.
PAIPAÍSI, V. Leucas aspera Spreng.
PAÍT. Micromelum.
PAÍT, T. Lunasia amara Blanco.
PAÍT-PAÍT (Zamboanga). Lunasia amara Blanco.
PAÍT-PAÍT. Micromelum tephrocarpum Turcz.
PAITÁN, T. Garcinia.
PAITÁN, T. Lunasia amara Blanco.
PAITÁN, T. Terminalia.
PÁJA-DE-MÉCA, Sp. Fil. Andropogon schoenanthus L.
PÁJO, T. Mangifera longipes Griff.
PÁLAC-PÁLAC, T. Palaquium latifolium Blanco.
PÁLAD-PÁLAD, V. Hemigraphis repens Blanco.
PALAGÁRIUM, V. Samadera indica Gaertn.
PALÁGIUM, V. Samadera indica Gaertn.
PALAGÚCON, V. Crinum asiaticum Linn.
PALÁLI, B. Dillenia speciosa Gilg.
PÁLANG. Acalypha.
PÁLANG-PÁLANG, V. Canavalia obtusifolia DC.
PALÁO-AN, V. Homalomena miqueliana Schott.
PALÁPAD, T. Sonneratia pagatpat Blanco.
PALÁPAR, V. Alpinia brevilabris Presl.
PALAPASÁGUI, V. Hyptis capitata Jacq.
PALÁPIL. Flacourtea.
PALÁSAN, Z. Calamus albus Pers.
PALÁTI. Dillenia speciosa Gilg.
PALATPÁT, T. Sonneratia pagatpat Blanco.
PALÁUAN, V. Daemonorops.
PALÁY, T. Oryza sativa L.
PALÁYEN, Ig. Quercus jordanae Lag.
PÁLI, V. Mangifera odorata Griff.
PALÍA, V. Momordica balsamina L.
PALIÁVAN, V. Tinospora crispa Miers.
PALICPÍC-PÍTO, Pamp. Sapindus turczaninowii Vidal.
PALINDÁN, T. Orania regalis Zipp.
PALÍNG HUÁI, B. Walsura robusta Roxb.
PALINLÍN, T. Buchanania.
PALÍPAL, T. Maesa.
PÁLIS, T. Callicarpa bicolor Juss.
PALÍTIC. Ficus ameplas Burm.
PALLÁ, T. Momordica balsamina L.
PAL-LÁM, Il. Psophocarpus tetragonolobus DC.
PÁLMA-BRÁVA. Livinstonia rotundifolia Mart.
PÁLO, T. Xylopia sp.
PALOÁHAN. Otophora spectabilis Blume.
PALOÁHAN, V. Capura.
PALOAÍ, B. Litsea.
PALOCHÍNA, V. Cassia alata Linn.

PALO-DE-HIÉRRO, V. Xanthostemon verdugonianus Naves.
PALO-DÚRO (Zamboanga). Eugenia.
PALO-MARÍA, T., Pamp. Calophyllum inophyllum L.
PALO-MARÍA, T. Vidalia lepidota F. Vill.
PALO-MARÍA DE MÓNTE. Calophyllum wallichianum Planch and Triana.
PALO-MARÍA DE PLÁYA. Calophyllum inophyllum L.
PALO-MARÍANG-GÚBAT, T. Vidalia navesii F. Vill.
PALONÁPIN. Tarrietia sylvatica Merrill.
PALONÁPOY, Z. Heritiera littoralis Dry.
PALONÁPOY, Z. Tarrietia sylvatica Merrill.
PÁLONÉGRO. Lepidopetalum.
PALONPALÓÑGAN. Celosia cristata Moq.
PÁLO-PÁLO, B. Randia cumingiana Vidal.
PALOPÍNO. Pinus insularis Endl.
PALOSÁNTO, T. Rourea heterophylla Planch.
PALOSÁNTO, T. Orophea.
PALOSÁNTO, T. Koordersiodendron pinnatum Merrill.
PALOSÁPIS. Shorea.
PALOSÁPIS, T. Pinus mercusii Jungh. and de Vriese.
PALSAHINHÍN, T. Canarium cumingii Engl.
PALSANHINGUÍN, T. Canarium.
PÁLTUG-PALTÚCAN, Pamp. Cardiospermum halicacabum L.
PALNHAMBOBÓCAG, V. Dysoxylum blancoi Vidal.
PALÚNAG. Spilanthes acmella L.
PALUMBÚYEN, Pang. Eugenia.
PALÚNAI, Pamp. Spilanthes acmella L.
PALUÑÁPOY, Il. Heritiera littoralis Dry.
PAMALALÍAN, Cag. Sindora wallichii Benth.
PAMALATAÑGUÉN, Il. Canthium mite Bartl.
PAMALATAGUÉN, Il. Amoora.
PAMÁLIS, T., V., Pamp. Sida carpinifolia L.
PAMAÑGPÁNGON, V. Boehmeria nivea H. and A.
PAMANGQUÍLON, V. Amorphophallus campanulatus Blume.
PAMANGQUÍLON, V. Leea aculeata Blanco.
PAMAYUGSÚCON. Ixora.
PAMITAÓGUEN, Il. Calophyllum inophyllum L.
PAMITLÁIN, Il. Ochrocarpus pentapetalus Blanco.
PAMITLAÍN, Il. Calophyllum inophyllum L.
PAMITLATÉN, Il. Calophyllum inophyllum L.
PAMITLATÍN, Il. Ochrocarpus pentapetalus Blanco.
PAMLOMBÓYEN, Il. Eugenia.
PAMÓCOL, T. Cocos nucifera L.
PAMPÁNG, V. Musa sapientum L. var.
PAMPÁR. Kleinhovia hospita L.
PAMÚCUG, V. Pollia.
PAMÚHAT, V. Premna vestita Schauer.
PAMULACLÁQUIN, T. Gonocaryum tarlacense Vidal.
PAMULACLÁQUIN, T. Symphorema luzonensis Vidal.

PAMULACLÁQUIN, T. Combretum ovalifolium Roxb.
PAMUNOÁN, V. Feronia elephantopus Corr.
PANÁBANG. Aglaia.
PANABÓLONG. Scaevola koenigii Vahl.
PANÁBON, T. Ardisia.
PANÁBOR, V. Eurycles amboinensis Herb.
PANABÓLONG, T., V. Scaevola koenigii Vahl.
PANÁCLA (Bulacan). Pisonia aculeata L.
PANAGUÍTMON, B. Diospyros.
PANALAYÁPIN, T., Il. Champereia griffithii Planch.
PANALIÑGÁEN. Pterospermum oblicuum Blume.
PANAMPÁT, Pamp. Kleinhovia hospita L.
PANANCULÁNAN, B. Vitex.
PANANGQUÍLON, V. Leea aculeata Blanco.
PANÁO, T. Dipterocarpus vernicifluus Blanco.
PANÁON, V. Elettaria.
PANAPTÚM, V. Erianthemum bicolor Schrank.
PANAQUITÍN, T. Sterculia.
PANARIÉN, Il. Tacca pinnatifida Forst.
PANÁVAN, V. Tinospora crispa Miers.
PANAYAÑGTAGÓN, V. Leea javanica Blume.
PANAYPÁY. Memecylon.
PANCALIAN, Cag. Sindora wallichii Benth.
PANCÚDO, T., V. Morinda bracteata Roxb.
PANDACÁGUC, T. Tabernaemontana pandacaque Poir.
PANDACÁQUE-LALÁQUE, T. Rauwolfia amsoniaefolia A. DC.
PANDACÁQUI, T., V., Pamp. Tabernaemontana pandacaqui Poir. and other species.
PANDÁN, T., V. Pandanus odoratissimus Linn. f. and other species.
PANDÁN, Il. Terminalia catappa L.
PANDÁN-SABOTÁN, T. Pandanus.
PANDAPÁNDA, T. Ganophyllum falcatum Blume.
PANDAPÁNDA, T. Dysoxylum.
PANDÁYA, V. Tabernaemontana pandacaqui Poir.
PAÑGAGUÁSON, V. Strychnos ignatii Berg.
PAÑGALÁÑGAN, T., V. Sophora tomentosa L.
PAÑGANÁN. Quercus.
PAÑGANÁUA, Cag. Orophea enterocarpoidea Vidal.
PAÑGAÑGTÓLONG, T., V. Scaevola koenigii Vahl.
PÁÑGAS, Pamp. Tournefortia.
PÁÑGAS, Z. Zingiber officinale Linn.
PÁÑGAS, Pamp. Curcuma longa Linn.
PAÑGOSÍN. Cocos nucifera L.
PAÑGDÁN, V. Pandanus odoratissimus Linn. f.
PAÑGDÁN, T. Freycinetia luzonensis Presl.
PAÑGHÁS (Dinagat). Ardisia humilis Vahl.
PAÑGHÍNG-BÚYEN (Abra). Eugenia.
PÁÑGI, T. Pangium edule Reinw.

PAÑGIÁVAN, V. Tinospora crispa Meirs.
PAÑGILÍNON, Z. Wormia.
PAÑGLANCAÉN, Il. Gelonium glomerulatum Hassk.
PAÑGLOMBÓYAN, Il. Eugenia.
PAÑGLONBÓYEN, Ig. Loranthus.
PAÑGMÁVAN. Anamirta cocculus W. and A.
PAÑGOSÍN, V. Cocos nucifera L.
PÁÑGUI, V. Pangium edule Reinw.
PAÑGURÍÑGU, V. Cratoxylon blancoi Blume.
PANIÁCAD, V. Pandanus odoratissimus Linn. f.
PANILÓÑGA-BÁCA. Memecylon.
PANLAMBÚYEN, Il. Eugenia.
PANIÑGUINÓN, Z. Wormia luzonensis Vidal.
PANÍTAN. Globba marantina Linn.
PANITLAÍN. Ochrocarpus pentapetalus Blanco.
PANNILTASQUÍN, Il. Calophyllum.
PANNIRIÉN, Il. Tacca pinnatifida Forst.
PÁNNO. Dipterocarpus vernicifluus Blanco.
PANODÍAS, V. Saurauja.
PANOSIBÉN (Tiagan). Sapindus turczaninowii Vid.
PANSIPANSÍ, T., V. Leucas aspera Spreng.
PANSIPANSÍ, T. Hypoestes laxiflora Nees.
PANSIPANSÍAN, T. Hyptis suaveolens Poir.
PANTÍGUI, V. Pemphis acidula Forst.
PANTÓG-SANG-USÁ, V. Orchipeda foetida Blume.
PÁNUO, T. Dipterocarpus vernicifluus Blanco.
PÁO, Il. Mangifera longipes Griff.
PAOPÁNAN. Mangifera longipes Griff.
PAOPÁUAN, T. Mangifera foetida Lour.
PAPÁCA, Z. Cratoxylon.
PAPALSÍS, T. Callicarpa bicolor Juss.
PÁPAS. Solanum tuberosum L.
PAPÁYA, Sp. Fil. Carica papaya L.
PAPOHÓTAN. Mangifera longipes Griff.
PAPÓNYA. Mangifera longipes Griff.
PAPÓÑGA, Z. Eugenia.
PAPPÁGAY, Cag. Illipe betis Merrill.
PÁQUIT. Dioscorea.
PAPÚA, T., V., Pamp. Panax fruticosum L.
PAQUILÍNG, Pamp. Ficus.
PÁQUIT, T. Dioscorea.
PARÁCAN, Il. Rhizophora mucronata Lam.
PARAGÍS. T. Paspalum.
PARAÍSO, V., T. Melia azedarach L.
PÁRANG (Paranaque). Alysicarpus tetragonolobus Edgw.
PARAÑGISÁT-IT-MANATÁD, V. Tacca.
PARÁPAD, Ig. Alpinia.
PARAPARANÁHAN, T. Desmodium.

PARÁPIT-HÁÑGIN, T. Naravelia.
PARÁSAN, V. Calamus albus Pers.
PÁRI, V. Cissampelos pareira Linn.
PARÍA, Il. Momordica balsamina L.
PARITÚLOT, T. Justicia gendarussa L.
PARNIPANSÍ. Leucas linifolia Spreng.
PARONÁPIN, Il. Helicteres.
PARONÁPIN, Il. Heritiera littoralis Dry.
PARONÁPIN, Il. Tarrietia sylvatica Merrill.
PAROÑGTÓNG-ÁHAS, T. Streptocaulon baumii Decne.
PARSÓTIS, T. Chenopodium ambrosioides L.
PÁRUA, Il. Pinus insularis Endl.
PASÁC. Paranarium philippensis Radlk.
PASÁC, T., Z. Mimusops elengi L.
PASÁC, T. Pygeum arboreum Endl.
PASÁCLA, Il. Ficus.
PASAÍÑGIN, T. Canarium.
PÁSAO. Corchorus capsularis L. and other species.
PÁSAO, V. Graptophyllum hortense Nees.
PÁSAO-NA-BILÓG, T. Corchorus capsularis L.
PÁSAO-NA-HABÁ, T. Corchorus acutangulus Lam.
PASÁPLA, Il. Ficus.
PASASABLÚT, Il. Litsea.
PASCUÁS. Euphorbia pulcherrima Willd.
PÁSI, B. Cinnamomum.
PÁSIG, V. Buchanania lucida Blume.
PASÍTIS, T. Capsicum minimum Roxb.
PASÓTIS, T. Chenopodium ambrosioides L.
PASNÍT (Tiagan). Alstonia scholaris R. Br.
PASQUÍT, T. Memecylon paniculatum Jack.
PASURÍAO, V. Dendrobium lunatum Lindl.
PÁTA, Ig. Cinnamomum pauciflorum Nees.
PATABUGUÍN (Paragua). Vernonia arborea Ham.
PATACTÓL, Pamp. Ardisia.
PATAÍ-ÓOD, V. Tournefortia sarmentosa L.
PATÁLO, T. Commersonia platyphylla Andr.
PATÁNI, V. Phaseolus lunatus Linn.
PATÁNING-DÁGAT, T. Canavalia ensiformis DC.
PATÁPTO. Ardisia.
PATÁTAS, Sp. Fil. Solanum tuberosum Linn.
PATÉPUT, T. Maesa.
PATICÁN, V. Caryota rumphiana Mart.
PATÍNI (Mindoro). Phaseolus tunkinensis Lour.
PATÍPOL (Morong). Maesa.
POTÓLA, T., V. Luffa aegyptiaca Mill. and other species.
POTÓLO, T. Commersonia platyphylla Andr.
PATÚBO, T. Cycas circinalis L.
PAÚHAN (Mindoro). Litsea.

PAUHÁPI, T. Shorea.
PAUNÑGÁGAN, T. Castanopsis philippinensis Vidal.
PAÚTAN, T. Santiria.
PAUPAÚTAN, T. Mangifera.
PAYÁLE. Timonius philippinensis Merrill.
PAYÁÑGCA (Bulacan). Flemingia.
PAYANGPÁYANG, T. Desmodium pulchellum Benth.
PAYANGUÍT V. Marsdenia tinctoria R. Br.
PÁYAO-PÁYAO, V. Monochoria hastaefolia Presl.
PAYÁPA, T. Ficus payapa Blanco.
PÁYHOD. Albizzia procera Benth.
PÁYNA, T. Scolopia.
PÁYONG-PÁYONG, V. Cyperus.
PÁYONG-PAYÓÑGAN, T. Boletus.
PAYPÁYSI, V. Leucas aspera Spreng.
PEDPÉD, Il. Casearia.
PELÓTAN. Rhizophora mucronata Lam.
PEPÍNO, Sp. Cucumis sativus L.
PEPÍTA, T. Strychnos ignatii Berg.
PEPÍTA-DE-SAN IGNÁCIO, Sp. Fil. Strychnos ignatii Berg.
PEPÍTA-SA-CATBALÓÑGAN, V., T., B., Pamp. Strychnos ignatii Berg.
PERNAMBÚCO, Sp. Fil. Gossypium barbadense L.
PETÚTAN, T. Bruguiera gymnorrhiza Lam.
PIÁGAO, T. Xylocarpus obovatus Juss.
PIAÍO, V. Agathis oranthifolia Salisb.
PIÁPI, T., V Avicennia officinalis L.
PIÁS, Il. Averrhoa bilimbi L.
PIÁYO, V. Agathis loranthifolia Salisb.
PICHÉL, T. Nepenthes.
PIDPÍD, Il. Casearia.
PÍLA. Codiaeum variegatum Blume.
PILÁNI, T. Canarium luzonicum Miq.
PILÁPIL, T.? Scolopia.
PILÁUI, T. Canarium ovatum Engl.
PILDÍS, Pamp. Garcinia.
PILÉU, V. Ficus.
PÍLI, T. Canarium luzonicum Miq.
PÍLI, V., T. Canarium ovatum Engl.
PÍLI (Zamboanga). Gelonium.
PÍLIC (Cebu). Ficus.
PÍLI-PILÁUAY, T. Canarium commune L.
PILÍPOG, V. Cocos nucifera Linn.
PILÍPUD, V. Mallotus ricinioides Muell. Arg.
PÍLIS, V. Abutilon indicum G. Don.
PÍLIT, B. Pemphis acidula Forst.
PIMIÉNTA, Sp. Piper nigrum L.
PIMIÉNTANG-BUNDÓC, T. Piper philippinum Miq.
PINÁLI. Canarium luzonicum Miq.

PÍNANG, V. Areca alba Rumph.
PINCABÁNAO, T. Buxus rolfei Vidal.
PINCAPÍNCA, T. Oroxylum indicum L.
PINCAPINCÁHAN, T. Oroxylum indicum L.
PINGÓL, T. Engelhardtia.
PINGÓL-BATÓ, T. Begonia rhombicarpa A. DC.
PINÚAN, Ig. Maoutia platystigma Wedd.
PIÑA, Sp. Fil. Ananassa sativa Lindl.
PIÑÓNES, V. Quisqualis indica Linn.
PÍPI, V. Litsea garciae Vidal.
PÍPI, V. Albizzia retusa Benth.
PÍPI, V. Semecarpus macrophylla Merrill.
PIPISÍC, T. Aegiceras corniculatum Blanco.
PIPISÍC, T. Aegiceras floridum R. and S.
PIPISÍC, T. Avicennia officinalis L.
PIPISÍC, T. Scyphiphora hydrophyllacea Gaertn.
PIRÁPIT-ÁÑGIN, Pamp. Vitis repens W. and A.
PÍRAS, T. Evodia roxburghiana Benth.
PÍRIS, T. Clausena.
PÍRIS, T. Garcinia.
PISÁ, T. Canarium luzonicum Miq.
PISANG-DÁYA, T. Mimusops.
PISÍC. Aegiceras corniculata Blanco.
PISÓNG, T. Citrus aurantium Linn. var.
PISSÍC, V. Centripeda orbicularis Lour.
PÍTA, Il. Ananassa sativa Lindl.
PÍTA (Cebu). Agave americana L.
PITÓGO, T. Cycas circinalis Linn.
PLÁTANO, Sp. Musa sapientum L. var.
PÓAS, T. Harpullia blancoi F. Vill.
POCOTPÓCOT, V., Pamp. Trichosanthes anguina L.
PÓLANG-PÓLANG (Iloilo). Ipomoea pes-caprae Forst.
POLAYÁGAN, T. Bursera javanica Baill.
POLÉO. Verbena bonariensis L.
POLÓGAN, V. Dioscorea.
POLONÍA, T. Alpinia cernua Roxb.
PONÑÁPON, T. Amorphophallus paniculatus Blume.
PÓÑGLO-PONÑGLÓAN. Corchorus capsularis L.
PÓÑGO. Dipterocarpus vernicifluus Blanco.
PONOÁN, V. Feronia elephantum Correa.
PONOÁN, V. Samadera indica Gaertn.
PORÁC, Il. Toona ciliata Royle.
PÓRAS, V. Phyllanthus distichus Muell. Arg.
PÓRO. Piper betle L.
POSTALÁGON. Gomphia angustifolia Vahl.
POSTALÁGON, Z. Mimusops.
POTÁT, T. Barringtonia racemosa Blume.

POTÁT, T. Aralia javanica Miq.
POTÍAN, T. Eugenia.
POTÓC. Cyperus.
POTOCÁN, T. Physalis peruviana L.
POTÓC-POTOCÁN, T. Physalis peruviana L.
POTÓT, V. Cocos nucifera Linn.
POTOTÁN, T. Bruguiera ritchieii Merrill.
POTOTÁN, V. Ceriops candolleana Arn.
POTOTÁN. Rhizophora mucronata Lam.
POÚGSO, Pamp. Jasminum sambac Ait.
PÚAS. Harpullia blancoi Vidal.
PUCOPÚCOT, V., Pamp. Trichosanthes anguina L.
PUGÁHAN, T. Caryota cumingii Mart.
PUGÁHAN, T. Arenga saccharifera Lab.
PUGÁHAN, T. Caryota urens L.
PÚGANG, V. Dioscorea.
PUGÁUY. Decaspermum?.
PUIGAPUIGÁHAN, T. Arthrophyllum.
PULÁNG-BALÁT. Eugenia.
PULÁT, T. Linociera coriacea Vid.?
PULÁT. Barringtonia racemosa Blume.
PULAYÁGAN. Bursera javanica Baill.
PÚLUG (Zamboanga). Kibara coriacea Perk.
PUÑGÁPUNG, V., T. Amorphophallus campanulatus Blume.
PUNTAS-PUNTÁS, T. Ipomoea paniculata R. Br.
PUQUÍÑGANG, T. Chitoria ternatea L.
PURÁ, B. Saurauja.
PURÍQUET, Il. Pisonia aculeata L.
PUSO-PÚSO, T. Litsea chinensis Lam.
PUSO-PÚSO (Mindoro). Buchanania florida Schauer.
PUSO-PÚSO, T. Eugenia.
PUSO-PÚSO (Tayabas). Agrotistachys maesoana Vidal.
PUSO-PÚSO (Marinduque). Quercus castellaranauiana Vidal.
PUTÁD, T. Barringtonia racemosa Blume.
PUTÁT, T. Barringtonia racemosa Blume.
PUTÉNG, T. Linociera.
PUTÍAN, T. Eugenia.
PUTPÚTAY, B. Ehretia buxifolia Roxb.
PUTUCÁN, T. Hibiscus abelmoschus L.
PUTÚD (Nueva-Viscaya). Viburnum luzonicum Rolfe.

Q.

QUETQUÉT, Ig. Deutzia pulchra Vidal.
QUIÁPO, T. Pistia stratiotes L.
QUIAQUÍA, Z. Pometia.
QUIBÁL, T. Vigna catjang Endl.
QUIBÁL, T. Dolichos.
QUILÁA, V. Cordyline.

QUILALÁ, V. Saccharum officinarum L.
QUILALÁ, V. Musa.
QUILÁMO, T. Crypteronia paniculata Blume.
QUILÁP, T. Uncaria.
QUÍLING, T. Bambusa.
QUILINGÍVA, V. Averrhoa bilimbi L.
QUILÍTE. Amaranthus spinosus L.
QUILÍTIS, T. Amaranthus spinosus L.
QUINAMBÓY, V. Curcuma longa L.
QUINAMPÁI (Cebu). Dioscorea.
QUÍNA-PÉSTULA, T. Cassia fistula L.
QUIMPÓY, V. Colocasia antiquorum Schott.
QUINANDÁ, T. Oryza sativa L. var.
QUINANÁYAN, T. Musa paradisiaca L. var.
QUINASAICÁSAI, T. Adenanthera pavonina L.
QUÍNAY-QUÍNAY, T. Pterospermum.
QUINDAYÓHAN, T. Celosia argentea L.
QUINTÁNA, T. Melia candollei Juss.
QUINTASÍN, B. Ixora.
QÚIO, T. Ardisia.
QUIRÁP, T. Sumbavia rottleroides Baill.
QUIRÓI, T. Dioscorea sativa L.
QUÍSOL, V. Kaempheria galanga L.
QUÍTA-QUÍTA, Il. Xylia.
QUÍTA-QUÍTA, Il. Albizzia.
QUÍTA-QUÍTA, Il. Bischofia javanica Blume.
QUITÍCOT, V. Capsicum minimum Roxb.
QUIUATULÚAN, T. Erianthemum bicolor Schrank.
QUENALUSCÚA, T. Hoya.
QUERÓE, T. Dioscorea.
QUESÉRO. Bombax malabaricum L.

R.

RAQUÍNDI, Pamp. Hibiscus tiliaceus L.
RAIZ-DE-MÓRAS, Sp. Fil. Andropogon schoenanthus L.
RÁMI, Sp. Bohemeria nivea H. and A.
RATIPÁN, Il. Arenga saccharifera Lab.
RAY-YARAY-YÁ, Il. Ficus.
RÍMA, T., V. Artocarpus incisa L.
RÍMO, T. Artocarpus incisa L. f.
RÍRAO, B. Palaquium.
ROCNÓHAN, T., V. Sophora tomentosa L.
RÓMA, T., V. Acacia farnesiana Willd.
ROMÉRO, Sp. Rosmarinus officinalis Linn.
RÓNAS. Smilax.
RÓSAS-CABALLÉRO, Sp. Fil. Caesalpina pulcherrima Sw.
RÓSAS-DE-PÉRSIA, Sp. Fil. Pancratum zeylanicum L.
RÓSAS-SA-BÁBAY, V. Vinca rosea Linn.
RÚMBANG, V. Aleurites moluccana Willd.

S.

SAÁNG-CABÁYO, T. Scoparia dulcis Linn.
SABÁ, T. Mallotus.
SABÁ, Il. Musa sapientum L. var.
SABÁNG-VISÁYA. Musa paradisiaca L.
SÁBIA, T. Piper caninum Dietr.
SÁBILA, T. Vanda lissochiloides Lindl.
SÁBILA, T. Aloe barbadensis Mill.
SABILÁO, V. Commelina benghalensis L.
SABILÁO, V. Cyanotis axillaris Roem. and Shult.
SABILÁO-ÑGA-LABA-ÁN, V. Commelina benghalensis L.
SÁBLES. Asplenium nidus L.
SABLÚT, Il. Litsea chinensis Lam.
SABNÉT, T. Rubus.
SÁBONG-SABÓÑGAN, T. Eleusine indica Gaertn.
SABÓNG-SABÚÑGAN, T. Panicum flavidum Retz.
SABOTÁN, T. Pandanus sabotan Blanco.
SÁBUNG-SABÚÑGAN, T. Paspalum.
SÁBAY (Tiagan). Colocasia antiquorum Schott.
SACÁT, T. Terminalia nitens Presl.
SACSÁC, V. Metroxylon.
SACSÍC, T. Areca catechu L.
SADÁC, Ig. Ichnocarpus ovatifolius A. DC.
SADÚÑGAN, V. Garcinia cowa Roxb.
SÁGA, Z. Nipa fructicans Wurmb.
SÁGA, T. Abrus precatorius L.
SAGÁD, Il. Vitex littoralis Decne.
SAGAMAMÍN, T. Abrus precatorius L.
SAGAPSÁP, V. Chionanthes.
SÁGSA, V. Glochidion littorale Blume.
SAGÁSA. Lumnitzeria purpurea Presl.
SAGÁSA, T. Scyphiphora hydrophyllacea Gaertn.
SAGÁSA, T. Osbornia octodonta F. Vill.
SÁGA-SÁGA, T. Abrus precatorius L.
SAGÁT, Il. Vitex littoralis Decne.
SÁGAY, V. Claoxylon indicum Hassk.
SÁGAY-CÁÑGAY. Zanthophyllum oxyphyllum L.
SAGÍD, V. Parameria philippinensis Radlk.
SÁGIN, T. Pinus insularis Endl.
SÁGING, T., V. Musa sapientum L.
SAGÍT, T. Parameria philippinensis Radlk.
SAGKÍ, T. Illicium anisatum L.
SAGMÍT, T. Rubus rosaefolius Smith.
SAGNÍT, T. Mezoneurum glabrum Desf.
SAGÓMAY. Psychotria malayana Jack.
SAGÚ. Caryota urens L.
SAGUILALÁ, T. Corydeline.

SAGUILALÁ, T. Codiaeum variegatum Muell. Arg.
SÁGUING, T. Musa paradisiaca L. var.
SÁGUING-NAÑG-CÁLAO, B. Myristica.
SÁGUING-SÁGUING, V. Canna indica L.
SÁGUIN-SAGUÍÑGAN, T. Aegiceras corniculatum Blanco.
SÁGUIN-SAGUÍN-ESTÁCAS. Aegiceras corniculatum Blanco.
SAGUINSÍN, V. Memecylon edule Roxb.
SAGUINSÍN. Agiceras.
SAGUÍT. Lunasia amara Blanco.
SAGUNYÁTE, V. Tectona grandis L. f.
SÁLA, T., V. Mallotus philippinensis Muell.
SÁLA. Mallotus ricinoides Muell. Arg.
SÁLAB, T. Cupania regularis Blume.
SÁLAB, T. Hemigyrosa canescens Thw.
SALÁDAY, V. Erycibe paniculata Roxb.
SALÁDAY. Zanthoxylum oxyphyllum Edgew.
SÁLAG. Hemigyrosa canescens Thw.
SALÁGO, V. Phaleria perrottetiana B. and H.
SALÁGO, T., V. Wikstroemia indica Mey.
SALAGSÁLAG, T. Trichosanthes anguina L.
SALÁGUIN-PULÁ. Amoora rohituka W. and A.
SALAGUÍSO (Albay). Leucosyke hispidissima Miq.
SÁLAI, T. . Andropogon schoenanthus L.
SALÁID. Andropogon schoenanthus L.
SALAMÚÑGAY, T. Aglaia.
SALAÑGCÚGUI. Albizzia tomentosa Miq.
SALAPÁO, T. Ventilago maderaspatana Gaertn.
SALÁPONG, T. Modecca cardiophylla Mart.
SALAQUÍ, T. Amoora perrottetiana C. DC.
SALAQUÍ, T. Chisocheton ceramicus Miq.
SALAQUÍNG-PULÁ, T. Amoora rohituka W. and A.
SALARÁDAN, B. Eugenia.
SALASÁN, T. Crypteronia.
SALASANDÍA, V. Ipomoea pes-tigridis Linn.
SÁLAY, V. Zanthoxylum oxyphyllum Edgew.
SÁLAY, Pamp. Zanthoxylum avicennae DC.
SÁLAY, V. Bombax malabaricum DC.
SÁLAY, T. Andropogon schoenanthus L.
SÁLAY-CÁÑGAY, Pamp. Xanthoxylum avicennae DC.
SALAYSÁY. Terminalia catappa L.
SALBÁC, Pamp., V. Alpinia gigantea L.
SÁLENG, Il. Pinus insularis Endl.
SALEOÁSOL, V. Areca triandria Roxb.
SALIBANGBÁNG, V. Crinum asiaticum Linn.
SALIGANGBÁNG, V. Bauhinia.
SALILÍHAN, V. Decaspermum paniculatum Turcz.
SALIMÁRA, T. Piper.
SALIMÓMO, V. Capparis micrantha DC.

SALIMÓMO, T. Ehretia philippinensis A. DC.
SALIMPÓCOT, T. Trichosanthes anguina L.
SALINCÁPA. Vitex littoralis Decne.
SÁLING-BÓBOG, V., T. Crataeva religiosa Forst.
SÁLING-OUÁC, V. Clerodendron macrostegium Schauer.
SÁLING-OUÁC-ÑGA-MAÍTUM, V. Clerodendron blancoanum F. Vill.
SÁLING-SÁGUING, B. Agiceras corniculatum Blanco.
SALIPAPÁ (Albay). Vitex.
SALÍSAY. Terminalia catappa L.
SAL-LACÁPO, Il. Tournefortia sarmentosa L.
SAL-LÁDAY. Connarus ferrugineus Jack.
SAL-LOCÁPO, Il. Tournefortia.
SALÓAG, V. Ptychosperma punicea Miq.
SALÓGO, V. Pandanus.
SALOMÁGUE, Il. Tamarindus indica L.
SÁLONG, Z. Pinus mercusii J. and de V.
SÁLONG, V. Canarium multipinnatum Llanos.
SALÓYONG, T. Corchorus olitorius L.
SALSALÍDA, V. Mollugo pentaphylla Linn.
SALUDSALÚD. Nepenthes ventricosa Blanco.
SALUMÁGUI, Il. Tamarindus indica L.
SÁLUNG (Paragua). Canarium.
SALUPÍSIN (Bontoc). Podocarpus.
SAMÁC, Il. Macaranga tanarius Muell. Arg.
SAMÁC, Pamp. Melochia.
SAMALÁGUI, V. Tamarindus indica Linn.
SÁMAT, Pamp. Piper betle L.
SAMBÁC, B. Tamarindus indica L.
SÁMAT, Pamp. Piper betle L.
SAMBÁGUI, V. Tamarindus indica Linn.
SAMBALABÚAN. Koordersoidendron pinnatum Merrill.
SAMBALÁGUI, V. Tamarindus indica Linn.
SAMBÁLE, T. Eleusine indica Gaertn.
SAMBÍLAO, V. Commelina communis Linn.
SAMBÓN, T., Pamp. Blumea balsamifera DC.
SAMBÓNG, T. Blumea balsamifera DC.
SAMBONG GALÁ, T. Sphaeranthus indicus L.
SAMBÓNG GALÁ, T. Pterocaulon cylindrostachyum Clarke.
SAMBUÁLAU, V. Nephelium.
SAMBULÁGUAN. Koordersoidendron pinnatum Merrill.
SAMBULÚAN (Mindoro). Hopea.
SAMBÚNG, T. Blumea balsamifera DC.
SAMBÚNG-CÓLA, T. Buddleia asiatica Lour.
SAMÍLIN, T. Cinnamomum.
SAMPÁC, T. Michelia champaca L.
SAMPÁCA, T. Michelia champaca L.
SAMPÁGA, T. Jasminum sambac Ait.
SAMPÁGA-DEL-MÓNTE, T. Gynura angulosa DC.

SAMPÁGANG, Pamp. Jasminum sambac Ait.
SAMPAGUÍTA. Jasseminum sambac Ait.
SAMPALÁGUI, B. Tamarindus indica L.
SAMPALÍA, V. Momordica balsamina L.
SAMPÁLOC, T., B., Pamp. Tamarindus indica L.
SAMPÁLOC-SAMPALÓCAN, T. Dalea nigra Mart. and Gal.
SAMPÁNG, T. Vitis geniculata Blume.
SAMPAPÁRE, V. Cissampelos pareira Linn.
SAN-ANTÓNIO. Bauhinia tomentosa Linn.
SANDALAITÁN, T. Sophora tomentosa L.
SANDÁNA, T., V. Anisoptera thurifera Blume.
SANDÁNA, V. Cedrela taratara, Blume.
SANDÁNA. Anisoptera oblonga Dyer.
SANDÁNA, T., V. Anisoptera thurifera F. Vill.
SAN-FRANCÍSCO, Sp.-Fil. Codiaeum variegatum Blume.
SÁÑGAY (Zamboanga). Caladium bicolor Vent.
SAÑGCÓYLANG, V. Bridelia stipularis Blume.
SAÑGDIGÉQUIT, T. Plumbago zeylanica L.
SAÑGÍLO, V. Piper corylistachyon C. DC.
SAÑGÍTAN?. Gelonium glomerulatum Hassk.
SAÑGÚMAI, T. Trichoglottis rigida Blume.
SAÑGUMAÍN, T. Dendrobium.
SAÑGÚMAY, T. Panicum indicum L.
SANQUÉ, V. Pterocarpus blancoi Merrill.
SANQUÍ, T. Clausena.
SANSÁLI, T. Sapindus.
SANSÁO. Cissampelos pareira Linn.
SANSAÓSAN-SANSAÓSAN, T. Cissampelos pareira L.
SANTÁN, T. Ixora stricta Roxb.
SANTA ANA. Ixora stricta Roxb.
SANTA HELENA. Leucaena glauca Benth.
SANTA MARIA. Artemisia vulgaris L.
SANTÁN, T. Ixora coccinea L.
SANTIÁGO, V. Acacia farnesiana Willd.
SANTÓL, T., V. Sandoricum indicum L.
SANTÓR (Zamboanga). Sandoricum indicum L.
SÁOG, V. Piper corylistachyon C. DC.
SAPÁNG, T., Il. Caesalpinia sappan L.
SAPÉNOT, T. Hibiscus.
SAPÍLCO, Ig. Pollia thyrsiflora Endl.
SAPÍNIT, V. Rubus glomeratus Blume.
SAPÍNIT, T. Schrankia aculeata Willd.
SAPÍNIT, T. Rubus rosaefolius Smith.
SAPÍNIT, V. Hibiscus abelmoschus L.
SAPÍNIT, T., V. Caesalpinia nuga Ait.
SAPINSAPÍN, T. Peristrophe contorta Blanco.
SAPINSAPÍN, T. Blechnum brownei Juss.
SAPÍT-USÁ (Albay). Tabernaemontana.

SAPLÍT, B. Albizzia.
SAPLÚÑGAN-COLORÁDO. Chisochaeton.
SAPLÚÑGAN, T. Hopea plagata Vid.
SAPNÍT, T., Pamp. Mezoneurum glabrum Desf.
SAPNÍT, T. Rubus.
SAPOLÓÑGAN, T. Hopea plagata Vidal.
SAPÓTE. Diospyros ebenaster Retz.
SARÁMO, V. Achyranthes aspera L.
SARANG-PUTÍ, V. Euonymus.
SARÁSA, T. Graptophyllum hortense Nees.
SÁRAY, Cag. Shorea guiso Blume.
SARIPONGPÓNG, B. Litsea.
SÁROC, Ig. Pogostemon cablin Benth.
SARSALÍDA, T. Mollugo oppositifolia L.
SASÁ, T. Nipa fructicans Wurmb.
SATÍNG-CÁGAN, B. Cratoxylon floribundum F. Vill.
SÁUA-SÁUA. Scolopia dasyanthera Benth.
SÁUA-SÁUA, V. Flacourtia sepiaria Roxb.
SAÚCE. Salix azaolana Blanco.
SAÚCE. Sambucus javanica Blume.
SAUSAÚLI. Sapindus turczinanowii Vid.
SAUSAUÓLI, T.? Cupania.
SAYCÚA, V. Luffa acutangula Roxb.
SAYÍCAN, T. Portulaca quadrifida L.
SAYÍCAN, T. Euphorbia pilulifera L.
SAYÍCAN, T. Portulaca oleracea L.
SAYÍCAN, T. Euphorbia pilulifera L.
SÁYO, Ig. Weinmannia luzoniensis Vidal.
SELBÁNG. Erythrina indica Lam.
SÍAC, V. Excoecaria agallocha L.
SIBÓG, T. Acacia concinna DC.
SIBUCÁO, V., T. Caesalpinia sappan L.
SIBÚYAS, T., Pamp. Allium cepa L.
SIBÓYAS-SA-TAÁL. Allium porrum Linn.
SIBÓYAS-SONGSÓNG. Allium jaquemontii Kunth.
SICÁLEG, V. Morinda bracteata Roxb.
SÍCO, V. Achras sapota Linn.
SÍCAY, V. Lagenaria vulgaris Seringe.
SIEMPREVÍVA, Sp. Fil. Kalanchoe laciniata DC.
SIGÁN-DÁGAT, B. Cordia subcordata Lam.
SIGÁNG-DÁGAT, T. Elephantopus spicatus Juss.
SÍGGAY, Il. Hopea plagata Vidal.
SÍIT, V. Mezoneurum glabrum Desf.
SÍLAC, Il. Corypha umbraculifera L.
SÍLAO. Dolichos sesquipedalis L.
SILASÍLA, T. Derris uliginosa Benth.
SILHIGÓN, V. Sida carpinifolia L.
SÍLI, T. Capsicum minimum Roxb.

SILISÍLI, T. Jasminum marianum DC.
SILISÍLI. Plectrona moluccana Merrill.
SILISILÍHAN, T. Cleome viscosa L.
SILÍPAO, T. Ventilago maderaspatana Gaertn.
SILISÍAN, T. Cleome viscosa L.
SILISÍHAN. Gynandropsis pentaphylla DC.
SILISILÁHAN, T. Cleome viscosa L.
SILISILÍHAN, T. Sphenoclea zeylanica L.
SILISILÍHAN, T. Erianthemum bicolor Schrank.
SINALÍGAN, Il. Cordia blancoi, Vidal.
SINAMPÁGA, T. Randia dumetorum L.
SINCAMÁS, T. Pachyrhyzus angulatus Rich.
SINCAMÁS-ÁSO, T. Pueraria javanica Benth.
SINCÓYLANG, V. Bridelia stipularis Blume.
SINDÓC, T. Cinnamomum.
SÍÑGON, Ig. Vernonia.
SIÑGCULCÚGOS, T. Jasminum marianum DC.
SIÑGÍTAN, Ig. Jasminum luzoniensis Vidal.
SÍNIT. Memecylon.
SINTÓNIS, T. Citrus aurantium Linn.
SÍPIT-CÁIT. Leea javanica Blume?.
SÍPIT-OLÁG. Smilax latifolia Blanco.
SIRIC-PÚYO, V. Lippia nodiflora Rich.
SIRIHÚCLAS, T. Spondias purpurea L.
SIRÍQUE. Quercus vidalii F. Vill.
SÍSIO, V. Physalis angulata L.
SÍSIO, V. Physalis peruviana L.
SISIÓHAN, Pamp. Euphorbia pilulifera L.
SÍTAO (Manila). Vigna catjang Endl.
SOÁL, T. Cyathocalyx zeylanicus Champ.
SOBOSÁBO, T. Terminalia.
SOBSÓB, Il. Blumea balsamifera DC.
SOBSÓGAN-BÓGO, B. Geunsia cumingiana Rolfe.
SOGONSÓGON, V. Nepenthes gracilis Korth.
SOLÁSI, T. Ocimum basilicum L.
SOLASOLASÍAN, T. Leucas aspera Spreng.
SOLÍNAO, T. Maesa gaudichaudii A. DC.
SOLÓÑGA, V. Impatiens balsamina L.
SONTÍNG, T. Cassia alata L.
SÓOB-CABÁYO, T. Hyptis suaveolens Poir.
SOROGSÓROG, T., Pamp. Euphorbia neriifolia L.
SOYÓSOY, Ig. Lilium philippinense Baker.
SÚA, Il. Citrus.
SUÁL. Bruguiera.
SUBÍAN-DAGÁ. Plectronia.
SUBSÚBAN, T. Polygonum barbatum L.
SÚCAO, Il. Nelumbium speciosum L.
SUD-SÚD, V. Cyperus.

SUD-SÚD, V. Kyllinga monocephala Rottb.
SUGÁNDA, T. Coleus.
SÚGPON-SÚGPON, V. Vitis quadrangularis Wall.
SUGSÚGA, Ig. Aralia hypoleuca Presl.
SÚHA (Batangas). Citrus hystrix DC.
SULÁMIOG, V. Ficus pseudopalma Blanco.
SULÁSI, T. Ocimum basilicum L.
SULBÁNG, Pamp. Erythrina indica L.
SULÍAC-DAGÁ, T. Plectronia.
SULÍPA. Gardenia pseudopsidium Blanco.
SULÍAC-DAGÁ. Canthium horridum Blume.
SULÍAO, V. Dendrobium lunatum Lindl.
SULUDSÚLUD, V. Nepenthes gracilis Korth.
SÚMA, T., V., Pamp. Anamirta cocculus W. and A.
SÚMAG, Pamp. Elephantopus spicatus Juss.
SUMALÁGUI, V. Tamarindus indica L.
SÚÑGUT-OLÁNG, V. Breynia cernua Muell.
SÚÑGOT-OLÁNG, V. Phyllanthus reticulatus Muell.
SUNTÍNG, V., T. Cassia alata L.
SÚPA, T. Sindora wallichii Benth.
SÚPIT-CAÍG, T. Leea javanica Blume.
SURÁÑGA, V. Impatiens balsamina L.
SURANSURÁN. Gordonia luzonica Vidal.
SÓROG-SÓROG, T., Pamp. Euphorbia neriifolia L.
SÓRO-SÓRO, T., Pamp. Euphorbia neriifolia L.
SURSÚR, Pamp. Cyperus rotundus L.
SÚSONG-CALABÁO, T., V. Uvaria purpurea Blume.
SÚNTENG. Cassia alata L.
SÚGPON-SÚGPON, V. Vitis.
SURÁN-SURÁN, V. Gordonia.
SUSOCAYÓLI, T. Oxalis corniculata L.
SÚSOI, T. Crotalaria quinquefolia L.
SÚSONG-CALABÁO, T. Unona.
SÚSONG-DAMÚLAG, Pamp. Uvaria.
SÚSONG-DAMÚLAG, Pamp. Artabotrys.
SUSOSUSÓYAN, T. Crotalaria quinquefolia L.
SUSPÍROS, Sp. Mirabilis jalapa L.

T.

TAÁL?, V. Chamaerops excelsa Linn.
TAÁL, T. Afzelia bijuga A. Gray.
TABÁCO, Sp. Fil. Nicotiana tabacum L.
TABÁCO-TABACÓHAN. Solanum verbascifolium L.
TÁBAG. Hernandia peltata Meissn.
TABÁÑGAN, Cag. Lagerstroemia speciosa Pers.
TABA-TABÁ, V. Mussaenda grandiflora Rolfe.
TABATABACÁHAN, T. Elephantopus scaber L.
TABÁYAC (Iloilo). Piper subpeltatum Willd.

TAGÁTOI, T. Illipe.
TAGÓGON, Z. Terminalia.
TAGOÍSMON, B. Diospyros.
TAGPÁ, C. Pterocarpus.
TAGPÓ, T. Ardisia.
TAGPÓ, T. Psychotria malayana Jack.
TAGPÚNG-PULÁ, T. Ardisia.
TAGÚC-TAGÚC, V. Parameria philippinensis Radlk.
TAGUÍLMA. Heptapleurum.
TAGUÍMAN, V. Ardisia perrottetiana A. DC.
TAGUIPÁN. Clerodendron lanuginosum Blume.
TAGUIPÁN. Caryota urens L.
TAGUÍP-ASÍN, T. Mallotus moluccanus Muell. Arg.
TAGUÍP-SÓSO. Hydrocotyle asiatica L.
TAGUÍSAN-BAYÁUAG (Unisan). Ficus.
TAGUÍSI, T. Bambusa.
TAGULÁUAY, T., V. Parameria philippinensis Radlk.
TAGULÁUAY. Ficus.
TAGULÍNAO, T., Pamp. Emilia sonchifolia DC.
TAGUÍP-CÚHOL. Hydrocotyle asiatica L.
TÁGUM, V. Indigofera tinctoria L.
TÁGUM, V. Indigofera teysmanni Miq.
TÁGUM-TÁGUM, V. Tephrosia luzoniensis Vogel.
TÁGUM-TÁGUM, V. Indigofera tinctoria L.
TÁGUNG, V. Indigofera tinctoria L.
TAGUSTÚS, V. Scaevola koenigii Vahl.
TAGÚTONG, V. Solanum ferox L.
TAHÁD-LABÚYO, T. Cudrania javanensis Trec. and other species.
TAHÍT-LABÚYOC, F. Allaenthus.
TAHÓD-ÑGA-ILÁHAS, V. Ixora fulgens Roxb.
TAIÉTI, Ig. Alsophila glauca Blume.
TAINÁNAC. Bambusa.
TAIÑGÁNG-DAGÁ. Oxalis corniculata L.
TAÍRIS, V. Alpinia previlabris Presl.
TAÍTAI, V. Paederia foetida L.
TAIUÁNAC, T. Bambusa blancoi Steud.
TÁLA, T. Limnophilia roxburgii G. Don.
TALACÁTAC, T. Castanopsis philippinensis Vidal.
TALACTÁC, Il. Capparis horrida L. f.
TALÁHID, T. Anthistiria gigantea Cav.
TALAÍLO, T., V., Pamp. Nymphaea lotus Linn.
TALAMPÁY, T. Solanum.
TALAMPÓNAI, T., Pamp. Datura alba Nees.
TALAMPÓNAI-NA-ITÍM, T. Datura fastuosa L.
TALÁNAS, T. Zizyphus.
TALANCÁO, Il. Plumbago zeylanica L.
TÁLANG, T., Pamp. Diospyros discolor Willd.
TÁLANG-BÚLO, T. Solanum sanctum L.

TÁLANG-BUNDÓC, T. Myristica guatteriifolia A. DC.
TALANGCÁW, Il. Plumbago zeylanica L.
TÁLANG-GÚBAT, T. Diospyros embryopteris Pers.
TÁLANG-ÍNDONG, B. Strychnos.
TÁLANG-TÁLANG, T. Myristica philippinensis Lam.
TALANÍSOY, B. Tabernaemontana.
TALAÓNOR, V. Eurycles amboinensis Herb.
TALALABÁCO, V. Sphaeranthus africanus L.
TALATÁLA, Pamp. Limnophila menthastrum Benth.
TÁLA-TALÁBUM, T. Aristolochia tagala Cham.
TALAÚYO, T. Thmeda gigantea L.
TALÁYLO. Nymphaea lotus L.
TALBÁC, Pamp. Alpinia.
TALIANTÁN, T. Leea.
TALIANTÁR, Pamp. Morinda bracteata Roxb.
TALIBÓBONG, V. Ehretia philippinensis A. DC.
TÁLIC-HARÁP (Tayabas). Mussaenda.
TALICNÓNO, T. Buddleia.
TALICORÁN, T. Hippeastrum miniatum Herb.
TALÍCOT, V. Ficus.
TALICTÁN, T., Pamp. Dysoxylum blancoi Vidal.
TALÍCUT. Ficus.
TALIGÁNA, Z. Pterospermum.
TALIMÚRONG, T. Mitrephora reticulata H. f. and Th.
TALIMÚRONG, Pang. Cyclostemon.
TALINGHARÁP, T. Anisomelis ovata R. Br.
TALINOÚNO, Pamp. Capura.
TALIPÓPO, V. Mimusops elengi L.
TALÍSAI, T., V., Pamp. Terminalia catappa L.
TALOCNÁSI. Pygeum.
TALOCTÓN, Z. Gomphia angustifolia Vahl.
TALÓLA, T. Calamus buroensis Mart.
TALÓLON (Marinduque). Quisqualis indica L.
TALÓLONG, Il. Cudrania javánensis Trec.
TALÓLONG, Il. Allaenthus.
TÁLONG, T., V. Solanum melongena L.
TÁLONG-GÚBAT, T. Solanum ferox L.
TALÓÑGON, T. Solanum.
TALONPÚNAY. Datura metel L.
TALÓSAN, T. Helicteres spicata Colb.
TALOSTOS. Leea.
TALÓTO, T. Pterocymbium javanicum R. Br.
TALOTÓ-ON (Benguet). Ilex.
TALÚCTOC (Nueva Ecija). Ficus.
TALÚÑGUN, V. Gmelina villosa Roxb.
TALÚTO. Pterocymbium javanicum R. Br.
TALÚTU, V. Bombax malabaricum DC.
TAMANÍAN. Calophyllum inophyllum L.

TAMARÍNDO, Sp. Fil. Tamarindus indica Linn.
TAMAUÍAN, T. Calophyllum inophyllum L.
TAMAÚYAN. Gymnosporia ambigua Vidal.
TAMAÚYAN-PULÁ (Tayabas). Canthium.
TAMAÚYAN-PUTÍ, Z. Gymnosporia.
TAMBÁL, T. Eurycles amboinensis Herb.
TAMBALABÁSE. Callicarpa cana L.
TAMBALAGUÍSAI, T., V. Sophora tomentosa L.
TAMBALÍSA, V. Cassia occidentalis Linn.
TAMBALÍSA, T., V. Sophora tomentosa L.
TÁMBAO, T. Myristica.
TAMBÍS. Eugenia.
TAMBÍT (Dinagat). Eugenia.
TAMBÓ, T. Phragmites roxburghii Nees.
TAMBÓN-TAMBÓN (Tayabas). Mallotus ricinoides Muell. Arg.
TAMBÓYOG USÁ. Casaeria moluccana Blume.
TÁMBU-HAÑGUIN, Il. Eugenia.
TAMÍS, V. Dioscorea.
TAM-ÍS, V. Cocos nucifera Linn.
TAM-ISÁN, V. Cocos nucifera Linn.
TAMLÍG. Aglaia.
TÁMO, T. Zingiber zerumbet Rosc.
TÁMO, T., Pamp. Curcuma xanthorrhiza Roxb.
TAMOCÁUN. Costus.
TAMOHÍLAN, T. Globba strobilifera Zoll.
TAMPÓI, T., V. Eugenia jambos L.
TAMPÚC, T. Eugenia.
TAMPUHÍNG, T. Musa sapientum L.
TAMPÚPOT, T. Tabermaemontana.
TAN-ÁG, T., V. Kleinhovia hospita L.
TANAGÁYAY (Dinagat). Bruguiera parviflora W. and A.
TANAGDÓN. Parasponia.
TANÁUA, T. Premna.
TANCÁPAN, B. Evodia latifolia DC.
TANCÓNG, V. Ipomoea reptans Poir.
TANDADÁGUY. Ficus.
TANDÚC-TANDÚCAN, T. Aegiceras corniculatum Blanco.
TÁÑGA-BABÁE. Bruguiera carophylloides Blume.
TAÑGÁL, T. Ceriops candolleana Arn.
TAÑGÁL, T. Bruguiera gymnorrhiza Lam.
TAÑGÁL, T. Rhizophora mucronata Lam.
TAÑGÁL, B. Terminalia.
TAÑGÁL-LALÁQUI, T. Ceriops roxburghiana.
TAÑGÁLON (Marinduque). Quisqualis indica Linn.
TAÑGÁL-TAÑGÁL, T. Ceriops roxburghiana Arn.
TÁÑGAN-TÁÑGAN, T., Il. Ricinus communis L.
TÁÑGAN-TÁÑGAN, T. Solanum sanctum L.

TÁÑGCONG, V. Ipomoea reptans Poir.
TÁÑGI, T. Oryza sativa L. var.
TAÑGÍLI, T. Dipterocarpus polyspermus Blanco.
TAÑGÍLI, T. Shorea ?.
TAÑGÍLI (Tarlac). Gonocaryum.
TAÑGÍSAN, T. Ficus.
TAÑGÍSAN, T. Terminalia.
TAÑGISAN, T. Uvaria.
TAÑGÍSANG-BAGÍO, T. Xylopia dehiscens Merrill.
TAÑGÍSANG-BAYÚAC, T. Ficus.
TAÑGÍSAN-PÚNAY, V. Phyllanthus.
TAÑGÍTAN, V. Alstonia macrophylla Wall.
TAÑGLÁD, T., V. Andropogon schoenanthus L.
TAÑGLÁY-MALÓTO, Pamp. Premna vestita Schauer.
TAÑGLÓN, Pang. Amoora ?.
TAÑGÓLON, T., V. Quisqualis indica L.
TÁÑGO-TÁÑGO. Randia.
TAÑGPÚPO, V. Ixora coccinea L.
TAÑGUÍLI. Dipterocarpus polyspermus Blanco.
TAÑGUÍSAN-BAYÁUAC, T. Ficus cuneata Miq.
TAÑGÚLAY, T. Alphitonia.
TAÑGÚLON, T. Quisqualis indica L.
TANHÁS, V. Dolichandrone spathacea K. Sch.
TANÍGAD (Dinagat). Rapanea philippinensis Mez.
TANÍTAN, V. Alstonia ?.
TANÚAL, V. Eurycles amboinensis Herb.
TAOINTAOÍN, Il. Aristolochia tagala Cham.
TAPÁ-LAÓ. Zamb. Pinus mercusii J. and de V.
TAPÁT-TAPÁT, T. Casearia.
TAPIASÍN, T. Coldenia procumbens L.
TAPIASÍN. Cocos nucifera L.
TAPÍT, B. Mallotus ricinoides Muell. Arg.
TAPLÍ, Z. Albizzia.
TAPOLÁÑGA, T., V., Pamp. Hibiscus rosa-sinensis L.
TAPONÁYA, V. Coleus acuminatus Benth.
TAPULÁGA. Hibiscus rosa-sinensis L.
TAPÚLAO. Pinus mercusii J. and de V.
TAPURÁÑGA, V. Hibiscus rosa-sinensis L.
TAPURÁÑGA, V. Canna indica L.
TAPÚRAS (Mindanao). Palaquium.
TAPÚYAY, V. Ganophyllum falcatum Blume.
TAQUÍNG-BÁCA, Il. Sida frutescens Blanco.
TAQUÍNES, V. Ficus.
TAQUÍNG-BÁCA-BÁCA, Il. Sida frutescens Blanco.
TÁQUI. Dioscorea hirsuta Blume.
TAQUIPÁN, T. Caryota urens L.
TAQUÍP-ASÍN, T. Mallotus ricinoides Muell. Arg.

TAQUÍP-ASÍN, T. Macaranga tanarius Muell. Arg.
TAQUÍP-ASÍN, T. Garuga.
TAQUÍP-CÓHOL, T. Hydrocotyle asiatica L.
TAQUÍP-SUSÓ, T. Hydrocotyle asiatica L.
TARAMBÓLO, T. Solanum ferox L.
TARAMHAMPÁM, T. Limnophila menthastrum Benth.
TARÁN (Zamboanga). Bridelia ovata Decne.
TARATACÓPES, V. Abutilon indicum G. Don.
TARATÁRA, T. Cedrela taratara Blanco.
TARATÁRA, Il. Limnophila menthastrum Benth.
TARNÁTE, V. Musa sapientum L. var.
TAROCÁÑGA, T., V., Pamp. Hibiscus rosa-sinensis L.
TARRÍN. Curcuma viridiflora Roxb.
TARTARÁO, Il. Quisqualis indica L.
TARUMPÁLIT, T. Sesuvium portulacastrum L.
TARUMPÚNIA, T. Datura metel L.
TÁTA, Cag. Nipa fructicans Wurmb.
TATANÍC, T. Psychotria.
TATATABÁ, T. Jatropha curcas L.
TATCHÚBONG, V. Datura alba Nees.
TATLÁC-ANÁC, T. Garcinia.
TATLÓNG-PÁLAD, T. Hippocratea obtusifolia Roxb.
TAVATÁVA, Il. Jatropha curcas L.
TAVATAVANGSÍNA, Il. Ricinus communis L.
TAVÁVA, V. Euphorbia pilulifera L.
TAWATÁWA, Il. Jatropha curcas L.
TAWATAWASÍÑGA, Il. Ricinus communis L.
TAYÁBAS, T. Psidium guayava L.
TAYÁCAN, Mang. Gardenia.
TÁYA-LÚÑGO (Paragua). Artocarpus.
TAYÁN (Tayabas). Alchornea javensis Muell. Arg.
TAYÁNG TAYÚÑGAN, B. Indigofera tinctoria Linn.
TAYÓBONG, V. Tacca pinnatifida Forst.
TAYÓCON, V. Aegiceras corniculatum Blanco.
TÁYOC-TÁYOC, V. Eleocharis.
TÁYOM, T. Indigofera tinctoria L.
TAYOMÁMIS, V. Cocos nucifera Linn.
TAYOMTÁYOM, Il. Marsdenia tagudina Blanco.
TAYOMTAYÓMAN, T. Tephrosia luzonensis Vogel.
TÁYON-TÁYON. Indigofera angustifolia L.
TÁYONG-TÁYONG, T. Eugenia.
TAYULÁUAY (Iloilo). Parameria philippinensis Radlk.
TÁYUM, T. Indigofera.
TÁYUNG, Pamp. Indigofera tinctoria L.
TEB-BÉG, Ig. Ficus.
TEBÉC. Ficus.
TÉCA, Sp. Fil. Tectona grandis Linn. f.

TECBÉC, Il. Ficus.
TEGBÉ, T. Coix lachryma-jobi L.
TELBÓNG. Erythrina indica Lam.
TENÁAN. Phyllanthus
TENÁAN-BANTÁY Tayabas). Cyclostemon cumingii Baill.
TENOLUÁNG-GÁTOS, T. Mussaenda.
TÉQUE, T. Pithecolobium.
TERNÁTE, T Graptophyllum hortense Nees.
TIÁUI, T. Shorea?.
TIÁUN, T. Salix (Blanco).
TIBÁNG, Z. Canarium
TIBÁTIB, Pamp. Polypodium quercifolium L.
TIBÁTIB, T. Epipremnum medium Engl.
TIBCÁL, Z. Aglaia.
TIBLÁYON, V Benincasa cerifera Savi.
TIBÍG, T. Ficus glomerata Roxb.
TIBÍGI. Xylocarpus obovatus Juss.
TIBÍG-NA-LALÁQUI, T. Ficus glomerata Roxb?.
TICAMÁS, V. Pachyrhizus angulatus Rich.
TÍCAS, T. Canna indica L.
TÍCAS-TÍCAS, T Canna indica L.
TÍCAY, T. Cyperus.
TÍDA, T. Tectona grandis L.
TICLÉB, Ig. Quercus.
TIGÁLOT, V. Elaeocarpus multiflorus F. Vill.
TÍGAO, B. Callicarpa angusta Schauer.
TIGASÁN, T. Ceriops candolleana Arn.
TIGASÁN. Rhizophora mucronata Lam.
TIGASÁN, T. Bruguieria gymnorrhiza Lam.
TIGHÁLANG, T. Smilax.
TIGBÁO, V. Heteropogon contortus Roem. and Schult.
TIGBÁO, V. Anthistiria.
TIGBÍ, T. Coix lachryma-jobi L.
TIGCÁL, Z. Aglaia.
TIGHÍMAN, T. Cassia occidentalis L.
TIGSÍ, V. Ipomoea batatas L.
TÍHOL-TÍHOL, V. Eranthemum bicolor Schrank.
TÍLE, Z. Xylia.
TÍLE, Z. Albizzia.
TILÍLES, V. Amaranthus spinosus L.
TIMBÁÑGAN, T. Aristolochia tagala Cham.
TIMBÁNG-TIMBÁÑGAN, T Aristolochia tagala Cham.
TIMSÍN, T. Rottboellia mu icata Retz.
TIMÚYUNG, T Antidesma ghaesembilla Gaertn.
TINÁAN, T. Phyllanthus.
TINAIÑGÚI, T. Nephelium glabrum Noronh.
TINÁLONG, T. Musa paradisiaca L. var.

TINATÍNAN, T. Phyllanthus reticulatus Muell. Arg.
TINCÁL (Zambonga). Pierardia.
TÍNDALO, T. Afzelia rhomboidea Vidal.
TINDÓI, T. Acanthus ilicifolius L.
TÍNGAN-BÁQUIS, T. Aegiceras corniculatum Blanco.
TÍNGAN-TÍNGAN, T. Pterospermum obliquum Blume.
TÍNGA-TÍNGA, T. Mussaenda grandiflora Rolfe.
TINGCÁL, Z. Aglaia.
TIÑGLÓG, T. Acanthus ilicifolius L.
TIÑGLÓI, T. Acanthus ilicifolius L.
TINÍSA, T. Artemisia vulgaris L.
TINITRÍGO, T. Ischaemum ciliare Retz.
TINÁQUI, V. Albizzia lucida Benth.
TINTATÍNTA, Il. Eclipta alba Hassk.
TINTATINTÁHAN, T. Phyllanthus reticulatus Muell. Arg.
TINULÚAN-GÁTAS, T. Mussaenda.
TIPÍG. Ficus.
TIPÓLO, T., V., Pamp. Artocarpus incisa L. f.
TIQUÉS, T. Pithecolobium montanum Benth.
TÍQUIO, T. Cyperus difformis Linn.
TIQUÍS-TIQUÍS, T. Sapindus turczaninowii Vid.
TIQUÍS-TIQUÍS, T. Canna indica L.
TIRBÁTIB, V. Epipremnum medium Engl.
TIRIBÚHAN, T. Panicum colonum L.
TIRÓRON, B. Canthium?.
TÍTIO, V. Acanthus ilicifolius L.
TÍTIÒ, T. Cyperus difformis Linn.
TIÚI, V. Dolichondrone spathacea K. Sch.
TOÁR, V. Tabernaemontana pandacaqui Poir.
TOÁ, T. Bischofia javanica Blume.
TOÁC, T. Bischofia javanica Blume.
TOBÁYAN (Tayabas). Conocephalus ovatus Trec.
TOBÓGOR, T. Mallotus ricinoides Muell. Arg.
TÓBO-TÓBO-LÁÑGIT, V. Kyllinga monocephala Rottb.
TÓCOD-BÁNUA, Pamp. Amorphophallus campanulatus Blume.
TÓCOD LÁÑGIT, V., T. Amorphophallus campanulatus Blume.
TÓCOR-PARI, Pamp. Cordyline terminalis Kunth.
TOCTÓC-CÁLO, T. Cerbera odollam Gaertn.
TOCÚD-LÁÑGIT, T. Semecarpus gigantifolius Vidal.
TOGNÁO-TOGNÁO, B. Astronia rolfei Vidal.
TOGUÍNG-PÓLO. Dioscorea.
TOGÚIS, V. Amomum.
TOGÚIS-ÑGA-ÍSA, V. Amomum villosum Lour.
TOI, T. Dolichandrone spathacea K. Sch.
TOLÁNG-SANG-BÁNUG, V. Clematis.
TOMÁTES, Sp. Fil. Lycopersicum esculentum Mill.

TOMBÓNG-ÁSO. Morinda citrifolia L.
TONCÁPAN, V. Evodia.
TONCÓD-OBÍSPO, T. Cordyline terminalis Kunth.
TOÑGNÁO-TOÑGNÁO, B. Astronia rolfei Vidal.
TOÑGO, T. Dioscorea fasciculata Roxb.
TÓÑGOG, V. Rhizophora conjugata L.
TÓÑGOG, B. Lumnitzera purpurea Presl.
TONÓC. Serianthes grandiflora Benth.
TONUÁR, V. Eurycles amboinensis Herb.
TÓOB, T. Bischofia javanica Blume.
TÓOB, T. Chisocheton tetrapetalus Turcz.
TÓOC, T., V. Bischofia javanica Blume.
TÓOG, T. Bischofia javanica Blume.
TOÓGAN, Cag. Bischofia javanica Blume.
TOQUÍAN, T. Ternstroemia toquian F. Vill.
TOQUÍNG-PÁLO. Dioscorea.
TORTORÁOC, T. Quisqualis indica L.
TOSTÓN, T. Trianthema monogyna L.
TOTOCCÁLO, T. Cerbera odollam Gaertn.
TÓVAL, T. Gnetum scandens L.
TRES-PÚNTAS, Sp. Fil. Mallotus ricinoides Muell. Arg.
TROMPALIPAÚTE, V. Heliotropum indicum L.
TSAMPÁCA, T. Michelia champaca L.
TSATSATSATSÁHAN, T. Lippia nodiflora Rich.
TSÍCU, T. Achras sapota L.
TÚA. Dolichandrone spathacea K. Sch.
TÚA. Bischofia javanica Blume.
TUADTUÁRAN, T. Panicum.
TÚBA. Jathropha curcas L.
TÚBA, T. Croton tiglium L.
TÚBÀ, T., V., Pamp. Anamirta cocculus W. and A.
TÚBA-CAMAÍSA, T. Croton tiglium L.
TÚBAC-TÚBAC (Iloilo). Bidens pilosa Linn.
TÚBANG DALÁGA, T. Callicarpa bicolor Juss.
TÚBA-SA-BÚGUID, V. Croton tiglium L.
TÚBA-TÚBA, V. Barringtonia racemosa Blume.
TÚBLI, T. Milletia splendens W. and A.
TUBÓ, T. Saccharum officinarum L.
TUCÁN-CÁLAO, T. Aglaia.
TUCÁN-CÁLAO, T. Sterculia.
TÚCAS-TÚCAS. Canna indica L.
TUÉ, T. Dolichandrone spathacea K. Sch.
TUÉL, Ig. Bischofia javanica Blume.
TUGÁBANG, V. Mezoneurum glabrum Desf.
TÚGAN, T. Myristica guatteriifolia A. DC.
TÚGAS. Vitex littoralis Decne.
TUGLÍMA, V. Heptapleurum venulosum Seem.

TUGNÁNG, Il. Buddleia.
TUGÓGONG, Z. Terminalia.
TUGUÍ, T. Dioscorea.
TUGUÍS-ÑGA-ISÁ, V. Alpinia.
TUGUÍ-TUGUÍAN, T. Ipomoea marianensis Chois.
TUGÚP, V. Artocarpus.
TUGÚS, T. Amomum.
TÚI, T. Dolichandrone spathacea K. Sch.
TUÍA, T. Pouzolzia indica Gaud.
TÚLANG-NANÓC, B. Casearia.
TÚLA-TÚLA, B. Mallotus floribundus Muell. Arg.
TULÍBAS, T. Micromelum tephrocarpum Turcz.
TÚLO-LALÁQUI (Iloilo). Pluchea indica Less.
TUMAHÍBA, T. Curcuma xanthorrhiza Roxb.
TÚNBON-ÁSO. Morinda umbellata Linn.
TÚMBONG-ÁSO, T. Morinda bracteata Roxb.
TÚMBONG-ÁSO, T. Zingiber.
TÚMBONG-ÁSO-HÁPAY, T. Morinda tinctoria Roxb.
TUMINTÍNG, V. Vitis.
TÚNAN-TÚNAN, V. Melastoma obovatum Jack.
TÚNAN-TÚNAN, B. Astronia calycina Vidal.
TÚNAS, T., V., Pamp. Nymphaea lotus Linn.
TÚNAY-TÚNAY, V. Astronia calycina Vidal.
TÚNCAL, V. Tabernaemontana.
TÚNCO-TÚNCO, T. Evodia.
TÚNCUT-LÁÑGUIT, T. Tacca.
TÚÑGAO, B. Melastoma.
TÚÑGUNG, V. Ceriops candolleana Arn.
TUNQUÍN. Ipomoea muricata Jacq.
TURUCÁN, T. Hyptis capitata Jacq.
TÚTAO, T. Vigna catjang Endl.
TITTULLÁCAC, T. Physalis angulata L.
TÚY, B. Dolichandrone spathacea K. Sch.
TÚYAT-BAGUÍO, V. Desmodium umbellatum DC.
TÚYA-TÚYA, B. Mallotus floribundus Muell. Arg.

U.

UÁC, V. Flagellaria indica Linn.
UACÁTAN, V. Alphitonia moluccana Teysm. and Binn.
UALISUALISÁN, T. Decaspermum blancoi Vidal.
UÁMPIT. Clausena wampi (Blanco) Oliv.
UÁNI (Jolo). Mangifera caesia Jack.
UANUÁNA-NA-PUTÍ, B. Glochidion.
UATÍTIC, T., V. Colubrina asiatica Brongn.
UAUALISÍN, T., V., Pamp. Sida frutescens Blanco.
UAYÁN, T. Quercus blancoi A. DC.
UBÁLDO, Z. Jasminum.

ÚBAN, B. Adina philippinensis Vidal.
ÚBAN, T. Barringtonia.
ÚBAN. Premna?.
ÚBE. Dioscorea.
ÚBE-ÚBE, T., V. Aristolochia tagala Cham.
ÚBI. Dioscorea alata L. and other species.
UBÍAN (Tarlac). Myristica.
UBÍAN, Il. Artocarpus.
ÚBIC-ÚBIC, Il. Loranthus.
ÚBI-UBÍHAN, T. Smilax china L.
UBODÚBOD, T. Eleocharis.
UDIÁON, T. Pterocarpus.
UGÁBANG, V. Mezoneurum glabrum Desf.
UGÁO, V. Cyclostemon.
UGÁO, B. Diospyros.
UIMBABÁON, T. Sterospermum quadripinnatum F. Vill.
ULIGBÓÑGON. Commelina bengalensis Linn.
ÚLUD (Tarlac). Cynometra ramiflora L.
ÚLUD, Z. Crudia.
UNCIÓN. Smilax.
UNG-ÁLI, V. Solanum verbascifolium Linn.
UNGÁLI-NA-PULÁ, V., Pamp. Rourea heterophylla Planch.
UNÍP, Pang. Acacia.
UNÍSOC, T. Adina polycephala Benth.
UÓS, B. Sterculia oblongata R. Br.
UPLÁS, Il. Ficus heterophylla L.
UPLÍ (Tayabas). Ficus.
ÚPO. Lagenaria vulgaris Seringe.
URÍAN. Pterocarpus blancoi Merrill.
ÚRUNG (Paragua). Fagraea fragrans Roxb.
URUTÁN, T. Linociera.
ÚSIU, T. Bambusa.
ÚTTA (Cag). Musa textilis Nees. var.
UYÁYAN, V. Quercus.
ÚYO, T. Calamus buroensis Mart.
ÚYOS. Cupania.

V.

VICBÍQUI, Ig. Rhododendron rosmarinifolium Vidal.
VÍLOS, Pamp. Mallotus ricinoides Muell. Arg.
VÍTAM. Calophyllum inophyllum L.
VOCÁBUL, T. Malachra bracteata Cav.
VÚAS, Il. Mallotus philippinensis Muell. Arg.

W.

WÁMPI, T. Clausena wampi Oliv.
WAWALISÁN. Sida carpinifolia L.

Y.

YÁBAG, T., V. Sophora tomentosa L.
YÁCAL, T. Hopea plagata Vidal.
YÁCAL-DILÁO, T. Sindora wallichii Benth.
YÁCAL PUTÍ, T. Vatica.
YÁCOT, Z. Sindora?.
YANTÓC LIMORÁN, T. Calamus pisicarpus Blume.
YÁHON-YÁHON, V. Hydrocotyle asiatica L.
YAMBÁN, Il. Shorea guiso Blume.
YÁMBO, T. Eugenia jambos L.
YAMBOLÍN. Eugenia jambos L.
YAMBÓSA. Eugenia jambos L.
YAMPÓNG, V. Abutilon indicum G. Don.
YANTÓC. Calamus.
YÁTE, V. Tectona grandis L. f.
YÁYO, Pamp. Oxalis corniculata L.
YBA, T. Phyllanthus distichus Linn.
YEMOUMÓHAN, T. Cissampelos pariera L.
YNGULA, T. Flagellaria indica L.
YÓRO (Mindoro). Caryota.
YÓVAS, T. Graptophyllum hortense Nees. var.

Z.

ZABÁCHE. Phaseolus lunatus L.
ZÁLENG, V. Canarium.
ZAPÓTE. Diospyros ebenaster Retz.
ZAPÓTE-NÉGRO, Sp. Diospyros nigra Blanco.
ZÍTAN, Cag. Shorea guiso Blume.

PART II.

A.

ABROMA ALATA Blanco. (*Sterculiaceæ.*) Shrubs, the roots and bark somewhat used in the practice of medicine; the bark also yields a valuable fibre.

Anába, T.; Anábong, V.; Aníbiong, Aníbong, T.; Lábon, V.; Nábo, V.

A. AUGUSTA L. Aníbong, T.; Aníbog, T.; Anábo.

A. FASTUOSA, R. Br. Anabo.

ABRUS PRECATORIUS L. (*Leguminoseæ.*) A small vine, very common in the Philippines, the small seeds, red and black, used as beads; also used in the practice of medicine.

Agáy-on (Cebu); Agniyáñgyiáng, V.; Agiyáñgyiáng, V.; Aguyángyan, V.; Aroyáñgyang, V.; Bañgáti, T., V.; Bugayón, Il.; Calóo, V.; Cásaságа, Cansaságа, Pamp.; Gícos-gícos, V.; Guícos-gícos, V.; Lága (Cebu); Mangadólong, V.; Matáng-púne, V.; Oyañgía, V.; Sága, T.; Sága-sága, T.; Sagamamín, T.

ABUTILON INDICUM G. Don. (*Malvaceæ.*) A small shrub with yellow flowers, common, used in the practice of medicine.

Cuacuacóhan, T.; Guíling guilíñgan, T.; Gilig-gilígan, T.; Dulúpang, V.; Lulúpao, Il.; Málvas de Castílla, Sp. Fil.; Málvas, Sp.; Malís, V.; Mélbas, T.; Pílis, V.; Taratacópes, V.; Yampóng, V.

ACACIA. (*Leguminoseæ.*) Spiny shrubs or small trees, generally producing more or less gum similar to gum Arabic.

Caráol, Z.; Uníp, Pang.

A. CONCINNA DC. Sibóg, T.

A. FARNESIANA Willd. Aróma, T.; Róma, T. V.; Santiágo, V.

ACALYPHA. (*Urticaceæ.*) Trees, shrubs, or herbs.

Mayágos-laláqui, V.; Pábto, T.; Pálang.

A. GRANDIS Benth. Bol-ló, Ig.; Búgos, T. V.; Gutlí, T., V.

A. STIPULACEA Klotzsch. Bógos, V.

A. TILIÆFOLIA Muell. Arg. Malacbóc (Morong).

ACANTHUS ILICIFOLIUS L. (*Acanthaceæ.*) A small shrub with glossy spiny leaves resembling ilex, and blue flowers, common in regions inundated by salt water.

Dilivário, T.; Doloárin, T.; Dolovário, Dulanári, Dulauári, Pamp.; Láguio-láguio, T.; Láquis-láquis, Lagíw-lagíw, T.; Tindói, T.; Tiñglói, T.; Tiñglóg, T.; Títio, V.

ACHRAS SAPOTA Linn. (*Sapotaceæ.*) A tree introduced from Mexico, cultivated for its edible fruit. In Mexico a valuable gum, known as "gum chicle," is obtained from the bark, extensively used in the United States as the basis of chewing gums.

Chíco, Sp. Fil.; Síco, V.; Tsícu, T.

ACHYRANTHES AQUATICA R. Br. (*Amarantaceæ.*) Herbaceous plants, somewhat utilized in the practice of medicine.

Lópo-lópo, V.

A. ASPERA L. Áñgud, Pamp.; Dócot-décot, T.; Háñgot, T.; Hangór, T., V.; Líbai, T.; Sarámo, V.

A. OBTUSIFOLIA Lam. Aúgod, Pamp.; Líbay, T.

ACORUS CALAMUS Linn. (*Aroideæ.*) Herbaceous, the root stock very aromatic. The "sweet flag" of the United States.

Buéng, Pamp.; Lubígan, T.

ACROSTICHUM. (*Filices.*) Pagálo.

A. AUREUM L. A large coarse fern, common in tidal marshes.

Lagólo, T.

ADENANTHERA. (*Leguminoseæ.*) Trees without spines or tendrils, with bipinnate leaves and very small flowers in small spike-like racemes.

Adambaguén, Il.; Álang-láñgal; Ípil, Z.; Malatáyon, Pang.

A. PAVONINA Linn.

Alaláñgat; Báhay, T., V.; Baguiróro, V.; Cásay, V.; Quinasaicásai, T.

ADENOSTEMMA VISCOSUM Forst. (*Compositæ.*) A glandular-pubescent herb.

Búlac-manúc, T., Pamp.

ADIANTUM. (*Filices.*) The "maiden-hair" fern.

Malacalesquís, T.

A. LUNULATUM Burm.

Caicái, T.; Culantrillo, Sp. Fil.; Dalipáco, Il.; Gayóman-manóc, T.; Lámot-lamótan, T.; Lómot-lomótan, T.

ADINA POLYCEPHALA Benth. (*Rubiaceæ.*) Shrubs or small trees with globose heads of white flowers.

Unísoc, T.

A. PHILIPPINENSIS Vidal. Úrban, B.

AEGICERAS CORNICULATUM Blanco. (*Myrsinaceæ.*) Shrubs or small trees, common along the borders of mangrove swamps, etc., on the seashore.

Pisíc; Pipisíc, T.; Ságuin saguíñgan, T.; Ságuin-ságuin-estácas; Sáling-ságuing, B.; Tayócon, V.; Tanduc-tandúcan, T.; Tíngan-báquis, T.

A. FLORIDUM R. and S. Áñglai, V.; Pipisíc, T.

AEGLE DECANDRA Naves. (*Rutaceæ.*) A small tree, the fruit with a mucilaginous, aromatic, acid pulp.

Malacabúyao, T.

AFZELIA BIJUGA A. Gray. (*Leguminoseæ.*) A very valuable timber tree, always found near the seashore.

Ípil, T., V.; Nála, Z.; Taál, T.

A. RHOMBOIDEA Vidal. Like the preceding, producing a very valuable timber. Pods much larger, and leaves smaller than in *A. bijuga*.

Baláyon, T., V.; Baláyong, T.; Baráyon, V.; Magaláyao, C.; Tíndalo, T.

AGARICUS. Many species of *Agaricus* and other genera of fleshy fungi are found in the Philippines, some of which are used by the natives as food.

Colatcólat.

AGATHIS LORANTHIFOLIA Salisb. (*Coniferæ.*) Very large trees, growing in the mountains, and yielding the valuable gum known in commerce as "dammar."

Baltíc (Paragua); Damár (Camarines); Gála-gála, T.; Biáyo, V.

AGAVE AMERICANA L. (*Amarylideæ.*) Introduced from Mexico and cultivated for the valuable fiber known as "maguey."

Magúey, Sp. Fil.; Mágai, V.; Mugúey, Sp. Fil.; Nípis; Píta (Cebu).

AGLAIA. (*Meliaceæ.*) Mostly very large trees, some valuable for timber, many species being found in the Philippines.

Agapáñga, Il.; Bayantí, T.; Bolála, B.; Cacáo-cacáuan (Tayabas); Cásay, T.; Dalúruy, Pamp.; Guisóc-guisóc; Hebóng, Mang.; Hagupáñga, T.; Ibabá; Malaságing-pulá, T.; Macabáñgon; Manabróng, B.; Magsináya; Oratán, Il.; Panábang; Salamúñgay, T.; Tamlíg; Tigcál, Z.; Tibcál, Z.; Tingcál, Z.; Tucán-cálao, T.

A. ARGENTEA Blume. Dalúray; Iloílo, Pamp.

A. GRANDIS Miq. Gógong-bisáya, T.; Cubatíli, T.

A. MINUTIFLORA Bedd. Busílao, T.

A. ODORATA Lour. A small tree with fragrant yellow flowers, introduced from Asia and cultivated for ornament.

Cinamómo-de-China, Sp. Fil.

A. OLIGANTHA C. DC. Manálao, T.

A. PALEMBANICA Miq. Malaságuin, T.

AGROSTISTACHYS MÆSOANA Vidal. (*Euphorbiaceæ.*) Shrubs.

Cacáo-cacáo, Ticao; Malacafé (Paragua); Pusopúso (Tayabas).

AILANTHUS MOLUCCANA DC. (*Simarubeæ.*) A lofty tree with large leaves and winged seeds.

Calánag, B.; Malaadúas, T.; Macaisá, T.

ALANGUIM OCTOPETALUM Blanco. (*Cornaceæ.*) Malatápay, T.

ALBIZZIA. (*Leguminoseæ.*) Trees, many valuable for timber.

Acléng-párang, Pamp.; Banúyo, T.; Hanagó, B.; Malatígui; Malagánit, T.; Mangasinóro, Z; Malatáco, T.; Quitaquita, Il.; Saplít, B.; Taplí; Tíle, Z.

A. JULIBRISSIN Durazz. Carisquís, T.; Caríquis, Il.; Oónog, Il.

A. LEBBEK Benth. Aninápla, T.; Lañguíl; Láñgil, T.

A. LITTORALIS Teysm. and Benn. Cásay, B.

A. LUCIDA Benth. Tináqui, V.

A. ODORATISSIMA Benth. Malatocó, T.

A. PROCERA Benth. Ananáplas, T.; Ananápla; Adaán, T., Il.; Adyángao, T.; Ayángao, T.; Anítap, Pamp.; Boác, Ig.; Darianñgáo, T.; Paíhot; Paíhod, V.

A. RETUSA Benth. Pípi, V.; Láñgil, T.

A. SAPONARIA Blume. Cógon-tocó; Inauáqui, V.; Jaunáqui, (Albay); Láñgil; Malatóro.

A. TOMENTOSA Miq. Salañgcúgui.

ALCHORNEA BLUMEANA Muell. Arg. (*Euphorbiaceæ.*) Trees or shrubs.
Busílac, T.

A. JAVANSIS Muell. Arg. Tayán (Tayabas).

A. MOLLIS Muell. Arg. Balánti, T.

ALEURITES MOLUCCANA Blume. (*Euphorbiaceæ.*) Tree, the seeds yielding large quantities of a valuable oil, used for illuminating purposes, etc.
Báguilúmban, T.; Balucánad, T.; Balucánag, Il.; Balocánad, T.; Calúmban, T.; Lumbán, T.; Lunbán, T.; Lumbáng, T.; Rúmbang, V.; Capíli, T.

ALLAEANTHUS LUZONICUS Benth and Hook. (*Urticaceæ.*) A deciduous tree.
Tahít-labúyoc; Talólong, Il.; Guinbabaó; Balóng-cadyós, V.; Alócan, Il.; Cámal; Buñgón, Il.; Himbabáo, T.

ALLIUM CEPA L. (*Liliaceæ.*) The onion.
Lasoná, Il.; Lasuná, T.; Sibúyas, T., Pamp.

A. JAQUEMONTII Kunth. Sibóyas-songsóng.

A. PORRUM Linn. Sibóyas-sa-Taál.

A. SATIVUM L. Garlic.
Báuang, V.; Bánag, Il.; Báwang, T.; Báoang, V.; Báuang potí (Jolo); Gandá, V.; Láso, V.

A. ULIGINOSUM Don. Cuchái, T.

ALLMANIA NODIFLORA R. Br. (*Amarantaceæ.*) A diffuse dichtomously branched herb, with a sessile globose inflorescence.
Lópo-lópo, V.

ALLOPHYLUS COBBE Blume. (*Sapindaceæ.*) A small tree or shrub with trifoliate leaves and edible red globose fruits.
Balíc?, V.

ALOCASIA INDICA Schott. (*Araceæ.*) Herbaceous, leaves very large, known to English-speaking people as "elephant's ears."
Badíang, T., V.; Gábing-ónac, T.

ALOE BARBADENSIS Mill. (*Liliaceæ.*) Introduced from America and cultivated for ornament and for medicinal purposes. Aloes of pharmacists.
Dílang-boáya, V.; Dílang-hálo, V.; Sábila, T.

ALPHITONIA MOLUCCANA Teysm. and Binn. (*Rhammaceæ.*) Shrubs or trees.
Tañgúlay, T.; Uacátan, V.

ALPINIA. (*Marantaceæ.*) Tall herbaceous plants.
Parápad, Ig.; Líguid-líguid, V.; Talbác, Pamp.; Tuguís-ñga-isá, V.

A. BREVILABRIS Presl. Bánay, Pamp.; Bagóngbong, V.; Católan, V.; Catcátan, Pamp., V.; Catótang, V., Pamp.; Cátang-cátang.

A. CERNUA Roxb. Polonía, T.

A. GALANGA Swartz. Lancóas, Pamp.; Lañgcáuas, V.

A. GIGANTEA L. Bagómbon, Pamp., V.; Catótang, V., Pamp.; Salbác, Pamp., V.

ALSOPHILA GLAUCA Blume. (*Filices.*) The common tree fern of the northern Philippines.
Alibañgdán, Ig.; Taiéte.

ALSTONIA. (*Apocinaceæ.*) Trees with milky sap, the bark being used in the practice of medicine as a substitute for quinine.
Bacúit, Pang.; Cuyao-yáo (Masbate); Diríta, T.; Cuyanyán, B.; Tanítan, V.

A. MACROPHYLLA Wall. Batíno, T.; Tañgítan, V.

A. SCHOLARIS R. Br. Andaráyan (Cagayan); Bíta, V.; Díta, V., T.; Ditáa; Dal-lopáven, Il.; Dalipáoen, Il.; Layá, Il.; Opláy; Pasnít (Tiagan).

ALTERNANTHERA DENTICULATA R. Br. (*Amarantaceæ.*) An herb, prostrate, flowers white.
Boñgábonga, T.

ALYSICARPUS TETRAGONOLOBUS Edgw. (*Leguminoseæ.*) A small herb.
Párang (Parañaque).

ALYXIA ODORATA Wall. (*Apocinaceæ.*) Shrubs with milky sap.
Láyo, B.

AMARANTHUS MANGOSTANUS L. (*Amarantaceæ.*) Culiápa (Iloilo); Cudiápa, V.

A. MELANCHOLICUS L. Hálon, T.

A. SPINOSUS L. A low herb, very common in waste places about towns and along rivers.
Ayantóto, Pamp.; Báyañgbáyang, V.; Bambán; Blédo; Calítes, V.; Cuantón, Il.; Culétes, V.; Harum, V.; Oráyi, T., V.; Quilíte; Quilítis, T.; Tilítes, V.; Tilíles, V.

A. VIRIDIS L. Common in waste places.
Culílis, T.; Hálom, T., V.

AMMANIA BACCIFERA L. (*Lythraceæ.*) A small herbaceous plant.
Ápoy-ápoyan, T.; Biás-pógo, T.

AMOMUM. (*Scitimineæ.*) Herbaceous plants, with creeping root stocks.
Togúis, V.; Tugús, T.

A. CILIATUM Blume. Balíc-balíc, Pamp.; Carópi, V.

A. CARDAMOMUM L. The cardamon plant.
Lampúyang-ñga-maputí, V.

A. VILLOSUM Lour.
Togúis-ñga-isá, V.

AMOORA. (*Meliaceæ.*) Large trees, valuable for timber.
Buñglío, V.; Busílac, T.; Malaságuin-pulá, T.; Pamalataguén, Il.; Tañglón, Pang.

A. GRANDIFOLIA C. DC. Malabanabá, T.

A. PERROTTETIANA C. DC. Balaquí, T.

A. ROHITUKA W. and A. Agac-ác, V.; Saláguin-pulá.

AMORPHOPHALLUS CAMPANULATUS Blume. (*Aroideæ.*) Tuberous herb with rough, mottled petioles and purplish spathe.
Ápon, T.; Ánto, V.; Bagáng, Cag.; Bágong (Jolo); Corót, Il.; Carót, Il.; óroy, V.; Pamangquílon, V.; Puñgápung, V., T.; Tócod-láñgit, V., T.

ANACARDIUM OCCIDENTALE L. (*Anacardiaceæ.*) A small tree introduced from America and cultivated for its edible fruits, the seeds of which also yield a valuable oil.

Casóy, T., V.; Casúy, T.; Bollógo, Il.; Balúbad, T.

ANAMIRTA COCCULUS W. & A. (*Menispermaceæ.*) A vine with long petioled glabrous leaves, the roots being extensively used in the practice of medicine.

Bayáti, T., V.; Pamp.; Balásin, T., V., Pamp.; Lag-tál, V.; Lantá, T. V., Pamp.; Lactáng, T., V., Pamp.; Lictáng, T., V., Pamp.; Lintang-báguin, T., V., Pamp.; Súma, T., V., Pamp.; Túba, T., V., Pamp.; Abútra, Sp. Fil.; Pañgmávan.

ANANASSA SATIVA Lindl. (*Bromeliaceæ.*) The pineapple, introduced from America and cultivated for its fiber and for its edible fruits.

Malísa (Camarines); Píta, Il.; Píña, Sp. Fil.

ANAXAGOREA LUZONENSIS A. Gray. (*Anonaceæ.*) An under-shrub.

Bagáng áso, B.; Bobonóyang, V.

ANDROPOGON. (*Gramineæ.*) Coarse or fine grasses.

Aniás, T.; Barbón.

A. MURICATUS Retz. Móro, Sp. Fil.

A. SCHOENANTHUS L. The roots of this species yield an essential oil, used for perfumes, etc.

Balíyoc, B.; Pája-de-méca, Sp. Fil.; Raiz-de-móras, Sp. Fil.; Sálai, T.; Sálay, T.; Saláid; Tañglád, T., V.

ANISOMELIS OVATA R. Br. (*Labiateæ.*) A coarse erect branching herb with purplish flowers.

Talingharáp, T.

ANISOPTERA. (*Dipterocarpaceæ.*) Tall trees, very valuable for their timber.

Bágar, Il.; Dáyang, T.

A. OBLONGA Dyer. Sandana.

A. THURIFERA Blume. Lauáan, T., V.; Nenénu, Cag.; Sandána, T., V.; Láuan sandána.

ANNESLEA CRASSIPES Hook. (*Ternstroemiaceæ.*) An evergreen tree with crenulate, acute, or obtuse leaves.

Malatibíg, T.

ANONA MURICATA L. (*Anonaceæ.*) This species like the two following were introduced from America, and are now generally cultivated in the Philippines for their edible fruits. The "custard apple," "sour sop," etc., of English-speaking people.

Goyabáno, Sp. Fil.; Guanabáno, Sp. Fil.

A. RETICULATA L. Anónas, Sp. Fil.

A. SQUAMOSA L. Ates, T.

ANTHISTIRIA GIGANTEA Cav. (*Gramineæ.*) A coarse, tufted grass growing in open lands.

Tigbáo, V.; Taláhib, T.

ANTHOCEPHALUS CANDAMBA Miq. (*Rubiaceæ.*) A glabrous tree with flowers in solitary globose heads.

Bagarílat, T.; Bagarílao, T.; Caluntíñgan, V.

ANTIDESMA. (*Euphorbiaceæ.*) Trees or shrubs, bearing numerous small spherical fruits which are edible, having a pleasant acid taste.

Bornáy-gúbat, V.; Bignái-máya, T.; Bignái-calabáo, T.; Inyám, V.; Mobóti, V.; Malasucá, V.

A. BUNIUS Spreng. Bignáy, Pamp.; Bignái, T.; Búgnai, V.; Bub-búgnay.

A. CUMINGII DC. Catamantás.

A. GHAESEMBILLA Gaertn. Arósep, Il.; Baninúyo, T.; Binayóyo, T.; Bignayóco, T.; Bignái-pógo, T.; Calamantáo, T.; Cabógbog, T.; Iniam, V.; Timúyung, T.

APHANTHE. (*Urticaceæ.*) Chá, T.

APOROSA. (*Euphorbiaceæ.*) Trees with alternate entire leaves.

Alámag, T.; Baransiágo, T.; Balinsiágao; Cansúyot; Cúlis-na-pulá, V.

ARACHIS HYPOGAEA L. (*Leguminoseæ.*) The peanut, introduced from America and more or less cultivated.

Cacachuéte; Cacauáte, T.; Maní.

ARALIA JAVANICA Miq. (*Araliaceæ.*) Magcásao, V.; Potát, T.

ARDISIA. (*Myrsinaceæ.*) Trees or shrubs, many species being found in the Philippines.

Atarólon, T.; Báhay namóc, B.; Gáblos, T.; Gubgúbao, Ig.; Panábon, T.; Patactól, Pamp.; Patápto; Qúio, T.; Tagpó, T.; Tagpúng-pulá, T.

A. HUMILIS Vahl. Babágion, V.; Bútao, B.; Malasíac, B.; Pañghás (Dinagat).

A. PERROTTETIANA A. DC. Catáypa (Dinagat); Taguíman, V.

A. PHILIPPINENSIS DC. Luéti (Zamboanga).

A. PYRAMIDALIS Pers. Malaísa, T.

A. SERRATA Pers. Logonhón (Iloilo).

ARECA. (*Palmeæ.*) Several species of *Areca* are found in the Philippines, the nuts of one species (*A. catechu*), the "betle nut," being extensively used by the natives, being chewed with the leaves of *Piper betle*, and slaked lime.

Boñgáng-páto, T.

A. ALBA Rumph. Capón, T.; Pínang, V.

A. CATECHU L. Báñga (Camarines); Bóñga, T. V.; Bóñga-sántol; Boñgáng-matúlis, T.; Bóñga-pálo; Boá, Il.; Buá, Cag; Búñga, T.; Lúyos, Pamp.; Lúgos; Mangúpod; Mañgípod, T.; Sacsíc, T.

A. NIBUNG Mart. Aníbung, V. T.; Aníbong, V. T.

ARENGA SACCHARIFERA Labill. (*Palmæ.*) Aníbung, Pang.; Báhi, V.; Báru; Cáuon, T.; Hidióc, V.; Hibióc, Vis.; Ibióc, V.; Iroc, T.; Idíoc, V.; Pugáhan, T.; Ratipán, Il.

ARGEMONE MEXICANA L. (*Papavaraceæ.*) An herb with large yellow flowers, spiny leaves, and yellow sap, introduced from Mexico.

Cachúmba, Il.; Chicalóte; Casúbang-áso; Casubháng-áso, Il.; Diluário, T.; Duluário, T.

ARGYREIA. (*Convolvulaceæ.*) Scandent shrubs with showy flowers.

Báguin-castíla, T.; Bulácao (Iloilo).

A. NITIDA Choisy. Bulalácao, V.

ARISTOLOCHIA TAGALA Cham. (*Aristolochiaceæ.*) Aétan, T.; Goán-goán, V.; Malaúbe, T., V.; Taointaoín, Il.; Tála-talárum, T.; Timbáñgan, T.; Timbáng-timbáñgan, T.; Úbe-ube, T., V.

ARTABOTRYS. (*Anonaceæ.*) Sarmentose or scandent shrubs.
Súsong-damúlag, Pamp.

A. ODORATISSIMUS R. Br. Álag-álag sonson, T.; Álang-ílang sónson, T.; Ilang-ílang de Chína.

ARTEMESIA GRATA Wall. (*Compositæ.*) Damú-María.

A. VULGARIS L. An erect herb, used in the practice of medicine.
Ca-María, T.; Santa María; Tinísas, T.

ARTHOPHYLLUM. (*Araliaceæ.*) Shrubs or small trees.
Puigapuigáhan, T.

ARTOCARPUS. (*Urticaceæ.*) Large trees with milky sap, many of the species bearing very large edible fruits.
Anúblin, T.; Amúgni, V.; Anúbion, T.; Abíbling, B.; Cátoy (Albay); Canét, T.; Doloñgían, T., V.; Márang, T.; Obíen, Il.; óloy, T.; Tugúp, V.; Táya-lúñgo (Paragua); Ubían, Il.

A. BLUMEI Trec. Similar to *A. incisa,* but leaves small, entire.
Gumían, V.

A. CAMANSI Blanco. Camáñgsi, T., V.; Camongsí, T., V.; Dalangían, V. T.; Doloñgían, T., V.; Daluguían; Pác; Pacác, Il.

A. CUMINGIANA Trec. A valuable timber tree.
Anóbion, Pamp.; Anóbling, V.; Anúbing; Anóbing, T.; Bayúco ñga langcáon, V.; Bayúco ñga cacáuon, V.; Cúbi, V.

A. INCISA L. f. A tree with large incised leaves and large edible fruit.
Antipólo, T., V., Pamp.; Cólo, V.; Cálo; Ógob, B.?; Rímo, T.; Ríma, T., V.; Tipólo, T., V., Pamp.

A. INTEGRIFOLIA L. f. A tree with small ovate, entire leaves, fruit on trunk and larger branches.
Láñgca, Il.; Lánca, T.; Nánca, T.; Náñgca, T.

A. LAMELLOSA Blanco. Anóbling-caquíosing.

A. LANCEOLATA Trecul. Bayúco ñga lanhán, V.

A. NITIDA Trec. Anóbling, T.; Anóbing caguíosing, T.; Anúbing na caguíosin, T.; Bayuco, V.; Bayúco ñga birían, V.

A. ODORATISSIMA Blanco. Anúbing, T.; Lolío, T.

ARUNDINELLA NERVOSA Nees. (*Gramineæ.*) A tall, coarse grass growing in wet places.
Calacauáyan, V.

ARYTERA RUFESCENS Radkl. (*Sapindaceæ.*) Shrubs or small trees.
Magabagába, T.

ASCLEPIAS CURASSAVICA L. (*Asclepiadaceæ.*) A small herb, introduced from America, with milky sap, red and yellow flowers, etc. Now very common in the Philippines and used by the natives in medicine.
Búlac-bulácan, T.; Búlac-damó, T.; Búlac-castíla, T.; Buquitquít; Calaláuan, T.; Cápol-cápol, T.

ASPLENIUM NIDUS L. (*Filices.*) The "bird's-nest fern." Very common in forests, growing in large tufts on the trunks and branches of trees.
Sábles.

A. ESCULENTUM Presl. Young stems and leaves much used for food by the natives.
Páco, T.

ASTRONIA. (*Melastomaceæ.*) Shrubs or small trees.
Bagalíguan, B.; Coléngay, T.; Dagalíguan, V.; Dongáo, T.; Donháo, T.; Duñgáo, T.

A. CALYCINA Vidal. Túnan-túnan, B.; Túnay-tunay, V.

A. CUMINGIANA Vidal. Halentihínao, V.

A. MACROPHYLLA Blume. Búyo-búyo, B.

A. PULCHRA Vidal. Díta-díta (Camarines).

A. ROLFEI Vidal. Alintutúnas; Toñgnáo-toñgnáo, B.; Tognáo-tognáo, B.

ATALANTIA. (*Rutaceæ.*) Small trees.
Camuníng, T.; Dáyap-dayápat, T.

A. MONOPHYLLA Correa. Dáyap-na-montí, T.; Magca-búgao, V.

A. NITIDA Oliv. Malábac, V.; Malaráyat.

AVERRHOA BILIMBI L. (*Geraniaceæ.*) Tree, cultivated for its edible acid fruits, which have rounded lobes.
Calamías, T.; Ciliñg-íwa, V.; Camías, T.; Colonáuas, T.; íba, V.; Piás, Il.; Quilihgíva, V.

A. CARAMBOLA L. Fruit similar to that of the preceding species, but the lobes angular.
Bilimbínes; Balimbín, T.; Bilimbín, T.; Balimbíng, T.; Baliñgbíng, V.; Garangán, V.

AVICENNIA OFFICINALIS L. (*Verbenaceæ.*) A shrub or a small tree growing in wet soil along the sea shore, with small yellow flowers. The bark is used in dyeing.
Apiápi, T.; Buñgálon, T., V.; Buñgálu, T.; Calupínes, Z.; Calapíni, T.; Miápi, T., V.; Pipisíc, T.; Piápi, T., V.

AZIMA NOVA Blanco. (*Salvadoraceæ.*) A shrub.
Casnút-cábag, T.; Cámut-cábag, T.

B.

BAMBUSA. (*Gramineæ.*) "Bamboo." Several genera and many species of bamboo are found in the Philippines.
Ánas, Pamp.; Ános; Baíto, T.; Bóho, T.; Bocávi, T.; Cálbang, T.; Caña, Sp.; Cauáyan-pána; Quíling, T.; Tainánac; Taguísi, T.; Úsiu, T.

B. ARUNDINACEÆ Retz. Cauáyang-totóo, T.

B. BLANCOI Steud. Taiuánac, T.

B. BLUMEANA R. and S. Cauáyan-tiníc; Cauáyan-guíd, V.; Cauáyan-tóbo.

B. DIFFUSA Blanco. Bocáui, T.; Ósiu, T.

B. LAEVIS Blanco. Cauáyang-bóo; T.

B. LONGINODIS Miq. Cauáyan-ános.

B. LUMANPAO Blanco. Lumánpao, T.

B. LUZONICA Munro. Cauáyan-balícao, T.

B. MONOGYNA Blanco. Cauáyang-quilíng, T.

BARLERIA PRIONITIS L. (*Acanthaceæ.*) A small shrub with straw-colored flowers.

Culánta, T.; Cócong-manóc, T.

BARRINGTONIA. (*Myrtaceæ.*) Trees or shrubs, with racemes of large pink or white flowers, the petals and stamens falling early.

Bayág cabáyo, T.; Úban, T.

B. RACEMOSA Blume. A shrub or small tree with a long drooping raceme of white flowers.

Botát; Putád, T.; Potát, T.; Putát, T.; Pulát; Malaputád, T.; Túbatúba, V.

B. SPECIOSA Forst. A tree usually found near the sea, with very large pink fragrant flowers and large angular fruits.

Bótong, T., V.; Bótong-bótoñg, T; Bitóon, V.; Bítug; Bonétes; Bítung, V.

BASELLA RUBRA L. (*Chenopodiaceæ.*) A much-branched twining fleshy herb, wild or cultivated.

Alugbáti, V.; Ilaibáquir, Il.; Libáto, T.

BAUHINIA. (*Leguminoseæ.*) Unarmed trees or vines with simple leaves, which are usually deeply cleft at the apex.

Atcúy, Pamp.; Ágpoy, Pamp.; Bambéng, T.; Bodbód, T.; Lúpid; Saligangbáng, V.

B. BINNATA Blanco. Alibíhil; Alihízo; Dús.

B. BLANCOI Baker. Alibánban, P. T.

B. CUMINGIANA Benth. Banót, T.

B. GRANDIFLORA Blanco. Boñgálon.

B. MALABARICA Roxb. Alibángbang, T., V., Pamp.

B. PURPUREA L. Alibánban, T.

B. TOMENTOSA L. Alibánban, T., V., Pamp.; Alibíhil, V.; Ahihíro, V.; Alambíhor, V.; Balibánban, V.; Díis, V.; Línas, V.; Marulínao, V.; San-Antonio.

BEAUMONTIA. (*Apocinaceæ.*) Climbing shrubs with large flowers.

Hingúe calabo, T.

BEDDOMEA LUZONENSIS Vidal. (*Meliaceæ.*) A tree.

Malacamóte, T.

BEESHA RHEEDII Kunth. (*Gramineæ.*) A bamboo.

Bocáui, T.

BEGONIA RHOMBICARPA A. DC. (*Begoniaceæ.*) Succulent herbs, valued for ornamental purposes.

Líñgat, T.; Píngol-bató, T.

BEILSCHMIEDIA CAIROCAN Vidal. (*Lauraceæ.*) Evergreen trees or shrubs.

Cairócan, T.

B. MADANG Blume. Malabóñga.

BENINCASA CERIFERA Savi. (*Curcurbitaceæ.*) A climbing herbaceous vine, cultivated.

Condól, T.; Candól, V.; Malíñga, T.; Tibiáyon, V.

BERCHEMIA PHILIPPINENSIS Vidal. (*Rhamnaceæ.*) A shrub, with armed branches.

Odaódeg, Ig.

BERRYA. (*Tiliaceæ.*) Trees.
Pacpác-bálang, T.

BIDENS PILOSA Linn. (*Compositæ.*) Herbaceous, a kind of "Beggar tick."
Túbac-túbac (Iloilo).

BIOPHYTUM SENSITIVUM DC. (*Geraniaceæ.*) An herb, with sensitive leaves and yellow flowers.
Damóng-híya, T.; Húya-húya, V.; Mahihíin, Il.; Macahíya, T.

BISCHOFIA JAVANICA Blume. (*Euphorbiaceæ.*) A lofty tree, valuable for timber.
Canárem; Dúeg; Dampól, T.; Quitaquíta, Il.; Tóob, T.; Tóog, T.; Tóoc, T., V.; Tuél, Ig.; Toá, T.; Toógan, Cag.; Túa.

BIXA ORELLANA Linn. (*Bixaceæ.*) A shrub, introduced from America and now very common in the Philippines, the red seeds being used for coloring food, etc.
Achíote, Sp. Fil.; Achúete; Achúte; Atsúiti, T.; Anáte; Atóla.

BLECHUM BROWNEI Juss. (*Acanthaceæ.*) An herb of American origin.
Calabóa, Pamp.; Dáyang, T.; Sapinsapín, T.

BLUMEA BALSAMIFERA DC. (*Compositæ.*) A tall almost woody herb, 5 to 8 ft. high, very common, and extensively used by the natives in the practice of medicine.
Ayóban, V.; Alíbun, V.; Alibhon, V.; Gábuen, V.; Guítin-guítin; Gíntin-gíntin, V.; Guíntin-guíntin, V.; Hamlíbon, V.; Lalacdan, V.; Lácad-búlan, V.; Lacdán-búlan, V.; Sambón, T., Pamp.; Sambóng, T.; Sambúng, T.; Sobsób, Il.

B. CHINENSIS DC. Catáray (Balabac).

B. LACINIATA DC. Dílan butiquí, T.

BOEHMERIA NIVEA Hook. and Arn. (*Urticaceæ.*) A small shrub, the leaves white beneath, yielding the valuable commercial fiber, ramie.
Apóo; Amíray, T.; Arímai, Il.; Cantón; Cagayán, Il.; Lapnís, C.; Labrús; Labnís, Il.; Pampañgpáñgon, V.; Rámi, Sp.

B. WEDDELIANA Vidal. Ngáluy, Ig.

BOERHAAVIA REPENS L. (*Nyctagináceæ.*) A prostrate spreading herb, with very small pink or red flowers, common about towns.
Paanbalivís, T.

BOLETUS. A genus of fleshy fungi, with numerous pores on the under side, but no gills.
Culápo, T.; Cabúti, T.; Payong-payóñgan, T.

BOMBAX MALABARICUM DC. (*Malvaceæ.*) A tree with digitate leaves and very large red or white flowers.
Bóbuy-gúbat, T.; Bubóy-gúbat, T.; Malabúlac, T.; Queséro; Sálay, V.; Talútu, V.

BOOTIA CORDATA Wall. (*Hydrocharideæ.*) Submerged fresh-water herb.
Gábi-gábi, V.

BRACKENRIDGEA FASCICULARIS F. Vill. (*Ochnaceæ.*) Trees or shrubs.
Aniátan, T.

BREYNIA ACUMINATA Muell. Arg. (*Euphorbiaceæ.*) Shrubs or small trees.
Atíluag (Abra).

B. CERNUA Muell. Arg. Matáng-ulâng (Tayabas); Súñgut-oláng, V.

BRIDELIA. (*Euphorbiaceæ.*) Shrubs or small trees.
Lándo, T.; Javíli (Zamboanga); Quínay-quínay, T.

B. OVATA Muell. Arg. Manása, T.; Tarán (Zamboanga).

B. STIPULARIS Blume. Bancoílan, T.; Cutocúto, T.; Carabá, Il.; Calondágni; Dugáron, T.; Hiñgoñgóto, T.; Lobálob, T.; Lubálub, T.; Sincóy-lang, V.; Sañgcóy-lang, V.

BRUCEA SUMATRANA Roxb. (*Simarubaceæ.*) A shrub with large pinnate leaves, the bark, etc., very bitter.
Bógo-bógo.

BRUGUIERA. (*Rhizophoraceæ.*) Constituents of the Mangrove vegetation. Petals 8 to 14. Useful for tans and dyes, much cut for fire wood.
Busím; Suál.

B. CARYOPHYLLOIDES Blume. Bacáuan, T.; Busáin, T.; Bíuas, T.; Táñgababáe.

B. ERIOPETALA W. and A. Baío; Báiao, V.; Calibáyoan.

B. GYMNORRHIZA Lam. Bácan (Tinago); Bacánun, T.; Bácao, T.; Bessín, T.; Oóñgon, Il.; Petútan, T.; Tañgál, T.; Tigasán, T.

B. PARVIFLORA W. and A. Lanáray (Tayabas); Tanagáyay (Dinagat).

B. RITCHIEII Merrill. Hangáray, T.; Langéray, T.; Magálay, T.; Pototán, T.

BUCHANANIA. (*Anacardiaceæ.*) Trees.
Malalígas-na-laláque, T.; Palinlín, T.

B. FLORIDA Schauer. A variable and widely distributed tree valuable for timber.
Án-an, Mang.; Ánam, V.; Baliñghásay, T.; Balinhásay (Morong); Balinhása, T.; Baleñgásoy, T.; Bagulíbas (Mindoro); Balíhud, T.; Baligóhot, B.; Balayóhot, T.; Baliñgáhood, T.; Beobayáno, V.; Bancaláuan, T.; Cocátmon, V.; Diláan, V.; Húpong-húpong, V.; Magúlioc, T.; Malaibóhod; Pusopúso (Mindoro).

B. LUCIDA Blume. Pásig, V.

BUDDLEIA ASIATICA Lour. (*Loganiaceæ.*) A shrub, the leaves grayish, pubescent beneath.
Lagúndi-salása, V.; Sambúng-cóla, T.; Tugnáng, Il.; Talicnóno, T.

B. NEEMDA Hamilt. Háya-háya, V.

BURSERA. (*Burseraceæ.*) Balsamiferous trees.
Calamansánai, T.

B. JAVANICA Baill. Polyágan, T.; Pulayágan.

BUXUS ROLFEI Vidal. (*Euphorbiaceæ.*) Evergreen shrubs or trees.
Pincabánao, T.

BRYOPHYLLUM CALYCINUM Salisb. (*Crassulaceæ.*) A tall, erect perennial herb.
Catacatacá, T.; Caritána, V.

C.

CAESALPINIA. (*Leguminoseæ.*) Trees, shrubs, or vines.
Bañgón, B.

C. BONDUC Roxb. Flowers yellow, leaflets 2 to 3 inches long. Pods with spines on the valves.
Búgtong, V.; Cámot-cábag, T.

C. BONDUCELLA Flem. Flowers yellow, leaflets ½ to 1 inch long. Pods with spines on the valves.

Bayág cambíng, T.; Calambíti; Calambibít, T.; Dalugdúg, V.

C. NUGA Ait. A vine. Pod naked on the valves.

Cámit cábag, T.; Cabít-cábag, T.; Sapínit, T., V.

C. PULCHERRIMA Sw. A small shrub with striking red flowers, common about towns, introduced from America.

Caballéro, Sp. Fil.; Rósas caballero, Sp. Fil.

C. SAPPAN L. Shrub or small tree. Pods unarmed. The red wood of this species yields an important dye.

Sapáng, T., Il.; Sibucáo, V., T.

CAJANUS INDICUS L. E. (*Leguminoseæ.*) Erect, herbaceous, 4 to 6 ft. Flowers yellow.

Cagyós; Cád-yos, V.; Cagnóis, T.

CALAMUS. (*Palmæ.*) Extensively climbing palms, which yield the rattan of commerce. The Philippine species not well known.

Apís (Zambales); Balinánay, T.; Búcton (Masbate); Bejúco-sípa, T.; Cúnag, T.; Cúrag; Lambótan, T.; Lágni, Pamp.; Locóan (Masbate); Limorán, T.; Yantóc, Calamus.

C. ALBUS Pers. Bacápie, V.; Calápi, V., B.; Boñgán labní, Pamp.; Labnít, B.; Lapnéi, Zamb.; Labní-áuay-na-malóto, Pamp.; Labnéi, Pang.; Parásan, V.

C. BUROENSIS Mart. Oéy, Pang.; Talóla, T.; Úyo, T.

C. HAENKAENUS Mart. Bárit, Il.; Ditáan; Dit-án, T.

C. PISICARPUS Blume. Amlís, T.; Oáy, Il.; Ouáy, Il.; Yantóc-limorán, T.

C. RHOMBOIDEUS Blume. Alínao?, Il.; Bunúgan?, Cag.; Lurút, Cag.

CALLICARPA. (*Verbenaceæ.*) Shrubs or small trees with small usually pale blue flowers.

Apúlo (Paragua); Áling hotúngas; Alínao, T.; Dañglíñgan, T.; Inañgdón, T.; Malatabá, T.; Malaricondúron, Pamp.

C. ANGUSTA Schauer. Tígao, B.

C. BICOLOR Juss. Bayóg; Pális, T.; Papalsís, T.; Túbang dalága, T.

C. CANA L. Tambalabáse.

CALOPHYLLUM. (*Guttifereæ.*) Trees, valuable for their timber.

Bilangtón, B.; Cúlu-cúlu, B.; Falumoréa, T.; Malabocbóc, T.; Pannil-tasquín, Il.

C. CUNEATUM Vidal. Balágnan, V.

C. INOPHYLLUM L. A large tree usually growing near the sea shore. The wood is exceedingly hard and durable, while the seeds yield an oil.

Bítog, Il.; Bitanhól, T.; Bítoc; Bírog; Bitáoi, Z.; Bancálan, T.; Bitáog, V., Il., Pamp.; Dancálan, T., V., B.; Dingcálin; Dincálin, T.; Palo-maría, T., Pamp.; Palo-maría-de-playa; Pamitaóguen, Il.; Pamitlatén, Il.; Tamauían, T.; Vítam.

C. VIDALII F. Vill. Balágnan.

C. WALLICHIANUM Planch and Triana. A species found in the mountains, distinguished by its rusty-tomentose branchlets.

Batínan-ámo, T.; Palo-maría de mónte.

CALOTROPIS GIGANTEA R. Br. (*Asclepiadaceæ.*) A shrub or tree, flowers medium, in cymes.

Cápol-cápol, T.

CALYPTROCALYX SPICATUS Blume. (*Palmæ.*) Báñga, V.; Báhi, V.

CANANGA ODORATA Hook. f. et Th. (*Anonaceæ.*) A tree very common in the vicinity of towns; the flowers yield a valuable perfume.

Áñgílang (Jolo); Álang-ílang, T.; ílang-ílang, T., V., Il.

CANARIUM. (*Burseraceæ.*) Large trees, many species being found in the Philippines, several species being of special importance as they yield the odorous gum known locally as "brea," which in commerce is known as Manila elemi.

Adúas, T.; Anagálti; Antóng (Abra); Anáñgi, T.; Basiác, T.; Basiád (Tayabas); Baít; Búlao, T.; Catón-machíng (Zamboanga); Fésa, T.; Hagushús, B.; Jatsahengúm, T.; Malatágun, B.; Mayacyát, B.; Malacalantás, B.; Míli-píli, V.; Malapilánay, B.; Pasaíñgin, T.; Palsanguinguín, T.; Pachaíñgan, T.; Palsanhinguín, T.; Piláui, T.; Sálung (Paragua); Tibáng, Z.; Záleng, V.

C. COMMUNE L. A source of elemi.

Píli-piláuay, T.

C. CUMINGII Engl. Alagátli, T.; Anagátli, T.; Ánten, Il.; Bacáyan, V.; Palsahinhím, T.

C. LUZONICUM Miq. This species yields most of the elemi exported from Manila, and is locally known as "Brea blanca."

Ánten, Il.; Bélis, T.; Pagsaingáin, T.; Piláni, T.; Pináli; Píli, T.; Pisá, T.

C. MULTIPINNATUM Llanos. Sálong, V.

C. OVATUM Engl. Áten; Píli, V., T.

CANAVALIA ENSIFORMIS DC. (*Leguminoseæ.*) A twining glabrous perennial or biennial.

Magtambócao (Leyte); Patáning-dágat, T.

C. OBTUSIFOLIA DC. A prostrate vine with purple flowers and rather large hard seeds, common on sandy sea shores.

Pálang-pálang, V.

CANNA INDICA Linn. (*Scitimineæ.*) Erect herbaceous, with showy red flowers, growing wild; and commonly cultivated for ornament. The canna.

Balunsayíng, V.; Colintásan, V.; Cacuertásan, T.; Cuintás-cuintásan, T.; Ságuing-ságuing, V.; Tícas, T.; Tícas-tícas, T.; Tiquís-tiquis, T.; Túcas-túcas; Tapuráñga, V.

CANSCORA DIFFUSA R. Br. (*Gentianaceæ.*) An annual dichotomously branched herb, with quadrangular stems and rose-colored flowers.

Cobámba, T.

CANTHIUM. (*Rubiaceæ.*) Usually spinous shrubs or small trees, with small whitish or greenish flowers.

Cúling-manóc, V.; Tamaúyan-pulá (Tayabas); Tiróron, B.

C. ARBOREUM Vidal. Malatadiáng (Morong).

C. CONFERTUM Korth. Dílig, Il.; Malapatópat, T.

C. HORRIDUM Blume. Culíac-dagá.

C. MITE Bartl. Alanghídan it bánug, V.; Calin-manóg; Pamalatañguén, Il.

CAPPARIS. (*Capparidaceæ.*) Trees, shrubs, or woody vines, usually armed with spines.

Casuít, Pamp.; Dánag, T.; Ilalugábat; Laguíno, V.

C. AURANTIOIDES Presl. Camóng-cámong.

C. HORRIDA Linn. A climbing shrub, with stout thorns.

Dáuag, T.; Laguíno, V.; Talactác, Il.

C. MICRANTHA DC. A shrub or small tree, with small thorns.

Alagúng-ung, V.; Dáuag, T.; Halugábat, T.; Mararáyat-cáhoy, T.; Salimómo, V.

CAPSICUM MINIMUM Roxb. (*Solanaceæ.*) A stout herbaceous plant, with red fruits which have a very pungent taste, universally cultivated and used as a condiment.

Chíle, Sp. Fil.; Chíli-pícante, Sp. Fil.; Chíleng-bundóc, T.; Lára; Malísa; Pasítis, T.; Quitícot, V.; Síli, T.

CAPURA. (*Sapindaceæ.*) Shrubs or small trees.

Dírig, Il.; Onáoa, T.; Paloáhan, V.; Talinoúno, Pamp.

CARALLIA INTEGERRIMA DC. (*Rhizophoraceæ.*) A small evergreen tree, with small white flowers and ovate leaves, found in dry forests.

Bacáuan guba (Mang.); Dílan usa, T.; Macaásin, T.

CARDIOSPERMUM HALICACABUM L. (*Sapindaceæ.*) A small herbaceous vine, with inflated fruits, found in waste places about towns.

Barcólon; Bañgcólon, T.; Cána, V.; Páltug-paltúcan, Pamp.

CARICA PAPAYA L. (*Passi oraceæ.*) A tree commonly cultivated for its edible fruits, introduced from America. The Papaw.

Capáyas, T., V.; Papáya, Sp. Fil.

CARTHAMUS TINCTORIUS L. (*Compositæ.*) An herb with orange-red flowers, commonly cultivated, the flower being used as a condiment to color foods. The Safflower.

Casabhá, V.; Catsúmba, T.; Cachúmba, Pamp.; Casubhá, T., Pamp.; Castúmba, Pamp., T.; Bíri, T.; Lágo, T.

CARUM COPTICUM Benth. (*Umbelliferæ.*) Herbaceous, the leaves finely pinnately compound, flowers white. Commonly cultivated for its seeds, which in form and taste resemble anise. Caraway.

Damóro, T., Pamp.; Lamúdio, T., V.

CARYOTA. (*Palmæ.*) The sheaths of various species of this genus produce a very strong black fiber.

Yóro (Mindoro).

C. CUMINGII Mart. Pugáhan, T.

C. RUMPHIANA Mart. Bágsang, V.; Calálios, V.; Lúmang, Cag.; Malanúig, Cag.; Paticán, V.

C. URENS L. Cábo-négro; Pugáhan, T.; Sagú; Taguipán; Taquipán, T.

CASEARIA (*Samydaceæ.*) Trees or shrubs, with alternate leaves and small axillary flowers.

Calúag, T.; Malatamóyan, T.; Pidpíd, Il.; Tapát-tapát, T.; Túlang-nanóc, B.; Inignín, T.

C. CINEREA Turcz. Anavíñga; Maralígao, V.

C. MOLUCCANA Blume. Bintoco; Tambóyog usá.

CASSIA. (*Leguminoseæ.*) Usually shrubs or trees.
Malacatúray, T.

C. ALATA L. A small shrub with yellow flowers and angular winged pods, probably introduced from America, extensively used in the practice of medicine.
Acapúlco, Sp. Fil.; Baiyabásin, T.; Catandá, T.; Casítas, V.; Pacagoncón-castíla; Palochína, V.; Sontíng, T.; Suntíng, V., T.

C. FISTULA L. A tree with yellow flowers and long cylindrical pods, used in medicine.
Anchérhan, T.; Balóyong, V.; Baláyong, V.; Bálay, V.; Caña-pístola, T.; Caña-fístula, Sp.; Ibabáo, V.; Lombayóng, V.; Quína-péstula, T.

C. OCCIDENTALIS L. A diffuse glabrous undershrub, pods compressed.
Balátong-áso, T.; Balótang-áso, T.; Tighíman, T.; Tambalísa, V.

C. TORA L. Herbaceous, or developing into a small shrub.
Báho-báho, V.; Balátong-áso, T.; Catandá, T.; Catandáng-áso, T.; Manimaníhan, T.; Mongonongóhan, T.

CASSYTHA FILIFORMIS L. (*Lauraceæ.*) A leafless twining yellow parasite, common on grasses, shrubs, etc., on the seashore.
Malabohóc, T., V.

CASTANOPSIS PHILIPPINENSIS Vidal. (*Cupulifereæ.*) A tree, fruits resembling chestnuts.
Livían; Lovían, T.; Paunñgágan, T.; Talacátac, T.

CASUARINA EQUISETIFOLIA Forst. (*Casuarinaceæ.*) Trees with very hard wood, slender cylindrical jointed leaves (not true leaves), and small cones, common near the seashore and along rivers.
Agóo, T., Il.; Agóho, T., V., Pamp.; Agúho, T.; Agúso, Z.; Agóso, T.; Arróo; Áro, Il.; Áyo, V.; Antóng (N. Ecija); Cáro, Il.; Malabohóc, V.

CEDRELA TARATARA Blanco. (*Meliaceæ.*) This species and the next are known as the Philippine cedar, the wood has the appearance and odor of red cedar, and is used for the construction of cigar boxes.
Sandana, V.; Balongcáuit, B.; Taratára, T.

C. TOONA Roxb. Álam (Mindoro); Calantás, T., Pamp.; Cantíñgen, Il.; Danúpra (Cagayan); Danígga (Cagayan); Lagíni; Lañgpá; Lanígda, B., V.; Lanígpa, V.; Lanípga, V., B.; Porác, Il.

CEIBA PENTANDRA Gaertn. (*Malvaceæ.*) Trees with straight trunks and few branches, extending at right angles from the trunk. This species yields an abundance of a fiber known in commerce as "copak" and used for stuffing pillows and mattresses.
Bóboy, T.; Búbuy, T.; Búlac, T.; Búlac-dondól (Cebu); Búlac-castíla, Pamp.; Bulacsíno, T.; Cápoc (Jolo); Cápas, Il.; Cáyo, B.; Cápassáñglay, Il.; Daldól, V.; Dondól, Il.

CELOSIA ARGENTEA Linn. (*Amarantaceæ.*) An erect glabrous annual herb.
Cadayóhan, T.; Cudiápa, V.; Quindayóhan, T.

C. CRISTATA Moq. An erect glabrous herb, cultivated for ornament.
Palonpalóñgan; Padóng-padóñgan, V.

CELTIS PHILIPPINENSIS Blanco. (*Urticaceæ.*) A tree, leaves prominently triple nerved. A valuable timber tree.
Alméz; Lodóno; Logóg, V.; Lagóg (Iloilo); Malaícmo, T.; Malaguibúyo, V.; Malaítmo, T.; Magabóyo, V.

CENTRIPEDA ORBICULARIS Lour. (*Compositæ.*) A very small prostrate herb with small yellow flowers.
Haráñgan, T., V.; Pissíc, V.

CEPHALOSTACHYMN CAPITATUM Munro. (*Gramineæ.*) A bamboo.
Napnáp, V.

CERATOPHYLLUM SUBMERSUM Linn. (*Ceratophyllaceæ.*) Small herbs found in fresh water.
Ináta, T.

CERBERA ODOLLAM Gaertn. (*Apocinaceæ.*) A shrub, found along the seashore, with white flowers and milky sap.
Árbon (Paragua); Baraybáy, T.; Búto-búto, V.; Lipáta (Ticao); Marayábay, T.; Toctóc-cálo, T.

CERIOPS CANDOLLEANA Arn. (*Rhizophoraceæ.*) A constituent of the mangrove vegetation. Petals 5 to 6.
Bácao, T.; Bacáuan, T.; Bíuas, T.; Ligásan, T.; Pototán, V.; Tañgál, T.; Túngung, V.; Tigasán, T.

C. ROXBURGHIANA Arn. Tañgál laláqui, T.; Tañgál-tañgál, T.

CESTRUM NOCTURNUM L. (*Solanaceæ.*) A small shrub with greenish flowers, cultivated for ornament. Introduced from America.
Dama-de-nóche, Sp.

CHAILLETIA GELONIOIDES H. f. (*Challetiaceæ.*) Small trees.
Córong, T.; Bítlag, T.

C. GRIFFITHII Hook. f. Decdéc, Il.

CHAMPEREIA GRIFFITHII Planch. (*Santalaceæ.*) A small tree with alternate leaves and very small flowers.
Malalúcbán, T.; Malulúcban, T.; Panalayápin, T., Il.

CHENOPODIUM AMBROSIOIDES L. (*Chenopodiaceæ.*) A tall aromatic herb, introduced from America.
Aposótis, T., V., Pamp.; Apasóte, T.; Alposótes, Sp. Fil.; Apasótis, T.; Pasótis, T.; Parsótis, T.

CHIONANTHES. (*Oleaceæ.*) Trees.
Bayógo, V.; Sagapsáp, V.

CHISOCHETON. (*Meliaceæ.*) Large trees or some species shrubs.
Agupáñga (Mindoro); Agapáñga, V.; Agopáñga (Marinduque); Balúcao, T.; Cúling-bábuy, T.; Himámao, T.; Saplúñgan-colorádo.

C. CERAMICUS Miq. Salaquí, T.

C. PANICULATUS Hiern. Balocánac, T.

C. TETRAPETALUS Turcz. Bogolóyac, B.; íbo, V.; Malabáya, T.; Magulíve, T.; Tóob, T.

CHLORANTHUS BRACHYSTACHYS Blume. (*Chloranthaceæ.*) Small shrub, flowers in terminal racemes.
Em-ém, Ig.

CHRYSANTHEMUM INDICUM L. (*Compositæ.*) Cultivated for ornament.
Dolóntas, T.

CHRYSOPOGON ACICULATUS Trin. (*Gramineæ.*) A tufted grass, common in open places.

Amóres secos, Sp. Fil.; Cólot-colótan, T.; Maríscos, T.

CINNAMOMUM. (*Lauraceæ.*) Several species of cinnamon are found in the Philippines, the bark of the several species having to a greater or less extent the properties of true cinnamon of commerce.

Canéla de monte; Malasángui; Maragaoéd, Il.; Pási, B.; Samílin, T.; Sindóc, T.

C. MERCADOI Vidal. Calíñgag, T., V.; Caníñgag, T., V.

C. PAUCIFLORUM Nees. Candaróma, Il.; Calíñgad, T., V.; Calíñga, V.; Canéla; Páta, Ig.; Macaliñgag, T.

CISSAMPELOS PAREIRA L. (*Menispermaceæ.*) A vine with a cylindrical woody stem. Much used in the practice of medicine.

Bátang-bátang (Cebu); Caláad; Chancháe; Chincháo-chincháuan, T.; Cincháo-cincháuan, T.; Calacalamáyan (Batangas); Cuscusípa, Il.; Gulangulamánan, T.; Himpapára, V.; Hampapáre, V.; Pári, V.; Sampapáre, V.; Sansáo; Sansaósan-sansaósan, T.; Yemoumóhan, T.

CITRUS. (*Rutaceæ.*) The lemons, oranges, limes, etc.

Calamóndin; Lucbán-gúbat; Malacabúgao, V.; Súa, Il.

C. ACIDA Roxb. Dáyap, T.

C. AURANTIUM L. Orange.

Calamansé, T.; Cahél, T., V.; Cagél, Sp. Fil.; Cabúlao (Tiagan); Dalandán, T.; Pisóng, T.; Narangítas, T., V.; Sintónis, T.

C. DECUMANA Linn. Cabúgao, V.; Lucbán, T.; Naránja T.

C. HYSTRIX DC. Camúlao, Il.; Camuntáy, V.; Camúyo, T.; Colobót, T., V.; Cábog; Cabúyao, Pamp.; Dilánan; Duñgurúñgut, C.; Guíd (Tiagan); Mayagárin; Súha (Batangas).

C. MEDICA L. Búyag, T.; Cídra; Calamondín, T.; Daláyap, V.; Limón, Sp. Fil.

C. TOROSO Blanco. Calábot.

CLAOXYLON INDICUM Hassk. (*Euphorbiaceæ.*) A shrub or small tree with pubescent branches and variable leaves.

Bílid-bílid (Zamboanga); Ságay, V.

C. WALLICHIANUM Willd. Balílang oác, T.

CLAUSENA. (*Rutaceæ.*) Unarmed shrubs or trees with white flowers and small ovoid fruits.

Balucbúc, T.; Logníg; Píris, T.; Sanquí, T.

C. EXCAVATA Burm. Camañguiánis, T.; Calomáta, T.; Maisipaísi, T.; Cayumánis, T.

C. WAMPI Oliv. Huampít, T.; Uámpit; Wámpi, T.

C. WILLDENOVII W. and A. Himúlao, V.

CLEIDION. (*Euphorbiaceæ.*) Trees with alternate leaves.

Malaputát, T.; Camáisa sa gubat, T.

C. JAVANICUM Blume. Macaisá, T.; Malatúba, V.

CLEISISTOMA AMABILE T. and B. (*Orchidaceæ.*) An epiphytic orchid.

Dapó-sa-cauáyan, T.

CLEMATIS GOURIANA Roxb. (*Ranunculaceæ.*) An herbaceous vine.

Calúpad, V.; Toláng-sang-bánug, V.

CLEOME VISCOSA Linn. (*Capparidaceæ.*) An annual erect, softly pubescent herb with yellow flowers.

Ápoy-ápoyan, T.; Balabalanóyan, T.; Huláya-sang-áyam, V.; Sili-silíhan, T.; Silisían, T.

CLERODENDRON. (*Verbenaceæ.*) Shrubs or small trees, many of the species with very showy flowers.

Alibácta, B.; Bagáuac, T.; Baggáb; Bagánag, T.; Gogáuac, T.; Casopánguil-na-putí, T.; Casopángil-sa-gúbat, T.; Malabága, T.; Máñgha, T.

C. BLANCOANUM F. Vill. Bagáuac na morádo, T.; Balictárin, T.; Sáling-ouác-ñga-maítum, V.

C. BLANCOI Naves. Casupañgil gubat, T.

C. BRACHYANTHUM Schauer. Hamíndan, B.

C. CUMINGIANUM Schauer. Dacútung (Jolo).

C. FRAGRANS Vent. Higantóng, V.

C. INERME R. Br. Balíseng, V.

C. INFORTUNATUM L. Casupáñgil-gúbat, T.

C. INTERMEDIUM Cham. Small shrub with showy red flowers, common.

Balantána, V.; Bantána, V.; Bolóng-támbal; Alocásoc, V.; Asnáñgai, V.; Igíñga, T.; Iguíñga; Colocológ, V.; Casopánguil, T.; Caláica; Laróan-aníto, T.; Macalalánang, T; Pacápis, V.

C. LANUGINOSUM Blume. Taguipán.

C. MACROSTEGIUM Schauer. Actolígan; Agbolígan, Il.; Bagánac; Binúñga, T.; Magbolígan, Il.; Malapotocán, T.; Nacbolígan, Il.; Sáling-ouác, V.

CLETHRA CANESCENS Reinw. (*Ericaceæ.*) Shrubs.

Cámog, Il.; Malaclác.

CLINOGYNE GRANDIS B. and H. (*Scitimineæ.*) Erect herbaceous plants.

Banbáng (Morong).

CLITORIA TERNATEA Linn. (*Leguminoseæ.*) Herbaceous vine with large blue flowers, common about towns.

Calocantíng, T.; Colocantíng; Puquíñgang, T.

CLORIS BARBATA Sw. (*Gramineæ.*) A tufted, handsome grass, 1 to 2 ft. high, found about towns.

Coroscorósan, T.

CNESTIS TRIFOLIA Pers. (*Leguminoseæ.*) A climbing shrub.

Hammabalár; Marindáto.

CNICUS WALLICHI DC. (*Compositæ.*) A thistle.

Págat, Ig.

COCOS NUCIFERA Linn. (*Palmæ.*) The coco palm, the natives distinguish many varieties.

Adiávan, T.; Aníbong, V.; Bonotán, V.; Bótong, V.; Cayománis, V.; Cóco, Sp. Fil.; Dahíli, V.; Lóbi, V.; Lubácan, V.; Níog-ñga-potí, V.; Lóbi-ñga-hinbáon, V.; Lóbiñga-pilípog, V.; Ngóñgot, Pamp.; Limbáon, V.; Lubí; Níog, T., C., Il., B., V.; Óñgot, Z.; Pamócol, T.; Pañgosín; Potót, V.; Pañgosín, V.; Pilípog, V.; Tapiasín; Tam-ís, V.; Tam-isán, V.; Tayomámis, V.

CODIAEUM VARIEGATUM Muell. Arg. (*Euphorbiaceæ.*) A small shrub with exceedingly variable variegated leaves. extensively cultivated for ornamental purposes.

Buena vísta, Sp. Fil.; Calipáyang, V.; Píla; Saguilalá, T.; San-Francísco, Sp. Fil.

COFFEA ARABICA L. (*Rubiaceæ.*) A shrub or small tree. Coffee, universally known to the natives as café.

Cahána (Jolo); Café, Sp.

COIX LACHRYMA-JOBI Linn. (*Gramineæ.*) A stout grass with very hard globose fruits, which are used for beads. "Job's tears."

Adláy, V.; Agdá, Ig.; Tegbé, T.; Tigbí, T.

COLDENIA PROCUMBENS L. (*Borraginaceæ.*) A prostrate scabrous herb with alternate crisped leaves.

Tapiasín, T.; Orégano-laláqui, T.

COLEUS. (*Labiateæ.*) Commonly cultivated herbs, ornamental.

Sugánda, T.

C. ACUMINATUS Benth. Albaháca morádo, T.; Daponáya, V.; Laponáya, V.; Malamayána, T.; Taponáya, V.

C. AROMATIUS Benth. Orégano, Sp. Fil.

C. ATROPURPUREUS Benth. Badiára, T., V., Pamp.; Mayána, T., V., Pamp.; Marayápa, T., V., Pamp.; Maliána, T., V., Pamp.

COLOCASIA ANTIQUORUM Schott. (*Aroideæ.*) Tall, coarse herb from a tuberous root, extensively cultivated for its edible root, very variable.

Abálong, V.; Apípi, V.; Badíang; Bíga, V.; Dágmay; Dágmay-ñga-quínson, V.; Dágmay-ñga-inítlog, V.; Dágmay-ñga-bolílao, V.; Dágmay-ñga-apípi, V.; Dágmay-ñga-tapól, V.; Gávay, T., V., Pamp.; Gábi, Cag., T., V., Pamp.; Gábing-morâda, V.; Gandús, T., V., Pamp.; Galíang, V.; Gáby-na-sibóyas, T.; Gábing-polá, T.; Gáby-ñga-guinátos, V.; Gábing-siláñgan, T.; Gáby-na-sinibóyas, T.; Guinátos, V.; Lagváy, T., V., Pamp.; Quimpóy, V.

COLUBRINA ASIATICA Brongn. (*Rhamnaceæ.*) An erect glabrous, unarmed shrub.

Cabalíti, T., V.; Uatític, T., V.

COLUMBIA. (*Tiliaceæ.*) Shrubs or small trees with 3 to 5 winged fruits.

Anílao-uan, T.; Barió-an, Pang.; Namáued, T.

C. SERRATIFOLIA DC. A very common shrub; the bark yields a strong bast fiber.

Anílao, T.; Arílao; Baynúd.

CONNAROPSIS PHILIPPICA F. Vill. (*Geraniaceæ.*) Shrub.

Balábang quilíng, V.; Malabañgquilín, V.

COMBRETUM. (*Combretaceæ.*) Large shrubs, with long pendent or scandent branches.

Malacdóg, Il.

C. OVALIFOLIUM Roxb. Pamulacláquin, T.

C. SQUAMOSUM Roxb. Malatumbága, T.

COMMELINA BENGHALENSIS L. (*Commelinaceæ.*) A slender creeping succulent herb, with blue flowers.

Alicbáñgon, T.; Biás-biás, Pamp.; Cabílao, V.; Sabiláo, V.; Sabiláoñga-laba-án, V.; Uligbóñgon.

C. COMMUNIS Linn. Sambílao, V.

COMMERSONIA PLATYPHYLLA Andr. (*Sterculiaceæ.*) A tree with broad pubescent leaves, white flowers, and 5-valved capsules which are covered with soft bristles.

Bagó; Benoáng, T.; Culilíi; Labáya (Tayabas); Mayamágar, V.; Patálo, T.; Potólo, T.

CONNARUS. (*Connaraceæ.*) Trees or shrubs with odd pinnate leaves.

Camágsa-tagulís, T.; Hanmababáo, T., V., Pamp.; Guícos-guícos, T.

C. FERRUGINEUS Jack. Sal-láday.

CONOCEPHALUS. (*Urticaceæ.*) Climbing shrubs with alternate entire leaves.

Cátoy (Albay).

C. ACUMINATUS Turcz. Anópol (Albay).

C. ERECTUS Blanco. Hanópol, T., V.

C. OVATUS Trec. Tobáyan (Tayabas).

C. SUAVEOLENS Blume. Lágna, T.

CORCHORUS ACUTANGULUS Lam. (*Tiliaceæ.*) An annual herb with elongated 6-angled capsules.

Pásao-na-habá, T.

C. CAPSULARIS L. An annual with sub-globose capsules.

Lamháy, V.; Pásao; Pásao-na-bilóg, T.; Póñglo-póñgloan.

CORDIA BLANCOI Vid. (*Borraginaceæ.*) Shrubs or small trees with alternate leaves and rather large flowers.

Ánong, T.; Anónang, B.; Bibíli, V.; Salóyong, T.; Sinalígan, Il.

C. SUBCORDATA Lam. Agút-ut, V.; Banálo, T.; Sigán-dágat, B.

CORDYLINE TERMINALIS Kunth. (*Liliaceæ.*) Shrub with distichous linear leaves.

Quiláa, V.; Saguilalá, T.; Toncód-obíspo, T.; Tócor-pari, Pamp.

CORIANDRUM SATIVUM Linn. (*Umbelliferæ.*) An aromatic stout, smooth herb with white flowers, cultivated. Coriander.

Culántro (Manila); óñgsay (Manila).

CORYPHA. (*Palmæ.*) Anáhao, T.; Macasílad, T.

C. UMBRACULIFERA L. Bulí, T.; Báñga; Burí, T.; Bulí-burí; Bálong-lúyon, Pamp.; Sílac, Il.

COSTUS. (*Scitimineæ.*) Leafy erect herbaceous plants.

Tamocáun.

COUTHOVIA CELEBICA Koorders. (*Loganiaceæ.*) Tree.

Balí-balí, V.

CRATAEVA RELIGIOSA Forst. (*Capparadaceæ.*) Tree with 3-foliate leaves and large yellow or purplish flowers.

Balái-lamóc, Il.; Baláy-namúc, Il.; Sáling-bóbog, V., T.

CRATOXYLON. (*Hypericaceæ.*) Trees.

Goyón-goyón, T.; Papáca, Z.; Daráya, T.; Lúyong-lúyong, V.

C. BLANCOI Blume. Bága-túbang (Samar); Cansílan, V.; Guyón-guyón, T.; Pañguríñgu, V.

C. CELEBICUM Blume. Olíñgon, V.

C. FLORIBUNDUM F. Vill. Cuélang (Benguet); Paguríñgon, B.; Satíng-gágan, B.

C. FORMOSUM Benth. and Hook. f. Camantáyo, V.; Malaráyat, T.

CRESCENTIA ALATA H. B. K. (*Bignoniaceæ.*) A tree, introduced from America, sometimes cultivated for ornament.

Hoja cruz, Sp.

CRINUM. (*Amaryllidaceæ.*) Succulent herbaceous plants with long leaves and large white fragrant flowers.

Lírio, V.

C. AMOENUM Roxb. Bácong-bácong, V.

C. ASIATICUM Linn. Agubáhan, V.; Bácong, T.; Bácung, V.; Palagúcon, V.; Salibangbáng, V.

C. PRATENSE Herb. Bácong sa sólog, V.; Bácong ñga dulão, V.

CROTALARIA L. (*Leguminoseæ.*) Herbs or small shrubs with yellow flowers and simple or 3-foliate leaves.

Catandá, T.; Cólung-cólung, V.; Górung-górung, V.

C. LINIFOLIA L. f. Gúrung-gúrung, V.

C. QUINQUEFOLIA L. Súsoi, T.; Susosusóyan, T.

C. VERRUCOSA L. Búlai-láva, T.

CROTON. (*Euphorbiaceæ.*) Shrubs or small trees.

Canónay, T.; Camáñga, T.; Malabágna, T.

C. CONSANGUINEUS Muell. Arg. Malatúba, B.

C. LEIOPHYLLUS Muell. Arg. Cátap (Zamboanga).

C. MURICATUM DC. Balánti.

C. TIGLIUM L. A small shrub, the seeds yielding the croton oil (Oleum tiglium) of commerce. Used by the natives in the practice of medicine and for poisoning fish.

Camáisa, T.; Camandág, V.; Macásla, V.; Túba, T.; Túba-camaisa, T.; Túba-sa-búquid, V.

CRUDIA BLANCOI Rolfe. (*Leguminoseæ.*) Shrub or tree with odd pinnate leaves.

Calatumbága; Hintotóor, T.; Malatumbágo, T.; Malusúñgay, T.; Úlud, Z.

CRYPTERONIA. (*Lythraceæ.*) Trees with opposite entire leaves and small white or green flowers.

Camanóc, V.; Salásan, T.

C. PANICULATA Blume. Quilámo, T.

CRYPTOCARYA. (*Lauraceæ.*) Evergreen shrubs or trees.

Banítan, Pamp.

C. DENSIFLORA Blume. Acdán, T.

C. ILOCANA Vidal. Camígay, Il.

C. VILLARII Vidal. Balíctan?.

CUBILIA RUMPHII Blume. (*Sapindaceæ.*) Tree.

Cubíli (Bulacan); Lubilubíli (Bataan).

CUCUMIS MELO L. (*Curcurbitaceæ.*) The melon.
Atímon, V.; Catimón, V.; Melón, Sp. Fil.
C. SATIVUS Linn. The cucumber.
Cábul; Calavága, V.; Cohómbro; Pepino, Sp.
CURCURBITA MAXIMA Duch. The squash.
Calabázang bilóg, T.; Calabázang pulá, T.
C. PEPO DC. The pumpkin.
Calabáza.
CUDRANIA JAVANENSIS Trec. (*Urticaceæ.*) Shrubs or small trees.
Talólong, I., Il.; Tahád-labúyo, T.
CUMINGIA PHILIPPINENSIS Vidal. (*Malvaceæ.*) A shrub or small tree.
Libáto-putí, T.
CUPANIA. (*Sapindaceæ.*) Shrubs or small trees.
Anácu, T.; Balasábis, Z.; Bagoníto B.; Cúyos-cúyos, T.; Cusibén, Il.; Guiríc-gutín, B.; Sausaúli, T.; Úyos; Sálab, T.; Balasábis.
CURCUMA CASSIA Roxb. (*Scitimineæ.*) Herbaceous plants with large leaves.
Lampúyang-tápol, V.; Lampúyang-dorác, V.
C. LONGA Linn. Áñgai, Pamp.; Caláuag, V.; Calavága, V.; Culíao, Il.; Culálao, Pamp.; Diláo, T.; Dúlao, V.; Cúnig, Il.; Lisáñgay, Z.; Páñgas, Pamp.; Quinambóy, V.
C. VIRIDIFLORA Roxb. Caláoag, V.; Tarrín.
C. XANTHORRHIZA Roxb. Bólon, T.; Lampúyang, T.; Támo, T., Pamp.; Tumahíba, T.
C. ZERUMBET Roxb. Barác, T.
CYANOTIS AXILLARIS Roem. and Schult. (*Commelinaceæ.*) Prostrate herb with small leaves and small blue flowers.
Bílang-bílang?, V.; Haúli? (Jolo); Sabiláo, V.
C. CRISTATA R. and S. Alicbáñgon, T.; Luya-luya, V.
CYATHEA INTEGRA J. Sm. (*Filices.*) Calatóndon, T.
CYATHOCALYX ZEYLANICUS Champ. (*Anonaceæ.*) A tree with acuminate leaves and large carpels.
Soál, T.
CYATHULA PROSTRATA Blume. (*Amarantaceæ.*) An annual, prostrate, flowers in small solitary clusters.
Dáyang, T.; Dócat-décat, V.
CYCAS CIRCINALIS L. (*Cycadaceæ.*) Bitógo, T.; Patúbo, T.; Pitógo, T.
CYCLEA PELTATA H. f. and Th. (*Menispermaceæ.*) A climbing shrub with peltate deltoid leaves.
Abiáb, V.
CYCLOSTEMON. (*Euphorbiaceæ.*) Trees.
Bútong-manóc, V.; Magaranbúlo (Tayabas); Talimúrong, Pang.; Ugáo, V.
C. CUMINGII Baill. Tenáan-bantáy (Tayabas).
CYNODON DACTYLON Pers. (*Gramineæ.*) A low prostrate grass, the "Bermuda grass" of the United States.
Colátay, T.; Cáuat-cauáran, T.; Málit, T.

CYNOMETRA. (*Leguminoseæ*). Trees.
Malapúyao, T.

C. INAEQUALIFOLIA A. Gray. Batíti, V.; Díla-díla, T.; Ólod, Pamp.

C. RAMIFLORA L. Balitbítan, T.; Ódling, V.; Úlud (Tarlac).

CYNOMORIUM PHILIPPINENSE Blanco. Capúlao, V., T.

CYPERUS. (*Cyperaceæ.*) Coarse or fine grass-like plants, usually found in wet soils, the sedges.
Alúsang, T.; Báca-bacáhan, T.; Balañgótan, T.; Boñgót-boñgót, V.; Calambó-calambóan, T.; Colabatían, T.; Gúmi-gúmi, T.; Guísay calabáo, T.; Maníc manican, T.; Mísay-calabáo, T.; Múta, T.; Óbud-óbud, V.; Potóc; Páyong-páyong, V.; Sud-súd, V.; Tícay, T.

C. DIFFORMIS Linn. Bancóan; Báqui-báqui, V.; Guilámhon, V.; Títio, T.; Tíquio, T.

C. ELATUS Linn. Cóbong-cóbong, V.

C. ROTUNDUS L. This species is somewhat used in the practice of medicine, the "nut grass" of the United States.
Botobótones, B.; Cúsung, Pamp.; Galonálpas, Pamp.; Malaapólid, Pamp.; Móta, Pamp.; Mútha, T.; Onorán, Pamp.; Omáding, Pamp.; Omádiung, Pamp.; Sursúr, Pamp.

D.

DACTYLOCTENIUM ÆGYPTIUM Pers. (*Gramineæ.*) A common tufted grass with digitate inflorescence.
Álam, T.

DAEMONOROPS. (*Palmæ.*) A climbing palm, related to *Calamus* and yielding rattan.
Calábang, V.; Halamhám?, V.; Paláuan, V.

DALBERGIA. (*Leguminoseæ.*) Scandent shrubs or trees.
Malaga-hánip, T.; Malunál-uñgáyam, T.

D. FERRUGINEA Roxb. Cámut-cábag, T.

D. LANCEOLARIA Linn. Macápil, T.

D. SPINOSA Roxb. Balibágan, V.

DALEA NIGRA Mart. and Gal. (*Leguminoseæ.*) An herbaceous plant introduced from Mexico and now common in many localities in the Philippines.
Agógo, T.; Camángi, T.; Dúrang-párang, T.; Sampáloc sampalocan, T.

DATURA ALBA Nees. (*Solanaceæ.*) Stout herbaceous plants with elongated large whitish flowers, the "Jimson weeds" of the United States.
Catchúbung, V.; Catchíbong, V.; Talampónai, T., Pamp.; Tatchúbong, V.

D. FASTUOSA L. Talampónai na itim, T.

D. METEL L. Catchúbung, V.; Tarumpúnia, T.; Talonpúnay.

DECASPERMUM. (*Myrtaceæ.*) Shrubs with white or pink flowers.
Pugáuy.

D. BLANCOI Vidal. Ualisualisán, T.

D. PANICULATUM Kurz. Álung-cágay, V.; Culási, B.; Dugayón, V.; Salilíhan, V.

DEERINGIA CELOSIOIDES R. Br. (*Amarantaceæ.*) A climbing shrub with small greenish white flowers.
Hagorílis, T.; Hanlilimócon, V.

D. INDICA Zoll. Babánat (Nueva Viscaya).

DEHAASIA. (*Lauraceæ.*) Evergreen trees.
Casói-casúian, T.; Malacádios, B.

DELIMA SARMENTOSA L. (*Dilleniaceæ.*) A woody vine with very harsh leaves, small white flowers, and small red fruits.
Malacatmón, T.; Málvas-tagbálang, T.

DENDROBIUM. (*Orchidaceæ.*) An epiphytic orchid.
Sañgumaín, T.

D. LUNATUM Lindl. Pasuríao, V.; Sulíao, V.

DENDROCALAMUS. (*Gramineæ.*) A bamboo.
Cauáyan-tainánac; Cauáyan-lumanpáo; Cauáyan-búho; Bútong, V.

D. FLAGELLIFER Munro. Búlio, V.; Bóho, T.

D. MEMBRANACEUS Munro. Bagácay, V.; Macalbáng, V.

DENTELLA REPENS Forst. (*Rubiaceæ.*) A small, weak, prostrate annual with white flowers.
Dílang-butiquí, T.; Dílan-butiquí.

DERRIS. (*Leguminoseæ.*) Climbing woody vines.
Bagáybay, T.; Balúgai.

D. SCANDENS Benth. Malasága, T.

D. SINUATA Benth. Asiasímanan, T.; Bútong, V.

D. ULIGINOSA Benth. Hingasinán, V.; Hingasín, V.; Silasíla, T.

DESMODIUM. (*Leguminoseæ.*) Trees, shrubs, or herbs with jointed pods.
Malacáro, V.; Manimanían, T.; Mañgquíet, T.; Masambóng; Para-paranáhas, T.

D. LAXIFLORUM DC. A small shrub, the branches angled, pubescent.
Dócot-dócot, V.

D. PULCHELLUM Benth. A shrub, the flowers hidden in persistent distichous bracts.
Caláicai (Leyte); Calayácay, V.; Caliacay, V.; Manquít; Payang-payáng, T.

D. TRIFLORUM DC. A trailing herb, the flowers axillary.
Pacpác-láñgao, T.

D. UMBELLATUM DC. A shrub or small tree found near the sea shore.
Malapígas, T.; Malacários, Z.; Túyat-baguío, V.

DEUTZIA PULCHRA Vidal. (*Saxafragaceæ.*) A shrub with opposite leaves and white flowers.
Quetquét, Ig.

DICTYONEURA. (*Malphigiaceæ.*) Tree.
Cúbao.

DIGITARIA. (*Gramineæ.*) A slender grass with digitate infloresence, the "crab grass" of the United States.
Baludgángan, T.

DILLENIA PHILIPPINENSIS Rolfe. (*Dilleniaceæ.*) A tree with very large showy white flowers.
Catmón, T., V.

D. SPECIOSA Gilg. Malacatmón, T.; Paláti, Paláli, B.

DIOSCOREA. (*Dioscoreaceæ.*) Climbing plants, usually from fleshy root-stocks, many species being used for food. The Philippine species are very imperfectly known.

Boháyan, V.; Bódot, V.; Cairóni, T.; Cálot, Pang.; Cóbag-na-quirói, T.; Hampás tagbálang; Pológan, V.; Páquit, T.; Púgang, V.; Limalíma, T., V.; Queróe, T.; Quinampái (Cebu); Tamís, V.; Toquíng-pálo; Tuguí, T.; Toguíng, T.; Toguíng-pólo; Úbe.

D. ALATA L. Úbi.

D. BATATAS Decne. Dulían, Il.

D. DIVARICATA Blanco. Ignéma.

D. EBURNEA Lour. Banáyan, V.

D. FASCICULATA Roxb. Bolót, V.; Borót, V. Corót, V.; Culád, V.; Dalíñga, V.; Dalíñgag, V.; Tóñgo, T.

D. HIRSUTA Blume. Cálut, Pamp.; Cólot, V.; Cáyos, V.; Gáyos, V.; Orót, V.; Táquí.

D. PENTAPHYLLA Pers. Bayañgcán.

D. SATIVA L. Báong, V.; Balaícag, V.; Cóbag, T.; Dógue; Náme; Quirói, T.

DIOSPYROS. (*Ebenaceæ.*) Shrubs or trees, many species being found in the Philippines, most species having very hard dark-colored wood, and some species having edible fruit. The American persimmon belongs to this genus.

Aláhan, T.; Alántag, T.; Aráhan, B.; Ánang, T.; Bantolínon, T.; Baganíto (Morong); Baliñgágta-colorádo (Abra); Banlatináo, Pang.; Buloñguítan, T.; Busíli, Pang.; Bamtolíco, Z.; Camagahál (Morong); Calimántao, T.; Calohádiang, Pamp.; Calamansánai, T.; Cadapdáp, B.; Catelána, T.; Camónay, T.; Camayúan, T.; Coloyánang, Pamp.; Colohádia, Pamp.; Dambuhála, T.; Laguicdí, Mang.; Malagaítmon, T.; Matobató, B.; Maravícal (Morong); Marabícat, T.; Malasóro, B.; Malatálang, Pamp.; Ogáo, B.; Pagatpát, T.; Págatpágat (Laguna); Panaguítmon, B.; Tagoísmon, B.; Ugáo, B.

D. BLANCOI DC. Amága.

D. CUNALON A. DC. Cunálon, V.

D. DISCOLOR Willd. Amága, V., T.; Camagúan; Camagón, T.; Mabólo, T., V.; Malatápay, T.; Tálang, T., Pamp.

D. EBENASTER Retz. Sapóte; Zapóte.

D. EMBRYOPTERIS Pers. Tálang-gúbat, T.

D. MALACAPAI A. DC. Malacápai, T.

D. MULTIFLORA Blanco. Canómay, T.

D. NIGRA Retz. Lúyong; Lúyan, T.; Zapóte negro.

D. PILOSANTHERA Blanco. Amága, V., T.; Alintátao, T.; Apopúyot (Cagayan); Bálatinao; Bantolinao, V., T.; Batolínao (Cagayan); Bolongaéta, T.; Bolonguíta, T.; Baloñgíta; Bárlis; Baliñgácta, Il.; Dalondóng, V.; Calohádia; Caloyánang.

DIPLODISCUS PANICULATUS Turcz. (*Tiliaceæ.*) A small tree.

Banágo, T.; Balóbo, T.; Baróbo, V.; Balúbo, T.; Camilíñg; Malúbo, T., V.; Manáyao; Mulíng-mulíng, T.

DIPTEROCARPUS. (*Dipterocarpaceæ.*) All large forest trees, valuable for timber and many species producing valuable gums.

Antóng, T.; Búñga (Cagayan); Banúyo, T.; Bailáyan (Mindoro); Bayúçan, T.; Dañglín, Il.; Hagadhád; Láuan-maputí, T.

D. AFFINIS Brandis. Binagúan, V.

D. GRANDIFLORUS Blanco. Apíton, T.; Apítong, T.; Hapíton, T., V.

D. MAYAPIS Blanco. Mayápis, T.

D. PILOSUS Roxb. Hagachác, T.

D. POLYSPERMUS Blanco. Tañguíli; Tañgíli, T.

D. VERNICIFLUUS Blanco. Búlay (Batangas); Bálao, T.; Malápao; Malapáho, T.; Panáo, T.; Pánuo, T.; Pánno; Póñgo.

DITTELASMA RARAK Hook. f. (*Sapindaceæ.*) A tree.

Bayúco, V.; Cóbe; Cúbi; Dúca, V.; Guishíhan, T.

DODONAEA VISCOSA Linn. (*Sapindaceæ.*) A shrub, the leaves somewhat viscid with a shining yellow resin. Seacoast.

Alipáta, T.; Calapínai, T.; Casírag, Z.; Haguyúy (Tayabas).

DOLICHANDRONE SPATHACEA K. Sch. (*Bignoniaceæ.*) A tree usually found near the sea, with large white flowers.

Túa; Túi, T.; Tué, T.; Toi, T.; Tiúi, V.; Tanhás, V.

DOLICHOS. (*Leguminoseæ.*) Twining herbs, both species cultivated.

Quibál, T.

D. ECHINULATUS Blanco. Tútao, T.

D. LABLAB L. Búlai (Batangas); Bátao, T., V.

D. SESQUIPEDALIS L. Sílao.

DONAX ARUNDASTRUM Lour. (*Marantaceæ.*) Bában (Zamboanga); Aláro, V.; Bambán, T.; Banbán, T.; Banbóm, T.; Bayambán; Galáñga; Manbán, T.

DRACAENA. (*Liliaceæ.*) Balinúay, T.

DRACONTOMELUM. (*Anacardiaceæ.*) Trees. Malaácle (Tayabas); Malaíhao, T.

D. CUMINGIANUM Baill. Alauíhao; Batícan; Dáo, T.; Malaadúas, T.

D. MANGIFERUM Blume. Búbur; Batóan, V.; Dáo, T., V.; Lamío, T.; Malaíyao, T.

DROSERA INDICA L. (*Droseraceæ.*) Low herbs, the leaves being adapted to catching insects.

Hintipálo, T.

DUABANGA MOLUCCANA Blume. (*Lythraceæ.*) A tree found near the seashores.

Cádir; Caddíl, B.; Baligáñgan, B.; Caráuan, B.; Loctón; Lubtúb; Malabanabá, T.

DURIO ZIBETHINUS Linn. (*Malvaceæ.*) A tree found in Jolo and Mindanao, much prized for its edible fruit, the durian.

Durián; Duían; Dulían (Jolo).

DYSOXYLUM. (*Meliaceæ.*) Trees with straight, nearly unbranched trunks, the long, pinnate leaves being crowded at the top.

Agús-us (Tayabas); Balucánad, T.; Catubacúlan, T.; Diuálat-naítem; Malabayábas; Pandapánda, T.

D. ARBORESCENS Miq. Malaságuin.

D. BLANCOI Vidal. Águio, T.; Ananágtag, V.; Águiu, Pamp.; Ágin, T.; Ananángtang, V.; Bacúgan, V.; Biñgliu, V.; Basíloag, Il.; Bohâve, V.; Bolóng támbal, V.; Himámaw, T.; Ígiw, T.; Iguío, Pamp.; Mananañgtáng, V.; Malabáñgao, Pamp.; Macasíli, V.; Malabága, Pamp.; Talictán, T., Pamp.

E.

ECLIPTA ALBA Hassk. (*Compositæ.*) An erect or diffuse slender annual with small heads of white flowers.

Híguis-manóc?, T.; Tintatínta, Il.

EHRETIA. (*Borraginaceæ.*) Trees or shrubs with alternate leaves and axillary or terminal paniculate or corymbose inflorescence of small white flowers.

Bágao; Chá-cimarrón; Halimómo, T.

E. BLANCOI A. DC. Itmóng-dalága, T.

E. BUXIFOLIA Roxb. Alañgítñgit, T., V.; Aláñguit; Buyóc buyóc; Chambúndoc, T.; Mañgít; Mangúit, T., V.; Putpútay, B.

E. ONAVA A. DC. Ngañgaíta, T.; Onáva, T.

E. PHILIPPINENSIS A. DC. Macaisá, B.; Salimómo, T.; Talibóbong, V.

ELAEAGNUS LATIFOLIA L. (*Elaeagnaceæ.*) A shrub or small tree, the leaves silvery or rusty beneath.

Aliñgáro, T.

ELAOCARPUS. (*Tiliaceæ.*) Trees with simple leaves, the flowers in axillary racemes.

Birlág, T.; Calumácan, V.; Culilísiao (Tayabas); Gulilísiao (Tayabas); Hagónoy-sa-lásang, V.; Hóngo, T.; Ilóñgo, T.; Malacapí, T.

E. FLORIBUNDUS Blume. Conácon; Gusután.

E. LANCEAEFOLIUS Roxb. Calomála, T.

E. MONOCERA Cav. Malacálios.

E. MULTIFLORUS F. Vill. Tigálot, V.

E. OBLONGUS Gaertn. Cabálte, V.; Cabílte, V.

E. OBOVATUS Arn. Calunácan, V.

ELATOSTEMA. (*Urticaceæ.*) Herbs or undershrubs with alternate leaves and minute flowers.

Añgáñge, Ig.

ELEOCHARIS (*Cyperaceæ.*) Glabrous sedge-like plants with simple erect unjointed stems.

Absíc, T.; Balág-balanggótan, T.; Buslíg, Il.; Táyoc-táyoc, V.; Ubodúbod, T.

E. PELLUCIDA Presl. Gúmi-gúmi, T.

ELEPHANTOPUS MOLLIS H. B. K. (*Compositæ.*) Rigid erect herbs with scabrid leaves, the heads surrounded by leafy bracts.

Díla-díla, T.

E. SCABER L. Tabatabacáhan, T.

E. SPICATUS Juss. Ardátag, V.; Cabcáron, Il.; Dílang usa, T.; Hábul, V.; Sigáng-dágat, T.; Súmag, Pamp.

ELETTARIA. (*Scitimineæ.*) Leafy erect herbaceous plants.
Panáon, V.

ELEUSINE INDICA Gaertn. (*Gramineæ.*) Common in waste places, inflorescence digitate.
Baquisquísan; Sábong-sabóñgan, T.; Sambále, T.

EMILIA SONCHIFOLIA DC. (*Compositæ.*) An annual herbaceous plant with purple flowers, a common weed.
Líbún, V.; Tagulínao, T., Pamp.

ENGELHARDTIA. (*Juglandaceæ.*) Trees, the fruit adnate to a three-lobed bract.
Bíbit, T.; Píngol, T.

ENHALUS KOENIGII Rich. (*Hydrocharidaceæ.*) A submerged marine herb with very narrow leaves 2 to 3 ft. long.
Ísai, T.

ENTADA SCANDENS Benth. (*Leguminoseæ.*) A large woody tendril-bearing vine with jointed pods, 2 to 3 ft. long or more, 3 to 4 in. wide. The bark is extensively used as a substitute for soap.
Balógo, V., Pamp.; Balónos, V.; Bayógo, T., V., Pamp.; Gógo, T.; Góhong bácay, V., Pamp.

EPIPREMNUM MEDIUM Engl. (*Aroideæ.*) A scandent shrub, rooting on trees, with distichous pinnatifid leaves.
Amólong, Il.; Balicúpcup, V.; Bisáco, V.; Daíla, V.; Dibátib, V.; Garbán, V.; Hórog, V.; Malapacpác-baláuay, T.; Tibátib, T.; Tirbátib, V.

ERAGROSTIS PLUMOSA Link. (*Gramineæ.*) Slender tufted grasses.
Calirâorao, T.

E. TENELLA R. and S. Buguíbuc, T.

ERANTHEMUM BICOLOR Schrank. (*Acanthaceæ.*) A small shrub with entire leaves and spicate inflorescence.
Alyópyop, V.; Átay-átay, V.; Cínco-llágas; Limáng-súgat; Maladosdós, V.; Mandalúsa (Cebu); Mópio, V.; Panaptúm, V.; Quiuatulúan, T.; Silisilíhan, T.; Tíhol-tíhol, V.

ERIACHNE. (*Gramineæ.*) Slender tufted grasses.
Gúme, T.

ERIOCAULON SEXANGULARE Linn. (*Eriocaulonaceæ.*) Slender glabrous sedge-like plants, found in very wet places.
Gúmi-gúmi, T.

ERIOGLOSSUM. (*Sapindaceæ.*) Shrubs or small trees.
Calamâyo, T.

E. EDULE Blume. Dúca, V.; Malacacáo, T.; Malaságuin-putí (Tayabas).

ERIOSEMA CHINENSE Vog. (*Leguminoseæ.*) Slender, erect, 1 to 2 ft. high from a woody tuber, flowers short peduncled in the leaf axils.
Cátil, Ig.; Cutíl, Ig.; Líncamas, Il.

ERYCIBE. (*Convolvulaceæ.*) Scandent diffuse shrubs with densely hairy corolla tubes.
Malútay, T.

E. PANICULATA Roxb. Saláday, V.

ERYTHRINA INDICA Lam. (*Leguminoseæ.*) A tree with crimson flowers, much planted for ornamental purposes.

Bagbág, Il.; Búbug; Cabráb, B., T., V.; Carapdáp, T.; Casindíc, T.; Cosindíc; Dapdáp, T., V., Pamp.; Dapedápe; Selbáng; Sulbáng, Pamp.; Telbóng.

E. OVALIFOLIA Roxb. Anfi, T.; Córong-córong, V.

ERYTHROPALUM. (*Olacineæ.*) Climbing shrubs with alternate palminerved leaves.

Baliñgáyo, T.

EUGENIA. (*Myrtaceæ.*) Small or large trees with white flowers, some species with edible fruit, others valuable for timber. A very large critical genus, the Philippine species, 50 or more, very imperfectly known.

Águis, V.; Anúbing, T.; Aráñga blanco, T.; Aráñgan, T.; Aráua, B.; Bagábac, Pamp.; Bágui-lómboy; Balacánog, T.; Baligán-nin-gáñgan, B.; Balíscup (Zamboanga); Balóbac, Pamp.; Balúbat, Pang.; Bansaláguin, T.; Baranhányo, V.; Bilólo, T.; Binólo, B.; Bislót, T.; Bitbíd, B.; Cabáhoy; Cabájuy; Cabaó-y, V.; Cabítong, Pang.; Calocágo, B.; Calúbcub, T.; Calúgcog, T.; Calúpcup, T.; Caracóbbutiguí, V.; Carobcób, B.; Caróbcob-butiquí (Camarines); Colopcóp, T.; Corobcób, B.; Cúloc-cúloc, V.; Cupcúp, Pamp.; Dalocnásan, B.; Dinglás; Dinlás, T.; Dolocnásan, B.; Ductúlan, T.; Dúgan, T.; Guenáyang, T.; Guisíhan, T.; Hagáho, V.; Husuhúsu, B.; Igút, V.; Líbas; Línas, B.; Lipóte, T.; Lutúnan (Zamboanga); Mabútbot, B., V.; Macaásin; Macaásin-pulá, T.; Macásin; Macásin-muláto, T.; Malabáguis, B.; Malabáhi, B.; Malabayábas, T.; Maladúhat, B.; Malagaráyat, T.; Malarúhat, B.; Malaságing-putí, T.; Malatampóy, T.; Malatúbig, T.; Malayámbo, T.; Miágus, V.; Náñgos, V.; Paglumhúyen; Palo-dúro (Zamboanga); Palumbúyen, Pang.; Pamlombóyan, Il.; Pañghíng-búyen (Abra); Panlambúyen, Il.; Pañglombóyan, Il.; Papóñga, Z.; Potían, T.; Pulanbalát; Puso-púso, T.; Putían, T.; Salarádan, B.; Tambís; Tambít (Dinagat); Támbuháñguin, Il.; Tampúc, T.

E. CYMOSA Lam. Malarúhat-na-pula, T.

E. JAMBOLANA Lam. Fruit edible.

Dúat, T., V., Pamp.; Dúhat, T., V., Pamp.; Lombóy, T.; Lumbói, T., Pamp., V., Il.

E. JAMBOS L. Fruit edible.

Balácbac, T.; Balóbar, Pamp.; Barábag; Baracbác, Il.; Calobcób, T.; Macúpa, T.; Manzána-rósa, Sp. Fil.; Tampói, T., V.; Yámbo, T.; Yambolín; Yambósa.

E. JAVANICA Lam. Manquíl, T.

E. LINEATA Duthie. Bacánis (Zamboanga); Lági-lági, V.; Macaásin, T.

E. MACROCARPA Roxb. Darob-cób, T.

E. MALACCENSIS L. Macúpa, T., V.

E. MONTANA Blanco. Copcóp, T.; Malacaropcóp (Bataan).

E. OPERCULATA Roxb. Bárong? (Cagayan); Malarúhat, T.

E. TETRAGONA Wight. Dáua, T.

EULOPHIA ELONGATA Blume. (*Orchidaceæ.*) Terrestrial herbs.
Lóbi-lóbi, V.

EUONYMUS. (*Celastraceæ.*) Trees or shrubs.
Sárang-putí, V.

EUPATORIUM AYAPANA Vent. (*Compositæ.*) An American herb, introduced, cultivated, and spontaneous, used in the practice of medicine.
Apána, T.; Ayapána, T.

EUPHORBIA ATOTO Forst. An erect frutescent herb with abundant milky sap, common on sandy seashores.
Búto-butonísan, T.

E. NERIIFOLIA L. (*Euphorbiaceæ.*) A small erect glabrous, fleshy shrub.
Baít, T., Pamp.; Carambuáya, Il.; Léngua-de-pérro, Sp. Fil.; Sorog-sórog, T., Pamp.; Sóro-sóro, T., Pamp.

E. PILULIFERA L. A small prostrate herb, densely pubescent, much used in medicine.
Batobatónis, T.; Bolobotónes, Pamp.; Botobótones; Bóvi, V.; Buyayáva, V.; Gátas-gátas, T., V.; Golandrína, Sp.; Magátas, Pamp.; Malismalís, Pamp.; Sayícan, T.; Sisióhan, Pamp.; Sisíwhan, Pamp.; Taváva, V.

E. PULCHERRIMA Willd. Introduced from America, cultivated for ornament.
Pascúas.

E. TIRUCALLI. An erect unarmed shrub, the branches green, leafless.
Catuít, T.

EURYA JAPONICA Thunb. (*Ternstroemiaceæ.*) A shrub, the flowers small, in axillary fascicles of two each.
Bógna, V.

EURYCLES AMBOINENSIS Herb. (*Amaryllidaceæ.*) Ábod, V.; Ábud, V.; Catangál, V.; Catúngal, T.; Cósol, V.; Daúsum, V.; Panábor, V.; Talaónor, V.; Tambál, T.; Tanúal, V.; Tonuár, V.

E. SYLVESTRIS Salisb. Ábur, V.

EUSIDEROXYLON. (*Laurineæ.*) Olívas, Sp. Fil.

EVODIA. (*Rutaceæ.*) Trees or shrubs with small flowers in axillary panicled cymes.
Bánay-bánay; Cáhoy dalága, T.; Calimántao (Unisan); Camalón, T.; Malamoláuin, T.; Toncápan, V.; Túnco-túnco, T.

E. LATIFOLIA DC. Bintóco, B.; Tancápan, B.

E. MINDANAENSIS Merrill. Malíco, V.

E. ROXBURGHIANA Benth. Matáng diáblo, T.; Píras, T.

E. TRIPHYLLA DC. Balíngua, V.

EXACUM TETRAGONUM Roxb. (*Gentianaceæ.*) An erect branched herb with blue flowers.
Cánto-cánto, T.

EXCOECARIA AGALLOCHA L. (*Euphorbiaceæ.*) A small evergreen tree of the tidal forests, with alternate long petioled leaves.
Áli, Ig.; Alipáta, V.; Búta, T.; Bóta-bóta, T.; Butabúta, T., Pamp.; Díla-díla (Marinduque); Himbabáo, V., Pamp.; Lipáta, V.; Síac, V.

F.

FAGRAEA. (*Loganiaceæ.*) Trees or shrubs with opposite entire leaves.
Bujúcan (Albay); Gatásan, T., V.; Malasinóro, B.

F. CRASSIPES Benth. Cacáo-íta (Balabac).

F. FRAGRANS Roxb. Úrung (Paragua).

F. MORINDEAFOLIA Blume. Báiao, T.; Cabál, T.; Gatásan, V.; Magusáyac, V.

F. VOLUBILIS Jack. Mangasinóro, T.

FERONIA ELEPHANTUM Correa. (*Rutaceæ.*) A spinous tree with alternate leaves, with the odor of aniseed.
Ponoán, V.; Pamunoán, V.

FICUS. (*Urticaceæ.*) Shrubs or trees with milky sap, the inflorescence a hollow, fleshy, globose receptacle on the trunk, branches, or branchlets. A very large critical genus.
Aga (Nueva Ecija); Balíting payápa, T.; Bigáa, V.; Cam-máleg (Abra); Catón (Albay); Cayantón, Z.; Daláquit, V.; Esesmáya, T.; Hagosós, T.; Haguínut, V.; Hagúpit, V.; Hanéle, T.; Hauíli, T.; Hawíli, T.; Lac-há; Lagnób; Lagnúb; Lío-lío, Ig.; Lonóc, V.; Lubtób; Malaisís, T.; Maranmárang, V.; Nábo, V.; Noc-nóc, V.; Oplí, T.; Oplíng-máya (Tayabas); Pagaplacím, Il.; Paguíling, T.; Paquilíng, Pamp.; Pasácla, Il.; Pasápla, Il.; Pilén, V.; Pílic (Cebu); Ray-yaray-yá, Il.; Taguísan-bayáuag (Unisan); Taguláuay; Talícot, V.; Talícut; Talúctoc (N. Ecija); Tandadáguy; Tañgísan, T.; Tañgísang-bayúac, T.; Taquínes, V.; Teb-bég, Ig.; Tebéc; Tecbéc, Il.; Tipíg; Uplí (Tayabas).

F. AMPELAS Burm. Malaúpli; Palític.

F. ASPERA Blanco. A shrub with very harsh leaves.
Alásas, Pamp.; Is-ís, T., V., Pamp.

F. CAULOCARPA Miq. Luná.

F. CLUSIOIDES Miq. A tree, fruit red.
Baléte, T.; Balíti pulá, T.

F. CUMINGII Miq. A shrub with linear leaves.
Laíñguing, T.

F. CUNEATA Miq. Duñgárug, V.; Tañguísan-bayáuac, T.

F. GLOMERATA Roxb. A small tree with the green fruit in great masses on the trunk and larger branches, very common.
Aímit, V.; Amíson; Aymit; Tibíg, T.; Tibíg-na-laláqui, T.

F. HETEROPHYLLA L. A small shrub with green or red fruit, leaves exceedingly variable.
As-ís, T.; Uplás, Il.

F. HIRTA Vahl. Bíri.

F. HISPIDA Blanco. Agósoc, T.; Agós-os, T.; As-ís, T., V., Pamp.; Isioí-sio, T., V., Pamp.

F. INDICA Linn. A small tree with small purplish receptacles on the ultimate branches.

Balíti, T., Pamp.; Dalañguíl; Dalúguit, V.; Dayáquit; Nonóc, V.

F. LUZONENSIS Merrill. Malanánca.

F. MINNAHASSAE Miq. A tree, the fruit purplish on long specialized branches 6 to 10 ft. long, from the trunk and larger branches.

Áymit, T.; Ayúmit, T.

F. PAYAPA Blanco. Payápa, T.

F. PSEUDOPALMA Blanco. A slender unbranched shrub 10 to 15 ft. high, the large leaves all crowded at the apex of the stem, giving the plant a palm-like appearance.

Labsób; Nióg niógan, T.; Sulámiog, V.

F. QUERCIFOLIA Roxb. A small shrub with harsh, variable leaves.

Agúpit; Dayágsac.

F. RADICANS Roxb. Baléte-gapang (Marinduque).

FIMBRISTYLIS MILIACEA Vahl. (*Cyperaceæ.*) Low, tufted, grass-like plants.

Ágor, T.

F. SCHOENOIDES Vahl. Gúmi-gúmi, T.

FLACOURTEA. (*Bixaceæ.*) Trees or shrubs with toothed or crenate leaves.

Palápil.

F. CATAPHRACTA Roxb. Bitanhól, T.

F. SEPIARIA Roxb. Bitóñgol, T. Sáua-sáua, V.

FLAGELLARIA INDICA Linn. (*Flagellariaceæ.*) A long slender vine with linear parallel-veined leaves, climbing by means of the prehensile leaf tip.

Aráyan, T.; Balíñgay; Balíñgnay, T.; Baleñgúay; Balíñguay, T.; Hoág, V.; Huác, V.; Uác, V.; Yngula, T.

FLEMINGIA. (*Leguminoseæ.*) Shrubs. Lacláy-guínan, T.; Malabalátong, Pamp.; Payáñgca (Bulacan).

F. STROBILIFERA R. Br. Gan-gán, V.

FLEURYA INTERRUPTA Gaud. (*Urticaceæ.*) An annual herb with stinging hairs.

Dalámo, V.; Damóro, V.; Daodáua, V.; Lañgála, V.; Lipá, T.; Lipáñg-áso; Lipáng-castíla, T.; Lopá, Pamp.

FLUGGEA OBOVATA Wall. (*Euphorbiaceæ.*) Botólan, T.; Butúlan (Tayabas); Magaspáng, V.

FOENICULUM VULGARE Gaertn. (*Umbelliferæ.*) An aromatic, stout, smooth herb, cultivated; "fennel."

Anís, Sp. Fil.

FRAGARIA INDICA Andr. (*Rosaceæ.*) A strawberry. Daguínot, V.

FREYCINETIA. (*Pandanaceæ.*) A climbing shrub, the leaves spirally arranged.

Alásas, T.

F. INSIGNIS Blume. Malapangdán, T.

F. LUZONENSIS Presl. Pañgdán, T.

G.

GANOPHYLLUM FALCATUM Blume. (*Burseraceæ.*) Pandapánda, T.; Tapúyay, V.

GARCINIA. (*Guttifereæ.*) Trees, usually with yellow juice, with evergreen coriaceous leaves. Several species yield gamboge.

Alipáchao, Il.; Bágo-bágo, V.; Gaguinúnbang na pulá (Negros); Balúcot; Banágo, T.; Baníti, T.; Batúan, V.; Bónog (Paragua); Cavál, T.; Culambísan, B.; Dolítan-putí, T.; Gatásan dilao (Tayabas); Járas; Págla, B.; Paitán, T.; Pildís, Pamp.; Píris, T.; Tatlácanác, T.

G. CAMBOGIA Desrouss. Bágo-bágo (Bohol); Bilúcao, T.; Binúcao, T.

G. CORNEA Linn. Gatásan, T., V.; Mangostán, V.

G. COWA Roxb. Háras, V.; Sadúñgan, V.

G. DUODECANDRA Pierre. Gatásan, T.

G. MANGOSTANA Linn. Fruit edible, highly prized. The mangosteen.

Mánggis (Jolo); Manguís (Jolo).

G. OVALIFOLIA H. f. and T. Malabatóan, T.; Mangostána, V.

G. VENULOSA Choisy. Bábo-bágo (Bohol); Gatásan pulá, T.; Gúta-gámba, Macambójo (Iloilo).

GARDENIA. (*Rubiaceæ.*) Shrubs or small trees, the white flowers very fragrant.

Calanígi, V.; Tayácan, Mang.; Mayáno (Paragua).

G. OBSCURA Vidal. Caraglí, T.; Baya-bayabásan, T.; Malabayábas, T.; Pagbút, Pamp.

G. PSEUDOPSIDIUM Blanco. Malabayábas, T.; Sulípa.

GARUGA. (*Burseraceæ.*) Trees with alternate leaves and globose fleshy drupes.

Bagulíbas, T.; Bógo; Gabílo, T.; Taquíp-asín, T.

G. FLORIBUNDA Decne. Abiláo, T.; Abílo, T.; Avílo, T.; Bagó; Bío, Il.; Búgo, V., T.

GAULTHERIA. (*Ericaceæ.*) Low herbs in the mountains.

Calumíñga, Ig.

GELONIUM. (*Euphorbiaceæ.*) Evergreen glabrous shrubs or small trees.

Píli (Zamboanga).

G. GLOMERULATUM Hassk. Pañglancaén, Il.; Sañgítan?.

GEODORUM SEMICRISTATUM Lindl. (*Orchidaceæ.*) Terrestrial herbs.

Camáog, V.; Cóla, T.; Cólas, T.; Cólang-bundóc, T.; Faríqtan, T.; Lubí-lubí, V.; Níog-níog, T.

GEUNSIA CUMINGIANA Rolfe. (*Verbenaceæ.*) Shrubs or small trees.

Maguílic, T.; Sobsógan-bógo, B.

GIRONNIERA CELTIDIFOLIA Gaud. (*Urticaceæ.*) Evergreen unarmed shrubs or small trees.

Amamángpang (Albay).

GLIRICIDIA MACULATA H. B. K. (*Leguminoseæ.*) A small tree of American origin, with white or purplish flowers.

Cacahuáte, Pamp.; Cacauáte; Cúpang-bundóc, B.; Balóc-balóc, T.; Mádre-cacáo, Sp. Fil.; Maricacáo, T.

GLOBBA MARANTINA Linn. (*Scitimineæ.*) Lampúyang-ñga guinatóla; Lampúyang-ñga-mapulá, V.; Panítan.

G. PARVIFLORA Presl. Lúya-lúya-it-áyam (Iloilo); Malalúya, T.

G. STROBILIFERA Zoll. Dúlao-babáye, T.; Tamohílan, T.

GLOCHIDION. (*Euphorbiaceæ.*) Shrubs or small trees, a large and critical genus, of little or no economic importance.

Antobáng, T.; Bagáng-bagáng, B.; Bágna, T.; Balíng cáhoy, V.; Búgna, V.; Calían, T.; Carmái, T.; Dampól, T.; Malaátes, T.; Malacafé, T.; Uanuána-na-putí, B.

G. LITTORALE Blume. Cáyong, V.; Ságsa, V.

GLYCOSMIS. (*Rutaceæ.*) Shrubs.

Malamoláuin, T.

G. PENTAPHYLLA Corr. Guíñguen, T.

GMELINA. (*Verbenaceæ.*) Shrubs with showy yellow flowers.

Alípung, T.

G. ASIATICA L. Bága-báboi, T. V.; Balabaláyan, T., V.

G. VILLOSA Roxb. Bága-báboi, V.; Bohól; Talúñgun, V.

GNAPHALIUM. (*Compositæ.*) Small, herbs, found on the higher mountains.

Buquíñgan.

G. INDICUM L. Bádoc, Il.

G. LUTEO-ALBUM L. Onánat, Ig.

GNETUM GNEMON L. (*Gnetaceæ.*) Small trees or vines, rather common in forests.

Bagó, V.; Bágo-síli; Bañgál, T.; Coliát, T.; Culiát, V., T.; Itmóng-ouác, T.; Lamparáhan, T.; Malaítmo, T.; Nábo, B.

G. SCANDENS L. Biás, T.; Tóval, T.

GOMPHIA. (*Ochnaceæ.*) Glabrous shrubs or trees with yellow flowers in axillary or terminal racemes or umbels.

Bansílai, T.; Bulánan, V.

G. ANGUSTIFOLIA Vahl. Bulocánan, V.; Caranyán, V.; Postalágon; Taloctón, Z.

GOMPHRENA GLOBOSA L. (*Amarantaceæ.*) Hirsute or villous herbs with thickened nodes.

Botoncíllo, T.; Buquíñgan, T.

GONIOTHALAMUS. (*Anonaceæ.*) Small trees or shrubs with a solitary or fascicled flowers.

Lanótan, T.

G. GIGANTEUS Hook. f. and Th. Lanútan puti.

GONOCARYUM. (*Loganiaceæ.*) Malapandacáue, B.; Malasituín, Pamp.; Pamulacláquin, T.; Tañgíli (Tarlac).

G. TARLACENSE Vidal. Lúnas, T.; Lúnas-na-itím.

GORDONIA. (*Ternstroemiaceæ.*) Trees with evergreen leaves, flowers usually axillary, large.

Surán-surán, V.

G. LUZONICA Vidal. Suransurán.

GOSSYPIUM ARBOREUM L. (*Malvaceæ.*) Cotton. Several species and many varieties of cotton are cultivated in the Philippines, but little attention is given to the industry.

Búlac-na-búndoc, T.; Búlac-na-totóo, T.; Búlac-ñga-bisáya, V.

G. BARBADENSE L. Cantón; Pernambúco, Sp. Fil.

G. HERBACEUM Linn. Bálac-castíla, Pamp.; Búlac, T.; Búlag, T.; Cadába; Candába, V.; Gápas, V.; Gápas costa; Gaspás-caséra.

G. PERENNE L. Búlac-cáhoy, T.; Búlac-na-montí, T.; Búlac-na-totóo, T.

GOUANIA. (*Rhamnaceæ.*) Unarmed climbing shrubs with alternate leaves.

Leterán, T.; Pahampác, Pamp.

GRAPTOPHYLLUM HORTENSE Nees. (*Acanthaceæ.*) A glabrous shrub; the leaves purple, or sometimes variegated; commonly cultivated for ornamental purposes.

Antólang, T.; Ataiátai, T.; Balásbas, V., T.; Balásbas-malómay, T.; Morádo, Sp. Fil.; Morádong-maputí, T.; Morándong-maputi; Pásao, V.; Sarása, T.; Ternáte, T.; Yóvas, T.

GREWIA. (*Tiliaceæ.*) Shrubs or trees, more or less stellate-pubescent.

Balábo, T.; Balibágo, T.; Dáñgoy, T.; fring, T.; Lígao; Malatápay, T.

G. LAEVIGATA Vahl. Dáñgli (Tayabas); Dañglín, Il.; Danylin, T.

G. UMBELLATA Roxb. Danlóy.

G. PANICULATA Roxb. Bañgálad, V.

GUETTARDA SPECIOSA Linn. (*Rubiaceæ.*) A small evergreen tree with broadly ovate leaves and woody globose drupes, common in littoral and tidal forests.

Bagaólan, T.; Balañgígan, V.; Balibágan, V.; Banáro, T.; Calumpañgín, T.; Lagbáñgan; Malasúrut, B.

GYMNOSPORIA. (*Gymnosporiaceæ.*) Shrubs or small trees, with alternate leaves, the branches often spinescent.

Camayúan, T.; Tamaúyan-putí, Z.

G. AMBIGUA Vidal. Tamaúyan.

G. MONTANA Roxb. Malaráyap, T.

GYNANDROPSIS PENTAPHYLLA DC. (*Capparidaceæ.*) An annual herb with 5-foliate leaves and white or purplish flowers in glutinous racemes; common; used in medicine.

Apóiapayan, T.; Balabalanóyan, T.; Huláya, V.; Cínco-cínco; Silisíhan.

G. SPECIOSA DC. An American species sometimes cultivated for ornamental purposes.

Arána (Manila).

GYNOTROCHES Blume. (*Rhizophoraceæ.*) A small tree with oblong coriaceous leaves and numerous small axillary flowers.

Malaculáin-bísan, T.

C. AXILLARIS Blume. Bayasbás, V.; Doyóc-doyóc, V.

GYNURA ANGULOSA DC. (*Compositæ.*) A robust, glabrous, corymbosely branched herb, with large sessile leaves.

Sampága-del-mónte, T.

G. SARMENTOSA DC. A glabrous climbing plant.

Camáñgi, T.

GYROCARPUS JACQUINI Roxb. (*Combretaceæ.*) A tall tree with alternate long-petioled leaves, the nut bony, crowned by the elongate spathulate calyx lobes; common near the seashore.

Hanúgdong, T.; Lapolápo, Il.

H.

HABRANTHUS. (*Amaryllidaceæ.*) Ájos-ájos ñga mapotí, V.

H. VERSICOLOR Herd. Lírio, T.

HARPULLIA ARBOREA Radlk. (*Sapindaceæ.*) Shrubs or trees.
Magálat.

H. BLANCOI F. Vill. Ioás, T.; Póas, T.; Púas.

HARRISONIA BENNETII Benth. and Hook. f. (*Simarubiaceæ.*) A glabrous shrub with short recurved spines in the lower parts of the branches, and pinnate leaves, used in medicine.
Asímao, T.; Bacúit, Pang., T.; Cámot-púsa, T.; Camúñgui (Zamboanga); Laíya; Mamaguél, T.; Muntáni, V.

HEDYCHIUM. (*Scitimineæ.*) Herbaceous plants with distichous oblong or lanceolate leaves.
Bánai, V.

H. CORONARIUM Koenig. Bánay, V.; Catcátan, V.; Catótang, V.

H. HASSELTII Blume. Banáoag, V.

HELICIA CUMINGIANA Presl. (*Proteaceæ.*) Trees or shrubs with alternate leaves, the flowers in terminal or axillary racemes.
Olét, Ig.

HELICONIA. (*Scitimineæ.*) Agótai, V.; Agútai, V.

HELIOCONIOPSIS AMBOINENSIS Miq. (*Scitimineæ.*) Manalísid, V.

HELICTERES. (*Sterculiaceæ.*) Trees or shrubs, more or less stellate-pubescent, with simple leaves and axillary solitary or fasicled flowers.
Búntut-úsa, V.; Paronápin, Il.

H. SPICATA Colinb. Báquin-baquít, Il.; Bóntot-usá, V., T.; Dañglíng-áso, V., T.; Talósan, T.

HELIOTROPIUM INDICUM Linn. (*Borraginaceæ.*) A low herbaceous plant with densely flowered spicate inflorescense. A common weed, used in the practice of medicine.
Cábra-cábra, V.; Cámbra-cámbra, V.; Contíng-cotíñgan, T.; Cóting-cotíñgan; Hilalay-ón; Himlalay-ón, T.; ícog-ícog-sang-cuti, V.; Trompalipaútc, V.

HEMIGRAPHIS REPENS Blanco. (*Acanthaceæ.*) An herb with opposite leaves, the flowers sessile in heads or spikes.
Pálad-pálad, V.

HEMIGYROSA. (*Sapindaceæ.*) Trees with alternate abruptly pinnate pallid leaves.
Malacaúyan, Z.

H. CANESCENS Thw. Manuñgbága, V.; Sálab, T.; Sálag.

HENSLOWIA. (*Santalaceæ.*) Parasitic shrubs with spreading, erect, or twining branches, alternate thick leaves, and minute flowers.
Camíin, Z.

HEPTAPLEURUM. (*Araliaceæ.*) Large shrubs or trees, glabrous or tomentose, with digitate leaves.
Carancán, V., B.; Taguílma.

H. CAUDATUM Vidal. Limalíma, T., V., Pamp.; Limolímo, T.

H. SUBULATUM Seem. Calangcáng, V.

H. VENULOSUM Seem. Caraŋgcány, V.; Cayaŋgcán, V.; Galámai-ámo, T., V.; Tuglíma, V.

HERITIERA LITTORALIS Dry. (*Sterculiaceæ.*) A small tree with oblong leaves, white beneath, and oblong, woody, boat-shaped fruits, 2 to 4 inches long. Common along the seashore.

Duŋgón-láte, T.; Dúŋgon, T., V.; Dugón-láte, T.; Dongón, T.; Dúŋgun, T., V.; Liosín (Zambales); Maladúŋgun, T.; Malarúngon, T.; Palonápoy, Z.; Paronápin, Il.; Paluŋgápoy, Il.

HERNANDIA PELTATA Meissn. (*Hernandiaceæ.*) A tree with rounded-ovate acute or obtuse peltate leaves, common on the seashore.

Coloncógon, B.; Malataŋgan-táŋgan, B.; Tábag.

HETEROPOGON CONTORTUS Roem. and Schult. (*Gramineæ.*) A tufted grass.

Tigbáo, V.

HETEROSTEMMA CUSPIDATUM Decne. (*Asclepiadaceæ.*) A twining, nearly glabrous shrub.

Biniguásan, T.

HIBISCUS. (*Malvaceæ.*) Herbs, shrubs, or trees, with usually showy flowers.

Cayaŋgarósa, Il.; Lanótan-itím; Malibágo, T.; Malubágo, B.; Sapénot, T.; Sapínit, V.

H. ABELMOSCHUS L. An annual hispid herbaceous plant with yellow flowers and polymorphous leaves.

Cástio, T.; Cástio-castiógan, T.; Castiógan, T.; Cásto-castolían, Pamp.; Castóli, T.; Castúli, T.; Castúli, T.; Dalúpan, T.; Ducúm, V.; Marapóto, V.; Maricúm, V.; Maropóto, V.; Marucúm, V.; Putucán, T.

H. SURATTENSIS Linn. A weak-stemmed trailing plant, the stem with recurved prickles, the flowers yellow with a dark-colored center.

Lábog, V.

H. GREWIAEFOLIUS Hassk. Lanótan, T.

H. MUTABILIS Linn. A small tree without prickles, the flowers pink or white, turning red at night, cultivated for ornament.

Mapolá.

H. ROSA-SINENSIS L. A shrub with ovate acuminate leaves and large red flowers. Commonly cultivated for ornament.

Antoláŋgan, T., V.; Arogánan, T., Pamp., V.; Cayága; Cayáŋga, T., V., Pamp., Il.; Gomamíla, T., V., Pamp.; Gumaméla; Tapoláŋga, T., V., Pamp.; Tapulága; Tapuráŋga, V.; Tarocáŋga, T., V., Pamp.

H. TILIACEUS L. A much-branched tree with cordate leaves and yellow flowers, common near the seashores.

Balabágo, V.; Balibágo, T., Pamp.; Malabágo, V.; Malabáyo; Raquíndi, Pamp.

HIPPEASTRUM. (*Amaryllidaceæ.*) Bácong, T.

H. MINIATUM Herb. Talicorán, T.

HIPPOCRATEA OBTUSIFOLIA Roxb. (*Celastraceæ.*) A climbing shrub, the young branches often quadrangular.

Tatlóng-pálad, T.

HOLARRHENA. (*Apocinaceæ.*) Trees or shrubs with opposite leaves and white flowers in many flowered corymbose cymes.
Guíñguin, T.

H. MACROCARPA Hassk. Ginguíu, T.; Malayantóc, T.

HOMALANTHUS. (*Euphorbiaceæ.*) Glabrous trees or shrubs.
Bútañg gúbat, T.

H. FASTUOSUS F. Vill. Leaves peltate.
Balánti, T.; Balánti, V.; Bótang-gúbot, T.

HOMALIUM LUZONIENSE F. Vill. (*Samydaceæ.*) A tree with alternate leaves and small hairy flowers in slender racemes.
Aráñga, T.

H. PANAYAMUM F. Vill. Ampupúyot, V.

H. VILLARIANUM Vidal. Cuéla.

HOMALOCENCHUS HEXANDRUS O. Ktze. (*Gramineæ.*) A slender grass, commonly cultivated in paddies near Manila for forage.
Bárit, T.; Búñgalon, V.; Zacate Sp.

HOMALOMENA. (*Aroideæ.*) Herbs.
Alipáyo, V.; Alipáyong, V.; Bíga, T.

H. MIQUELIANA Schott. Capaláuan, V.; Paláo-an, V.

HOMONOIA RIPARIA Lour. (*Euphorbiaceæ.*) A small shrub with the appearance of *Salix*, very common along river banks, bars, etc.
Agóy-oy, T.; Agúcuc, T.; Balánti, T.; Dumánai, T.; Lumánai, T.; Lumanája; Mayágos, V.; Mayóyos, V.; Miágos, V.; Mímbre.

HOPEA. (*Dipterocarpaceæ.*) Large forest trees with winged fruits, valuable timber trees.
Baliút, Pang.; Bañglés, Il.; Barincucúrong, Il.; Cúliot, Pang.; Dinglás?, Il.; Garoñgón?, Cag.; Ginlagáse (Mindoro); Sambulúan (Mindoro).

H. PHILIPPINENSIS Dyer. Baguitárim, T.

H. PLAGATA Vid. Banútan (Nueva Viscaya); Cáliot, Pang., Il.; Iácal, T.; Saplúñgan, T.; Sapolóñgan, T.; Síggay, Il.; Paína, T.; Yácal, T.

HOYA. (*Asclepiadaceæ.*) Twining pendulous shrubs with milky sap, the flowers in umbels, the leaves coriaceous.
Quenaluscús, T.

H. DIVERSIFOLIA Blume. Balíc-balíc, T.

H. MULTIFLORA Blume. Cápal, T.; Dapóng-bába, T.; Mangágao, V.

HYDNOCARPUS HETEROPHYLLA Blume. (*Bixaceæ.*) Tree.
Butúñg-manóc, B.

HYDNOPHYTUM. (*Rubiaceæ.*) Epiphytic glabrous shrubs, with opposite leathery obtuse leaves, the swollen base inhabited by ants.
Bang-háy, V.

HYDRILLA. (*Hydrocharideæ.*) Submerged leafy dioecious herb, forming large masses in still or slowly running waters.
Ináta, T.

H. VERTICILLATA Casp. Lómot-lomótan, T.

HYDROCOTYLE ASIATICA L. (*Umbelliferæ.*) A low prostrate herb used in medicine.
Taguíp sóso; Taquíp-cóhol, T.; Taguíp-cúhol; Taquíp-súso, T.; Yáhon-yáhon, V.

HYGROPHILA SALICIFOLIA Nees. (*Acanthaceæ.*) Herbs with opposite leaves and bluish flowers.

Cáñgon-cáñgon, T.; Mamític, T., V.

HYMENOCALLIS. (*Amaryllidaceæ.*) Ájos-ájos ñga mapotí, V.

HYMENODICTYON. (*Rubiaceæ.*) Trees or shrubs with thick branches and bitter bark.

Haligáñga, T.; Haligáñgo, T.

H. EXCELSUM Wall. Leaves ovate, pubescent, panicles large, often drooping.

Cucún-banúc (Masbate); Huligáñga, T.

HYPOESTES (*Acanthaceæ.*) Herbs or shrubs with entire or toothed leaves.

Aguibágan (Cagayan); Dílan-áso, T.

H. LAXIFLORA Nees. Branches herbaceous, diffuse, minutely pubescent; corolla pink or white.

Cumbár, Pamp.; Pansipansí, T.

H. FRANQUEVILLEI Miq. Cogón-cógon, T.

HYPTAGE MADABOTA Gaertn. (*Malphigiaceæ.*) Climbing or suberect shrub; flowers fragrant; fruit winged.

Comimpól, V.

HYPTIS BREVIPES Poir. (*Labiateæ.*) An erect annual, flowers in heads ½ inch in diameter.

Combarcombáran, T.

H. CAPITATA Jacq. Combarcombáran, T.; Liñgalinñgáhan, T.; Palapaságui, V.; Turucán, T.

H. SUAVEOLENS Poir. Flowers blue, plant aromatic, very common.

Lóco-lóco, V.; Pansipansían, T.; Sóob-cabáyo, T.

I.

ICHNOCARPUS FRUTESCENS R. Br. (*Apocinaceæ.*) An extensive climber with variable leaves and rusty-pubescent axillary and terminal cymes.

Copralín, T.; Hinguío, T.

I. OVATIFOLIUS A. DC. Hipgíi, V.; Sadác, Ig.

IGUANURA. (*Palmæ.*) Slender unarmed palms.

Casibainláng (Paragua); Lumbiác (Tayabas).

ILEX. (*Ilicineæ.*) Shrubs or small trees with alternate simple glossy, often spinous, leaves.

Talotó-on (Benguet).

ILLIPE. (*Sapotaceæ.*) Trees with milky sap.

Tagátoi, T.

I. BETIS Merrill. A large tree, the timber of much value.

Bacáyao, Pang.; Banítí, B.; Bétis, T., Pamp.; Bétis laláque, T.; Bítis, T.; Pagpágan, Cag.; Paílan; Pappágay, Cag.

IMPATIENS BALSAMINA L. (*Geraniaceæ.*) A succulent glabrous or pubescent herb with rose-colored flowers, commonly cultivated for ornament.

Camantígui, T., Pamp.; Solóñga, V.; Suráñga, V.

IMPERATA ARUNDINACEA Cyrill. (*Gramineæ.*) A perennial grass 1 to 3 ft. high with narrow silvery-silky panicles; common.
Balíli, Pamp.; Císca cógon, T., V., B.; flib, Pamp.

INDIGOFERA. (*Leguminoseæ.*) Small undershrubs, the source of the dye indigo.
Tágum-tágum, V.; Táyum, T.

I. ANGUSTIFOLIUS L. Táyon-táyon.

I. TEYSMANNI Miq. Balabalatúñgan, B.; Tágum, V.

I. TINCTORIA L. Añil, Sp. Fil.; Tágum, V.; Tágung, V.; Tayáng-tayúñgan, B.; Táyom, T.; Táyung, Pamp.

IPOMOEA. (*Convolvulaceæ.*) Twining, usually herbaceous vines, with large, usually white or pink flowers.
Báguin-castíla, T.; Cebólli-cebollísan, T.; Halobagbúg, T.

I. BATATAS L. The sweet potato.
Camóte, Sp. Fil.; Tigsí, V.

I. BONA-NOX Linn. Calacamóte, V.; Camocamotíhan, T., V.; Malacamóte, V.

I. HEDERACEA Jacq. Cultivated for ornament and spontaneous; flowers pale blue, turning pink.
Bulacán, T.

I. MARIANENSIS Chois. Tuguí-tuguían, T.

I. MURICATA Jacq. Tunquín.

I. PANICULATA R. Br. Hímag, V.; Puntaspuntás, T.

I. PELTATA Choisy. Bulacán, T.; Búlac-bulácan.

I. PES-CAPRAE Roth. Flowers purplish; common on sandy seashores.
Arodáyday, T., B.; Bagasóa, T., V.; Canígang, T., V.; Cátang-cátang, T.; Cátang-cátang, T., B.; Darípay, T., B., V.; Lagáyrai, T., B.; Lampayóng, T., B., V.; Lambayóng, T., B., Il.; Pólang-pólang (Iloilo).

I. PES-TIGRIDIS Linn. Malasandía, V.; Salasandía, V.

I. QUAMOCLIT L. Flowers crimson, leaves incised. Introduced from America, cultivated for ornament and spontaneous.
Ágao; Agóho, T., V.; Malabocbóc.

I. REPTANS Poir. Common in stagnant water and very wet soils.
Cañgcóng, T., Pamp.; Tancóng, V.; Táñgcong, V.

ISCHAEMUM CILIARE Retz. (*Gramineæ.*) A low grass.
Tinitrígo, T.

ISOLEPIS BARBATA R. Br. (*Cyperaceæ.*) A small tufted grass-like plant, common on sandy seashores.
Culílis, T.

ITEADAPHNE CONFUSA Blume. (*Lauraceæ.*) Malabóñga, T.

IXORA. (*Rubiaceæ.*) Shrubs or trees with white, pink, or red flowers in corymbose cymes.
Baguír, Il.; Balái-tocác, Ig.; Balináonao (Unisan); Bantána; Bislís (Tayabas); Dúhat-manóc, T.; Malaígot, B.; Pamayugsúcon; Quintasín, B.

I. AMBOINICA DC. Lipatát-gúbat, B.

I. COCCINEA L. A shrub, frequently cultivated for ornament.
Santán, T.; Taŋgpúpo, V.

I. FULGENS Roxb. Tahód-ŋga-ilâhas, V.

I. LANCEOLARIA Coleb. Alipóong, V.

I. MACROPHYLLA Bartl. Bágo-bágo.

I. STRICTA Roxb. Ás-as, T.; Santa Ana; Santán, T.

J.

JASMINUM. (*Oleaceæ.*) Scandent or erect shrubs with very fragrant white flowers.
Muráon-baloŋgón (Iloilo); Ubáldo, Z.

J. LUZONIENSIS Vidal. Siŋgítan, Ig.

J. MARIANUM DC. Laióc-laióc, V.; Silisíli, T.; Siŋgculcúgos, T.

J. SAMBAC Ait. Commonly cultivated for ornament.
Capópat visaya, V.; Campópot, Pamp.; Culátai, Pamp.; Húbar (Balabac); Manúl, V.; Poúgso, Pamp.; Sampága, T.; Sampágang, Pamp.; Sampaguíta.

JATROPHA CURCAS L. (*Euphorbiaceæ.*) A small shrub, introduced from America and commonly cultivated for a hedge plant. The seeds yield a purgative oil.
Bolóng-cáuit; Casla, V.; Tatatabá, T.; Tavatáva, Il.; Tawatáwa, Il.; Túba.

J. MULTIFIDA L. Differs from the preceding in its incised leaves.
Maná, T., Il.

JUSSIAEA REPENS L. (*Onagraceæ.*) A creeping herb in very wet soils with small white flowers.
Cangcóng-dápo, T.

J. SUFFRUTICOSA L. An erect herb with 4-parted yellow flowers.
Balácbac, T.?; Malapáco, T.; Malapóco, T.

JUSTICIA. (*Acanthaceæ.*) Herbs or shrubs; flowers sessile or nearly so in spikes or panicles.
Báto (Balabac); Morádong; Morádong-maputí, T.

J. DICHOTOMA Blume. Dalaóra, V.

J. GENDARUSSA L. A shrub, 3 to 5 ft. high, corolla white or rose, with purplish spots.
Bunláo, V.; Capanitúlot, T.; Paritúlot, T.

K.

KAEMPHERIA GALANGA L. (*Scitimineæ.*) Cósol, V.; Cuísol, V.; Cúsol, Pamp., V.; Cúsul, V.; Dósol, Z.; Dúso, T.; Dúsul, T.; Guísol, T.; Guísul, V.; Quísol, V.

KALANCHOE LACINIATA DC. (*Crassulaceæ.*) Succulent, erect herb, with laciniate leaves.
Catacatacá, T.; Siemprevíca, Sp. Fil.

K. SPATHULATA DC. Leaves spathulate-oblong, crenate.
Caritána, V.

KAYEA PHILIPPINENSIS Planch. (*Guttiferæ.*) A tree.
Malaguinísan, V.

K. RACEMOSA Pl. and Tr. Guisían, T.

KIBARA CORIACEA Perk. (*Monimiaceæ.*) A tree.

Malatambís; Púlub (Zamboanga).

KLEINHOVIA HOSPITA L. (*Sterculiaceæ.*) A tree with palminerved leaves, lax paniculate infloresence, and inflated membraneous capsules. The bark yields a strong bast fiber.

Bignón, Il.; Bítang; Bitnóg, Il.; Bitnón; Bitnóng, Il.; Hamitanágo, V.; Pampár; Panampát, Pamp.; Tan-ág, T., V.

KOORDERSOIDENDRON PINNATUM Merrill. (*Anacardiaceæ.*) A tree with pinnate leaves, tufted at the ends of the branches; yields a valuable timber.

Ambogués; Amoguís, T.; Amuguís, T., V.; Calumánog, V.; Mangatólay?; Palosánto, T.; Muguís; Sambalabúan; Sambuláguan.

KYLLINGA MONOCEPHALA Rottb. (*Cyperaceæ.*) Low, tufted, grass-like plant.

Anúang, T.; Barubatónes, V.; Bolobotónes, V.; Borobotónes, V.; Bosícad, V.; Bóton-cílo, V.; Malaapólid, Pamp.; Malabotónes, V.; Mútha, V.; Sud-súd, V.; Tóbo-tóbo-láñgit, V.

L.

LAGENARIA VULGARIS Seringe. (*Curcurbitaceæ.*) A large tendril-bearing climber cultivated for its large edible, bottle-shaped fruit.

Calúbay, V.; Ópo, T.; Sícay, V.; Úpo.

LAGERSTROEMIA. (*Lythraceæ.*) Trees or shrubs with showy flowers.

Mídla, Pamp.

L. BATITINAN Vid. A tree yielding a valuable timber.

Batitínan, T.; Buguáron; Lumáti; Mañgláti.

L. INDICA L. A shrub with showy bright pink flowers, cultivated for ornament.

Melíndres (Manila). The "crape myrtle."

L. SPECIOSA Pers. A medium-sized tree with large purplish flowers. The wood is hard and durable.

Agáro, Z.; Banabá, T., V., Mang.; Macabálo, Pang.; Míttla, Pamp.; Tabáñgan, Cag.

LANSIUM DOMESTICUM Jack. (*Meliaceæ.*) A tree with pinnate leaves and sessile or subsessile flowers, cultivated for its edible fruit.

Bóboa, V.; Boocán, V.; Buláhan, V.; Lansóne, T.; Lansónes, T.; Lanzón.

LANTANA CAMARA L. (*Verbenaceæ.*) An aromatic shrub with heads of yellow, pink, or red flowers, introduced from America and now common about towns in the Philippines.

Bóho-bóho, V.; Coronítas, Sp. Fil.

LAPORTEA GAUDICHAUDIANA Wedd. (*Urticaceæ.*) Perennial herb with stinging hairs.

Apariágua, T., V.; Búlan-búlan, V.; Lasñgáton, T., V.; Liñgatón, (?); Lipá, T.; Lipáng-dóton, Pamp.; Lípay, V.

LAWSONIA ALBA Lam. (*Lythraceæ.*) A shrub or small tree with panicles of straw-colored flowers, introduced from Asia and cultivated for ornament.

Cinamómo, Sp. Fil.

LEEA. (*Ampelidaceæ.*) Shrubs or small trees with terminal corymbose cymes and red, yellow, or green flowers.

Bálam-bálam; Hára, T.; Taliantán, T.; Talostós.

L. ACULEATA Blanco. Malí-malí, T., Pamp.; Pamangquilon, V.; Panangquílon, V.

L. JAVANICA Blume. Carádat, V.; Garádat, B.; Panayañgtagón, V.; Sípitcáit; Súpit-caíg, T.

L. RUBRA Blume. Abáng abáng, T.; Caliantáñg, T.

L. SAMBUCINA Willd. Amamále, V.; Caliangtáng; Hamamále, V.; Mamále, V.

LEMNA. (*Lemnaceæ.*) Minute, floating, green, scale-like plants.

Inália, T.

LEONURUS SIBIRICUS L. (*Labiateæ.*) An erect, leafy, stout herb, the inflorescence whorled, axillary, corolla red.

Camariáng songsóng, T.

LEPIDAGATHIS. (*Acanthaceæ.*) Herbs or undershrubs, the flowers sessile, usually capitate.

Háñgut-na-babáe.

L. LUZONIAE Nees. Lipsipán, T.

LEPIDOPETALUM. (*Sapindaceæ.*) Shrubs or trees.

Díla-díla, Pamp.; Hualís, T.; Malacacáo; Ngisiñgísi, T.; Palo-négro.

L. PERROTTETII Blume. Báhay, T., V.

LEPINIOPSIS TERNATENSIS Valeton. (*Apocinaceæ.*) Tree.

Cúyon-cúyon, V.

LEPISTEMON RENIFORMIS Hassk. (*Convolvulaceæ.*) A twining herbaceous vine.

Batobató, T.; cúpit-cupit, Il.

LEPTOSOLENA HAENKEI Presl. Haguíguit, V.

LEUCAENA GLAUCA Benth. (*Leguminoseæ.*) A small shrub with globose heads of white flowers. Introduced from America and common about towns.

Ágho, V.; Santa Helena.

LEUCAS. (*Labiateæ.*) Woolly or villous herbs or undershrubs with axillary whorls of white flowers.

Maputí, T.

L. ASPERA Spreng. Carucansóli, T.; Paipaísi, V.; Pansipansí, T., V.; Paypáysi, V.; Solasolasían, T.

L. LINIFOLIA Spreng. Parnipansí.

LEUCOSYKE CAPITELLATA Wedd. (*Urticaceæ.*) A shrub or small tree, the leaves white beneath, prominently nerved.

Alaggási, V.; Alánggasi, V.; Anagási, B.; Haganási (Camarines); Lalási, Ig.; Langgási, V.; Layasín, T.; Leásin, T.

L. HISPIDISSIMA Miq. Salaguíso (Albay).

LICUALA. (*Palmeæ.*) Balátbat (Paragua).

L. ELEGANS Mart. Anáhao, T.

L. SPECTABILIS Miq. Anáhao, T., V.

LILIUM PHILIPPINENSE Baker. (*Liliaceæ.*) A lily with large white flowers found in the mountains of Northern Luzon.

Cañón, Il.; Soyósoy, Ig.

LIMNANTHEMUM CRISTATUM Griseb. (*Gentianaceæ.*) An aquatic herb with long floating stems.

Láuas, T.; Loloquísen, Il.

LIMNOPHILA GRATIOLOIDES R. Br. (*Sorophulariaceæ.*) A small herbaceous plant found in swamps and rice paddies. It has the odor of turpentine.

Ináta, T.

L. MENTHASTRUM Benth. Talatála, Pamp.; Taramhampám, T.; Taratára, Il.

L. REPENS Benth. Orégano, Sp. Fil.

L. ROXBURGII G. Don. Tála, T.

LIMNOPHYTON OBTUSIFOLIUM Miq. (*Alismaceæ.*) An erect succulent marsh plant.

Locáy?, T.

LINOCIERA. (*Oleaceæ.*) Shrubs or trees with opposite entire leaves and axillary or terminal inflorescence.

Balóc-balóc, T.; Carocsán, T.; Cayantól, Z.; Daláyat, Z.; Puténg, T.; Urután, T.

L. CORIACEA Vidal. Anátao, T.; Pulát, T.

L. CUMINGIANA Vidal. Culilísiao (Tayabas).

L. LUZONICA F. Vill. Caropsán; Guruguanábao, V.

LIPPIA NODIFLORA Rich. (*Verbenaceæ.*) An annual, creeping, much-branched herb with numerous heads of pink flowers.

Chachachaháhan, T.; Corocarcúdan, V.; Sirís-púyo, V.; Tsatsatsatsáhan, T.

LITSEA. (*Lauraceæ.*) Trees, some species being valuable for their timber.

Anónag, T.; Arána, B.; Bácan, T.; Batíno, T.; Batobató, T., V.; Bitocolíng, T.; Calaític, Mang.; Calambáe, V.; Hópong-hópong; Libácan, T.; Maguílic, Z.; Malabilúcas, T.; Malacalubcúb, T.; Malamánga, Cag.; Malapúso, B.; Malasíco, T.; Maracúlan, Il.; Márang, T.; Nolaláqui, T.; Ópong-ópong, B.; Paimaíbai, T.; Paloaí, B.; Pasasablút, Il.; Paúhan (Mindoro); Saripongpóng, B.

L. ALBAYANA Vidal. Aráhan (Albay).

L. CHINENSIS Lam. Láuat, V.; Pusopúso, T.; Sablút, Il.

L. GARCIAE Vidal. Pípi, V.

L. LUZONICA Blanco. Balíbay.

L. MAGNIFICA B. and H. Mádang, T.

L. PERROTTETII B. and H. Indáng, V.; Baticulín, T.; Baticulíng, T.

LIVISTONA. (*Palmæ.*) Anáhao, T., V.

L. PAPUANA Becc. Anáo, Pamp.; Bolóng lúyoñg, Pamp.

L. ROTUNDIFOLIA Mart. Abián, Pang.; Anaáo, Il.; Anáhao, T.; Ánan, Cag.; Báhi, V.; Bállang, Cag.; Lábig, Il.; Labindanáia?, Il.; Pálmabráva.

LOPHOPETALUM. (*Celastraceæ.*) Trees or shrubs.
Búyun (Zamboanga).

L. TOXICUM Loher. A tree, the bark used by natives to poison arrows.
Abútab.

LORANTHUS. (*Loranthaceæ.*) Small parasitic shrubs.
Basár-basár, Il.; Císip, Ig.; Gácca, Ig.; Pañglonbóyen, Ig.; Úbic-úbis, Il.

L. AMPULLACEUS L. Dapó-sa-pájo, T.

L. BLANCOANUS F. Vill. Malabáchao (Cebu).

L. PAUCIFLORUS Blanco. Binbíñguay, Il.

L. PENTANDRUS L. Mampól, V.

L. PHILIPPINENSIS Blanco. Dápo-sa-cáhuy.

L. SPICIFER F. Vill. Catúñgao, Ig.

LUCUMA MAMMOSA Gaertn. (*Sapotaceæ.*) A tree introduced from America and cultivated for its edible fruit.
Chíco-maméy; Maméy, T.

LUFFA ACUTANGULA Roxb. (*Curcurbitaceæ.*) An herbaceous vine, fruit elongate, 10-angled.
Saycúa, V.

L. AEGYPTIACA Mill. Cultivated for its edible fruit.
Patóla, T., V.

LUMNITZERA PURPUREA Presl. (*Combretaceæ.*) A shrub or small tree with crimson flowers, common along the seashore, borders of mangrove swamps, etc.
Agnáya, T.; Culási, T.; Dalúru-babáe, B.; Doblésa, T.; Libáto, T.; Libáto-pulá (Tayabas); Maóro, V.; Sagásа; Tóñog, B.

LUNASIA. (*Rutaceæ.*) Shrubs.
Cacáo-cacáuan, T.; Malalígas-na-babáe.

L. AMARA Blanco. Bonlaí, B.; Lúnas, T.; Lúnas-bundóc, T.; Macabúhai, T.; Paít, T.; Paitán, T.; Paít-paít (Zamboanga); Patan, V.; Saguít.

L. GRANDIFLORA Muell Arg. Malacacáo, T.

LYCOPERSICUM ESCULENTUM Mill. (*Solanaceæ.*) The tomato, introduced from America; cultivated and spontaneous.
Camátis, T., Il.; Tomátes, Sp. Fil.

LYCOPODIUM. (*Lycopodiaceæ.*) Pacayómcon.

LYGODIUM DICHOTOMUM Sw. (*Filices.*) Twining ferns, the stems being used by the natives in the manufacture of hats, etc.
Níto, T., V..

L. SCANDENS Sw. Nítong-putí, T.

M.

MABA BUXIFOLIA Pers. (*Ebenaceæ.*) Ebony, the wood black.
Ébano.

MACARANGA. (*Euphorbiaceæ.*) Shrubs or small trees.
Anítap, Ig.; Belúñga, T.; Bilúa, Pamp.; Bilúan-laláque, T.; Bílung, T.; Ginábang, Il.; Malabóñga, T.

M. BICOLOR Muell. Arg. Amúblit, V.; Hamíndan, V.

M. MAPPA Muell Arg. Camáisa, T.; Biláun; Biñgábing, T.; Binuáng, T.; Boñgábong, V.

M. TANARIUS Muell. Arg. Bílan, Pamp.; Binóñga, T., V., Pamp.; Binúan, T.; Bilúñga, T.; Binúñga, V.; Guinábang (Abra); Malabúñga; Mimóñga, T.; Samác, Il.; Taquípasín, T.

MAESA. (*Myrsinaceæ.*) Shrubs or small trees.
Dagang-dáng (Jolo); Palípal, T.; Patéput, T.; Patípol (Morong).

M. GAUDICHAUDII, A. DC. Solínao, T.

M. HAENKEANA Miq. Maguttáta, V.

M. INDICA A. DC. Calícot (Tayabas); Catícot, T.

M. LAXA Mez. Bagumaóniao, B.

MALACHRA BRACTEATA Cav. (*Malvaceæ.*) An annual or perennial coarsely hairy herb with angled leaves and yellow flowers.
Anábo, V.; Lábog-lábog, V.; Lapnís; Lapnís na bolohán, T.; Vocábul, T.

MALAISIA TORTUOSA Blanco. (*Urticaceæ.*) Hiñguén, T.; Malaisís, T.; Sabá, T.

MALLOTUS. (*Euphorbiaceæ.*) Shrubs or small trees.
Dáha; Mahótay, V.; Malambáng, T.

M. FLORIBUNDUS Muell. Arg. Túla-túla, B.; Túya-túya, B.

M. MOLUCCANUS Muell. Arg. Áhling, T.; Álim, T.; Áling, B.; Cáhoy dalága, T.; Taguíp-asín, T.

M. PANICULATUS Muell. Arg. Halaúmo, V.

M. PHILIPPINENSIS Muell. Arg. Fruit red, medicinal.
Apúyot, Z.; Banáto, T.; Banáto, T.; Buás, Il.; Sála, T., V.; Vúas, Il.

M. RICINOIDES Muell. Arg. Álem, Il.; Álim, T.; Alum, V.; Árum; Balacbálac, T.; Búntot-púsa, T.; Gá-ga, T.; Malaachuéte, Pamp.; Pacácal; Pacalcál, Pamp.; Pilípud, V.; Sála; Tambón-tambón (Tayabas); Tapít, B.; Taquíp-asín, T.; Tobógor, T.; Tres-púntas, Sp. Fil.; Vílos, Pamp.

MANGIFERA. (*Anacardiaceæ.*) Trees.
Malapáho, T.; Paupaútan, T.

M. ALTISSIMA Blanco. Áppan (Cagayan); Magatádi (?), Cag.

M. ANISODORA Blanco. Mánga-anís.

M. CÆSIA Jack. Balúnut; Bayúno, V.; Uáni, (Jolo).

M. FOETIDA Lour. Paopáuan T.

M. INDICA Linn. The mango.
Mampálan (Jolo); Mánga, T., V.; Mángga, T., V.

M. LONGIPES Griff. Páho, T., V.; Páho-séco (Cebu); Pájo, T.; Páo, Il.; Paopánan; Papohótan; Papónya.

M. ODORATA Griff. Pahohótan, V. T.; Páli, V.

MANIHOT UTILISSIMA Pohl (*Euphorbiaceæ.*) An erect frutescent plant from large tuberous roots. The tapioca plant.
Camóting cáhoy, T., V.

MAOUTIA. (*Urticaceæ.*) A shrub.
Aróe-mámay, B.

M. PLATYSTIGMA Wedd. Pinúan, Ig.

MARLEA BEGONIÆFOLIA Roxb. (*Cornaceæ.*) A tree.
Bagalóan, T.; Bagaólan, T.; Calumpagín, T.

MARSDENIA TAGUDINIA Blanco. (*Asclepiadaceæ.*) Tayomtáyom, Il.

M. TINCTORIA R. Br. A tall climbing vine.
Aríñgit, V.; Payanguít, V.

MELASTOMA. (*Melastomaceæ.*) Shrubs with showy purplish flowers.
Boslóg-ámo, T.; Búyong, V.; Granátes; Hantutúñgao, T.; Léñgay, T.; Malatú-ao, Cag.; Túñgao, B.

M. IMBRICATUM Wall. Agúsip, V.

M. MALABATRICUM L. Granátis, T.

M. OBVOLUTUM Jack. Boáda, Ig.; Bóta-bóta, Il.; Túnan-túnan, V.

MELIA. (*Meliaceæ.*) Trees.
Malatibí (Morong).

M. AZEDARACH L. A shrub, cultivated for ornament.
Paraiso, Sp. Fil.

M. CANDOLLEI Juss. Balagáñgo, T.; Malaíba, T.; Malongáin, T.; Maluñgáyen; Quintána, T.

M. DUBIA Cav. Bagalúga, V.

MELICOPE TERNATA Forst. (*Rutaceæ.*) A shrub.
Matáng-árao, T.

MELOCHIA. (*Sterculiaceæ.*) Herbs or shrubs.
Samác, Pamp.

M. ARBOREA Blanco. A shrub or small tree, the herbaceous portions stellate-hairy. The bark yields a strong bast fiber.
Balígnon, V.; Balítnon, V.; Banítlon; Binúñga, Il.; Malaachuéte, T.

M. CORCHORFOLIA L. An erect, much-branched herb.
Calíñgan, V.

MELODORUM FULGENS Hook. f. & Th. (*Anonaceæ.*) A large woody climber or (?) a small tree.
Amúyon; Amúyong, Pamp.

MELOTHRIA INDICA Lour. (*Curcurbitaceæ.*) A nearly glabrous climbing vine with globose fruits.
Milón-dagá, T.

MEMECYLON. (*Melastomaceæ.*) Glabrous shrubs or trees with opposite leaves and small flowers.
Anátan, T.; Díac, Pamp.; Hágon, B.; Malabahío, B.; Panaypáy; Panilóñga-báca; Sínit.

M. EDULE Roxb. Cácha; Candón, Il.; Coles, T.; Cúles, T.; Cúlis, T.; Saguinsín, V.

M. FLORIBUNDA Blume. Babágion.

M. PANICULATUM Jack. Pasaguít, T.

METROSIDEROS VERA Rumph. (*Myrtaceæ.*) Bárit, V.

METROXYLON (*Palmæ.*) Ambólong, V.; Ambúlong, V.; Sacsác, V.

MEUSA FERREA Linn. (*Guttifereæ.*) A glabrous tree with yellow flowers.
Malabocbóc, Malabucbúc (?), T.

MEZONEURUM (*Leguminoseæ.*) Robust woody, prickly climbers with bipinnate leaves and paniculate inflorescence.
Cámot-púsa, T.; Cánus-cábag, T.

M. GLABRUM Desf. Cabít-cábag, T.; Sagnít, T.; Sapnít, T., Pamp.; Síit, V.; Tugábang, V.; Ugábang, V.

MICHELIA CHAMPACA L. (*Magnoliaceæ.*) A tree with pale yellow or orange very fragrant flowers. Cultivated for ornament.
Sampác, T.; Sampáca, T.; Champáca, Sp. Fil.; Champága, T.; Tsampáca, T.

MICROMELUM. (*Rutaceæ.*) Shrubs or small trees.
Áyo-áyo; Áyu-áyu; Cáhoy dalága; Malalúpay, Pamp.; Matáares, T.; Paít.

M. TEPHROCARPUM Turcz. Bintíng-dalága, (Tayabas); Calimbahín, T.; Malacádpo, T.; Mayúmus; Paít-paít; Tulíbas, T.

MILLETIA PULCHRA Benth. (*Leguminoseæ.*) An erect tree, the branches and leaves beneath clothed with a grayish silky pubescence.
Bútong, V.

M. SERICEA W. & A. A woody climber.
Bótong, V.

M. SPLENDENS W. & A. Túbli, T.

MIMUSOPS. (*Sapotaceæ.*) Trees.
Pisangdáya, T.; Postalágon, Z.

M. ELENGI L. A tree with fragrant straw colored flowers, frequently cultivated for ornament.
Bansalágue, T., V.; Cabíqui, T., V.; Bansalágin, T.; Bansalágon, T., V.; Bársic, T.; Pasác, T., Z.; Talipópo, V.

MIMOSA PUDICA L. (*Leguminoseæ.*) A prostrate spreading plant with numerous heads of pink flowers and sensitive leaves. Introduced from America.
Damó-hía, T.; Húya-húya, V.; Macahíya, T.

MIRABILIS JALAPA L. (*Nyctaginaceæ.*) A somewhat succulent herb with white, or more often, red flowers. Introduced from America and cultivated for ornament, also spontaneous.
Guilalás, T.; Diégo-de-nóche; Gilalás, T.; Maravíllas, Sp. Fil.; Oración, Sp. Fil.; Suspíros, Sp.

MITRAGNE. (*Rubiaceæ.*) Shrubs or trees, the flowers in globose heads.
Mambóg, T.

MITREPHORA RETICULATA H. f. & Th. (*Anonaceæ.*) A tree.
Talimúrong, T.

MODECCA CARDIOPHYLLA Mart. (*Passifloraceæ.*) A shrub with long petioled cordate-ovate, acute leaves.
Salápong, T.

M. HETEROPHYLLA Blume. Melóng-ouác, T.

M. PALMATA L. Leaves glandular, palmately lobed or entire.
Binoyóc-boyóc, T.

M. TRILOBATA Roxb. Leaves three lobed.
Líbas.

MOLLUGO. (*Ficoideæ.*) Herbs.
Amargóro bábi, Pamp.; Margóso damulog, Pamp.

M. HIRTA Thunb. Prostrate, stellately wooly.
Lobío, T.

M. OPPOSITIFOLIA L. Sarsalída, T.

M. PENTAPHYLLA Linn. Malugóso, V.; Salsalída, V.

M. STRICTA L. Often a foot high, glabrous.
Malagóso, T.; Molugóso, T.

MOMORDICA BALSAMINA L. (*Curcurbitaceæ.*) A slender herbaceous vine, the rough, elongated fruit edible. Cultivated.
Amargóso, Sp. Fil.; Ampaláya, T.; Ampaléa, T.; Apaláya, T.; Apália, Pamp.; Margóso, T.; Palía, V.; Pálla, T.; Paría, Il.; Sampalía, V.

M. COCHINCHINENSIS Spreng. A large vine with ovate, muricate red fruit.
Bóyoc-bóyoc, T.; Buyóc-buyóc, T.

MONOCARPIA BLANCOI F. Vill. (*Anonaceæ.*) Cálai, T.

MONOCHORIA HASTÆFOLIA Presl. (*Pontederiaceæ.*) Aquatic herbs.
Cósol-cósol, V.; Gábi-gábi, V.; Gabínan, T.; Páyao-páyao, V.

M. VAGINALIS Presl. Calabáo, T.; Calabóa; Hiñguíon.

MORINDA BRACTEATA Roxb. (*Rubiaceæ.*) A shrub.
Abegáste, V.; Aliáma; Aníno, V.; Apátot, Il.; Apátut, T.; Bancóro, T.; Bañgcóro, T., V.; Bañgcúdo, V.; Cáhoy-dalága, T.; Cóles, T.; Cúlit, T., V.; Líno, Pamp.; Mambóg, T., V.; Níno, T. V.; Pancúdo, T. V.; Sicáleg, V.; Taliantár, Pamp.; Túmbong-áso, T.

M. CITRIFOLIA L. Bancúdo, T., V.; Bañgcúdo, V.; Líno, V.; Níno, T., V.; Tombóng-áso.

M. TINCTORIA Roxb. Halon, T.; Túmbong-áso-hápay, T.

M. UMBELLATA Linn. Túnbon-áso.

MORINGA OLEIFERA Lam. (*Moringaceæ.*) A small tree with soft white wood, white flowers, 9-ribbed capsule and winged seeds.
Balúñggay, V.; Béhen; Calúgay, T.; Calúñgai, T., V., Pamp.; Camalúñgue, Pamp.; Camalóñgay, T., V.; Dóol, V., Pamp.; Malúñgay, T., V.; Malúñgit, V., Pamp.; Malúgit, V., Pamp.

MORUS ALBA Linn. (*Urticaceæ.*) A small tree, the mulberry, introduced from Asia and occasionally cultivated.
Morál; Móras.

MOSCHOSMA POLYSTACHYUM Benth. (*Labiateæ.*) A slender, much-branched herb, 2 to 4 ft. high, the angles of the stem frequently rough.
Lodócong, Pamp.

MUCUNA ATROPURPUREA DC. (*Leguminoseæ.*) A woody climber, the pod covered with yellowish brown irritating bristles.
Nípai, V.

M. MONOSPERMA DC. A woody climber with a 1-seeded pod.
Buiquíquit, T.; Lípai, T.

M. NIVEA DC. An annual climbing vine, the pods glabrous when mature.
Calabantós, V.

M. PRURIENS DC. An annual vine, cultivated.
Lípay, V.; Nípay, T.

MUEHLENBECKIA. (*Gramineæ.*) Slender grasses.
Alupíhan, T.

MUNTINGIA CALABURA Linn. (*Tiliaceæ.*) A small tree with small edible dark fruits. Introduced from Mexico.
Cerézas, Sp. Fil.; Dátiles, Ratiles.

MURRAYA EXOTICA L. (*Rutaceæ.*) A shrub or small tree with glabrous 3 to 8 foliate leaves and small globose berries.

Banaási, Il.; Banáot, Z.; Banási, Pang.; Banáti, V., Pamp.; Bannaasi, Il.; Camuníng, T.; Camunín, V., Pamp.; Moláuin, T.; Molávin, T.

MUSA. (*Musaceæ.*) The bananas, plantains, Manila hemp, etc.

Agútay, V.; Alatánay (Cagayan); Áua, Il.; Batabía, ñga potí, V.; Búy, Il.; Canála, V.; Canára, V., T.; Culubúng, Pamp.; Lisóhan, V.; Pácol, V.; Quilalá, V.

M. PARADISIACA L. The plantain. Many varieties are recognized by the natives.

Afapúyan, (Cagayan); Afúyan, (Cagayan); Alimúquen, Il.; Anuáng, T.; Aricúndai, V.; Aricúndal, V.; Báloi, V.; Báloy, T.; Binaláton, V.; Biñgticóhol, T.; Bísco, T.; Botohán, T.; Buñgúlan, T.; Caractón, V.; Dalívi-dalága; Dinugúan, T.; Goyóran, T.; Lantúndal; Machín; Matávia, T.; Plátano, Sp.; Quinanáyan, T.; Sabáng-visáya; Ságuing, T.; Tinálong, T.

M. SAPIENTUM L. The banana. Many varieties are recognized by the natives. Probably not specifically distinct from the preceding.

Ampál, V.; Anonóo; Anuáng; Carnáte, V.; Baláñgun, V.; Baláyang, Il.; Batávia; Benticóhol, T.; Bináto, V.; Botóan, T.; Bunnéc, Il.; Butnég, Il.; Butnéng, Il.; Butúan, T.; Dinugúan; Lacatán, T.; Móco, (Iloilo); Pampáng, V.; Plátano, Sp.; Sabá, Il.; Ságing, T., V.; Tampuhíng, T; Tarnáte, V.

M. TEXTILIS Nees. The plant that produces the fiber known in commerce as Manila hemp.

Abacá, T., V.; Lánot, V.; Lanótan, V.; Págua, V.; Útta (Cag.).

MUSSAENDA. (*Rubiaceæ.*) Shrubs with yellow flowers, each flower with a large white leaf-like bract.

Bayág usá; Bota, Ig.; Búyor, V.; Tálic-haráp, (Tayabas); Tinulúangátas, T.; Tenoluáng gátos, T.

M. ANISOPHYLLA Vidal. Búyon, V.

M. FRONDOSA L. Buláclac-nañg-dalága; Matinggaín.

M. GRANDIFLORA Rolfe. Agbóy, V.; Balái-lamóc, Il.; Buyén (Balabac); Cáhoy dalága, T.; Malacafé (?), V.; Matang-áran, V.; Taba-tabá, V.; Tínga-tínga, T.

MYRISTICA. (*Myristicaceæ.*) Trees generally with hard wood. The nutmeg belongs in this genus.

Alanígni (Zamboanga); Banabanálo, T.; Bitanhól-na-babáe, B.; Carúgu, T., V.; Dugóan, B.; Durúgu, T., V.; Hindurúgu, T. V.; Láho, V.; Malacádios; Oyísan, T.; Oyóc, Ig.; Saguing-nang-cálao, B.; Támbao, T.; Ubían (Tarlac).

M. CUMINGII Warb. Dugúan, T.; Malatálang, T.

M. GUATTERIIFOLIA A. DC. Camás, (Zamboanga); Tálang-bundóc, T.; Túgan, T.

M. MINDANAENSIS Warb. Duháo, (Zamboanga).

M. PHILIPPINENSIS Lam. Anís cáhoi, T.; Anís moscáda, T.; Balintúa, (Zamboanga); Dugóan; Tálang-tálang, T.

M. SIMIARUM A. DC. Anúping, (Zamboanga); Manumbága, (Zamboanga).

N.

NARAVELIA. (*Ranunculaceæ.*) Climbing shrubs with flowers in axillary 1-flowered peduncles.

Cáuad cauásan, T.; óvai-na-pañgláo, Il.; Parápit-háñgin, T.

M. LAURIFOLIA Wall. Bánai-bánai, Il., T.; Ductúng-áhas, T.

NAUCLEA. (*Rubiaceæ.*) Shrubs or trees with white flowers in a dense globose inflorescence.

Bagarílao na itím, T.; Bancál, T.; Bancalánan, (Zamboanga); Bañgal, T.; Hambabái, V.; Himbabálob, T.; Hambálod, T., V.; Hambabáyod, V.; Lisác, T.; Magarílao, T.; Oisác, T.

N. BLANCOI Vidal. Mambóg, B.

N. GLABERRIMA Blanco. Bangcál.

N. GLABRA DC. Bagalírat.

N. OBTUSA Blume. Ambabálud, V.; Ambálod, T., V.; Babálod, T., V.; Bálod, T., V.; Hambabálod, T., V.

N. PURPUREA Roxb. Caluntíñgan-ñga-itím, V.; Caluntíñgan-ñga-muláto, V.

NEESIA ALTISSIMA Blume. (*Malvaceæ.*) A lofty tree.

Libato-na-putí, T.

NELITRIS. (*Rubiaceæ.*) Álungcágay, V.; Granátes, T.; Malatumbága, T.

NELUMBIUM SPECIOSUM Willd. (*Nympheaceæ.*) An erect, large water herb with peltate leaves and white or pink flowers.

Baíno, T.; Baynó, T.; Súcao, Il.

NEPENTHES. (*Nepenthaceæ.*) Usually climbing plants, the midrib of the leaves produced into a peduncle which bears a pitcher of various forms.

Arán-cálao, V.; Cáca, T.; Inúmang-cálo, T.; Jarríto, T.; Pichél, T.

N. ALATA Blanco. Batbatidór, Ig.; Batidór, Il.; Cadúng, Ig.; Gorgoréta, Il.; Járro, Il.

N. GRACILIS Korth. Sogonsógon, V.; Suludsúlud, V.

N. VENTRICOSA Blanco. Saludsalúd.

NEPHELIUM. (*Sapindaceæ.*) Trees, some species valued for their timber.

Apátong, T.; Ayúpag, T.; Bacálao, Pang.; Sambuálau, V.

N. GLABRUM Noronh. Alípai, T; Alípay; Alpay, T.; Alúpag, T.; Alúpay; Baccálao; Bóboa, V.; Guisían, T.; Guisíhan, T.; Lechías, T.; Tinaiñguí, T.

N. LITCHI Camb. Fruit edible.

Halópag-ámo (Tayabas); Lechía.

N. LONGANA Camb. Alípai, T.; Alpái, T.; Alúpag, T.; Alúpai, T.; Lechías, T.

NICOTIANA TABACUM L. (*Solanaceæ.*) Tobacco. Introduced from America.

Tabáco, Sp. Fil.

NIPA FRUCTICANS Wurmb. (*Palmæ.*) The leaves of this species are extensively used for the purpose of thatching houses.

Lása; Nípa, T.; Sága, Z.; Sasá, T.; Táta, Cag.

NYMPHÆA LOTUS L. (*Nympheaceæ.*) Large equatic herbs, the pond lilies.

Gávai-gávai, V., T., Pamp.; Gáway-gáway; Lávas, T., V., Pamp.; Lúnas; Talaílo, T., V., Pamp.; Túnas, T., V., Pamp.; Taláylo.

N. STELLATA Willd. Láuas, T.

O.

OCHNA SQUARROSA Linn. (*Ochnaceæ.*) A shrub or tree with alternate serrate leaves and yellow flowers.
Bansílay, V.; Basílay.

OCHROCARPUS. (*Guttifereæ.*) Trees with coriaceous leaves and axillary flowers.
Malabúnao, B.

O. PENTAPETALUS Blanco. Namacpácan, Il. (?); Pamitláin, Il.; Pamitlatín, Il.

OCIMUM BASILICUM L. (*Labiateæ.*) A strongly scented herb with pink or purplish flowers.
Bonác, V.; Calóoy, V.; Canéla, V.; Solási, T.; Sulási, T.

O. GRATISSIMUM L. Strongly scented, shrubby. Flowers yellow.
Coloncógon, V.

O. SANCTUM Linn. Strongly scented, herbaceous.
Albaháca; Balánoi, T.; Bíday, Il.; Camañge, V.; Colocógo, V.; Lócolóco, T., Pamp.

OCTOMELES SUMATRANA Miq. (*Datisaceæ.*) A tree.
Banuáng, T.; Bilúa, T.; Bilúan, T.; Binónang, T.; Binuáng.

OLAX. (*Olacineæ.*) Trees or shrubs, often scandent, sometimes prickly.
Lágu, T.

O. IMBRICATA Roxb. Scandent, unarmed, leaves ovate-oblong, racemes many flowered.
Malabáguio, T.

OLDENLANDIA DIFFUSA Roxb. (*Rubiaceæ.*) An annual glabrous diffuse annual with linear leaves.
Agúho, V.; Daníri, V.

OLEA. (*Oleaceæ.*) Trees or shrubs with small flowers in axillary or terminal panicles.
Baúso (Central Luzon); Dílan-báca, B.; Malabútong, T.; Malapúad, Pamp.

ONYCHIUM AURATUM Kaulf. (*Filices.*) A fern with finely dissected leaves, yellow beneath.
Díla-díla; Pácong-anúang.

OPHIORRHIZA. (*Rubiaceæ.*) Erect, creeping, or decumbent herbs.
Cayob-cób (Cebu).

OPILIA JAVANICA Miq. (*Olacineæ.*) A low, scrambling shrub with alternate entire distichous leaves.
Aragoíroy, V.

OPUNTIA COCHINILLIFERA Mill. (*Cactaceæ.*) A cactus introduced from America, occasionally cultivated for ornament.
Dápal, V.; Dílang-báca, T.

ORANIA REGALIS Zipp. (*Palmæ.*) A palm resembling the cocoanut palm in habit, but with numerous small globose fruits 2 inches in diameter.
Baráñgoi (Bulacan); Palindán, T.

ORCHIPEDA FOETIDA Blume. (*Apocinaceæ.*) Small tree with rather large flowers.
Bayág cambíng, T.; Bayág usá, T.; Pantóg-sang-usá, V.

ORMOSIA CALAVENSIS Blanco. (*Leguminoseæ.*) A tree, the pods with small red seeds.
Báhay, T.; Malaamúyon, T.; Malasága, T.

OROPHEA. (*Anonaceæ.*) Trees or shrubs.
Maquitarín (Tayabas); Palosánto, T.

O. ENTEROCARPOIDEA Vidal. Pañganáua, Cag.

OROXYLUM INDICUM L. (*Bignoniaceæ.*) A small tree with large pods, 3 ft. long.
Abáng abáng, T., V.; Abóng abóng, V.; Balílang oác, T.; Pincapínca, T.; Pincapincáhan, T.

ORYZA MINUTA Presl. (*Gramineæ.*) A variety of rice.
Capútol, V.

O. SATIVA L. Rice, of which many varieties are recognized by the natives.
Bígas, T.; Binambáng, T.; Bolóhan; Bolohán, T.; Dumali, T.; Lamúyo, T.; Malagquít, T.; Nilómot (Tayabas); Paláy, T.; Quinandá, T.; Tañgi, T.

OSBECKIA CHINENSIS L. (*Melastomaceæ.*) Changpárang (Angat).

OSBORNIA OCTODONTA F. Vill. (*Myrtaceæ.*) Sagása, T.

OSMELIA. (*Samydaceæ.*) A tree with alternate glabrous leaves and terminal panicles. Flowers white, tinged with red.
Lubí-lubí.

OSMOXYLON. (*Araliaceæ.*) A tree.
Níog-níog, T.

O. PULCHERRIMUM Vidal. Apálong; Apúlong, V.

OTOPHÒRA BLANCOI Blume. (*Sapindaceæ.*) A small tree.
Balináonao, T., V.; Dírig, Il.

O. SPECTABILIS Blume. Paloáhan.

OTTELIA ALISMOIDES Pers. (*Hydrocharideæ.*) A submerged fresh-water herb with rather large white flowers.
Calabáo, T.

OXALIS ACETOSELLA L. (*Geraniaceæ.*) The common sorrel. Mistaken by Philippine authors for the next species?.
Áyo, Pamp.; Cuñgí, Pamp.; Cúñgui; Darásig, V.; Lujúla.

O. CORNICULATA L. A small herb with an acid taste, flowers yellow.
Congí, Pamp.; Malabalúgbug-dágis, Pamp.; Susocayóhi, T.; Taigandóga, T.; Taiñáng-dagá; Yáyo, Pamp.

P.

PACHYRHYZUS ANGULATUS Rich. (*Leguminoseæ.*) A climbing herbaceous plant from a turnip-like tuber, which is edible. Cultivated.
Hicamás, T.; Sincamás, T.; Ticamás, V.

PAEDERIA FOETIDA L. (*Rubiaceæ.*) A climbing herbaceous vine with foetid flowers.
Cantútac, T.; Cantótai, T., Pamp.; Cantútan, T.; Cantótan, T.; Cantótay, T.; Dicúta, Maboloc., Pamp.; Lilítan, V.; Matabáng-dícut, Pamp.; Taítai, V.

PALAQUIUM. (*Sapotaceæ.*) Trees, all of which produce gutta-percha, the leaves of most species glistening beneath. Flowers on the branches below the terminal leaves.

Anúsep, T.; Calapía (Mindanao); Dulítan-pulá, T.; Macaásin-putí, T.; Malaputát, T.; Malasaputí, Pamp.; Malaputútan, T.; Rírao, B.

P. BARNESII Merrill. Leaves obovate obtuse, pubescent beneath.

Náto, V.

P. CUNEATUM Vid. Leaves small, glabrous beneath.

Anósep, T.

P. LANCEOLATUM Blanco. Bagaláñgit, T.

P. LATIFOLIUM Blanco. Leaves large, densely rusty tomentose beneath.

Alacáac, T.; Alácao, Pamp.; Alácap, T.; Pacancál, Pamp.; Pálac-pálac, T.

P. LUZONIENSE Vidal. Leaves long petioled, glabrous beneath.

Bagaláñgit, T.; Bitocolíng, T.; Dolítan.

P. OLEIFERUM Blanco. Similar to *P. latifolium*, but leaves acute, not obtuse.

Dalácan, Il.; Daracán, Il.; Malacmác, T., Pamp.

PANAX FRUTICOSUM L. (*Araliaceæ.*) A shrub 3 to 6 ft. high, with tripinnate leaves. Cultivated for ornament.

Macán, V.; Papúa, T., V., Pamp.

PANCRATIUM ZEYLANICUM Linn. (*Amaryllidaceæ.*) Ájos-ájos ñga mapotí, V.; Bácong sa Persia; Báoang-baoang, V.; Catóngal, T.; Hagobáoa, V.; Lúnas; Rósas-de-pérsia, Sp. Fil.

PANDANUS. (*Pandanaceæ.*) The "screw-pines," so called from the spiral arrangement of the leaves. The leaves are much used for the manufacture of mats, baskets, etc.

Carahúmai, T.; Pandán-sabotán, T.; Salógo, V.

P. DUBIUS Spreng. Bálio, V.; Bañgcóang-bondóc, T.; Báren, V.

P. EXALTATUS Blanco. Alásas, T.

P. FASCICULARIS Lam. Arquíg, (?) Cag.

P. ODORATISSINUS Linn. f. Láha (?) (Jolo); Paddán, Cag.; Pandán, T., V.; Pañgdán, V.; Panhácad, V.

P. RADICANS Blanco. Oláñgo, V.

P. SABOTAN Blanco. Sabotán, T.

P. SYLVESTRIS Rumph. Lalógo, V.; Lanógo, V.

PANGIUM EDULE Reinw. (*Bixaceæ.*) A tree.

Páñgi, T.; Páñgui, V.

PANICUM. (*Gramineæ.*) Coarse or fine grasses.

Bisaclát, T.; Canubsúban, T.; Cáuad-cauáran, T.; Damúng-pásig, T.; Damús-ápi, T.; Duaduáran, T.; Hagusnáy, T.; Lúya-lúya, T.; Malacauáyan, T.; Málit-calabáo, T.; Tuadtuáran, T.

P. COLONUM L. Tiribúhan, T.

P. CRUSGALLI L. The "barn-yard grass" of the United States.

Dáua-dáua, T.

P. FLAVIDUM Retz. Sabóng-sabúñgan, T.

P. INDICUM L. Sangúmay, T.

P. REPENS L. Lúya-luyáhan, T.

PARAMERIA PHILIPPINENSIS Radlk. (*Apocinaceæ.*) A woody vine with white fragrant flowers, the bark producing an abundance of milky sap, which on coagulation becomes rubber.

Búlao-búlao, V.; Dugtóng-áhas, T.; Gamót-sambáli, T.; Itíban, T.; Parogtóng-áhas, T.; Pasác; Sagíd, V.; Sagít, T.; Tagúc-tagúc, V.; Tagulâuay, T., V.; Tayulâuay (Iloilo).

PARASPONIA. (*Urticaceæ.*) Tanagdón.

PARASTOMON. (*Rosaceæ.*) Shrub or small tree.

Inoyâban.

PARINARIUM. (*Rosaceæ.*) Trees.

Alâmag, Bítai-bâlang, Pang.

PARKIA BOXBURGHII G. Don. (*Leguminoseæ.*) A large tree bearing long dark-colored pods.

Bagó-oen, Il.; Bagûen, Il.; Balây-oác, Il.; Cópang, T., Il.; Cúpang, T.

PASPALUM (*Gramineæ.*) Tufted grasses, usually found in wet places.

Paragís, T.; Sâbung-sabûñgan, T.

PAVETTA. (*Rubiaceæ.*) Shrubs or small trees.

Câhoy dalâga.

P. ANGUSTIFOLIA R. & S. Alipóong, V.

PAYENA. (*Sapotaceæ.*) Trees, yielding gutta-percha.

Lísong-insíc, T.; Lóno-lóno.

PEMPHIS ACIDULA Forst. (*Lythraceæ.*) A shrub or small tree, common along the seashore. Flowers small, white.

Bantígui, V.; Pantígui, V.; Pílit, B.

PENNISETUM NIGRICANS Miq. (*Gramineæ.*) Aguíñgai, T.

PERISTROPHE CONTORTA Blanco. (*Acanthaceæ.*) An erect spreading herb.

Sapinsapín, T.

PHÆNTHUS CUMINGII Miq. (*Anonaceæ.*) A small tree.

Bignây-pógo.

P. NUTANS Hook. f. & Th. Lanótang-itím, T.; Lanûtan itim.

PHALAENOPSIS AMABALIS Blume. (*Orchidaceæ.*) A very striking epiphytic orchid.

Dâpo-Maripósa.

PHALERIA PERROTTETIANA B. and H. (*Thymeliaceæ.*) A tree.

Salâgo, V.

PHASEOLUS CARACALLA Blanco. (*Leguminoseæ.*) A twining herbaceous vine.

Caracâlla.

P. LUNATUS Linn. A twining biennial, everywhere cultivated for its edible seeds.

Hâba, Sp.; Patâni, T., V.; Zabbâche.

P. MUNGO L. Cultivated.

Balâtong, T.; Bolâton; Móngos, T.; Mûngo. V.

P. VULGARIS DC. Cultivated.

Biríñgi, T.; Bûtiñg; Butíñga, T.

PHOEBE. (*Laurineæ.*) Evergreen trees or shrubs.

Malacâdios, T.

P. UMBELLIFLORA Blume. Malabúñga, B.

PHRAGMITES ROXBURGHII Nees. (*Gramineæ.*) A very coarse reed-like grass found in wet places.

Tambó, T.

PHRYNIUM. (*Scitimineæ.*) Hagnichíc, V.

PHYLLANTHUS. (*Euphorbiaceæ.*) Trees, shrubs, or herbs.

Ágay, T.; Ásac-tálong; Búto-butónis, V.; Carámay; Lagári; Murúgna, V.; Tañgísan-púnay, V.; Tenáan; Tináan, T.

P. ACIDUS Muell. Arg. A tree, fruit edible.

Caguínd; Calutpámo; Lañguígi.

P. DISTICHUS Muell. Arg. A tree, fruit edible, very acid.

Banquílin, T.; Bañgquíling, V., T.; íba, T., Pamp.; Layóhan, V.; Póras, V.; Ybą, T.

P. NIRURI Muell. Arg. A small herbaceous plant much used in medicine.

Hiérba de San Pédro, Sp.

P. RETICULATUS Muell. Arg. A small shrub with black berry-like fruit; very common.

Malaíba, T.; Malatínta, T.; Matáng-oláng, V.; Nípin (Zamboanga); Súñgot-oláng, V.; Tinatínan, T.; Tintatintáhan, T.

P. URINARIA L. A small herb used in the practice of medicine.

Ibaibáan, T.

PHYLLOSTACHYS BAMBUSOIDES Sieb and Zucc. (*Gramineæ.*) A bamboo.

Cauáyan-ñga-itúm, V.

PHYSALIS ANGULATA L. (*Solanaceæ.*) An herbaceous plant, common in waste places.

Asísio, V.; Camátis; Sísio, V.; Tuttullácac, T.

P. PERUVIANA L. Similar to the preceding, but the fruit edible; cultivated.

Capúli; Potocán, T.; Potóc-potocán, T.; Sísio, V.;

PICRASMA JAVANICA Blume. (*Simarubaceæ.*) A tree with large unequally pinnate leaves.

Lanéte, V.; Nális.

PIERARDIA?. (*Euphorbiaceæ.*) Shrubs or trees.

Banítlong (Zamboanga); Tincál (Zamboango).

PINUS INSULARIS Endl. (*Coniferæ.*) A pine tree found in Benguet, etc. Three leaves in a fascicle.

Alal, Ig.; Balébo, Ig.; Bariát; Báta; Bátang (Bontoc); Bébe; Bébeng; Boó-boó, Ig.; Palopíno; Párua, Il.; Ságin, T.; Sáleng, Il.

P. MERCUSII J. and de V. Pine from Zambales, two leaves in a fascicle.

Palosápis, T.; Sálong, Z.; Tapálao, Zamb.; Tapúlao.

PIPER. (*Piperaceæ.*) Herbaceous vines.

Chíleng-bundóc, T.; Litlít; Salimára, T.

P. BETLE L. The leaves of this species are chewed with the nut of the Areca palm.

Búyo, V., T.; Canísi, V.; Hojas de buyo; ítmo, V., T.; Mamín. B., T.; Mamón, V.; Póro; Sámat, Pamp.

P. CANINUM A. Dietr. Búyo-búyo (Albay); Búyo it ámo, V.; Búyo it áyam, V.; Búyo it lintí, V.; Sábią, T.

P. CORYLISTACHYON C. DC. Háras, V.; Létlet-túbuy, T.; Litbít, V.; Litlí, V.; Nápan, B.; Sañgílo, V.; Sáog, V.

P. NIGRUM L. Yields the black pepper of commerce.
Malísa, T.; Pimiénta, Sp.

P. PHILIPPINUM Miq. Pimiéntang-bundóc, T.

P. SUBPELTATUM Willd. Tabáyac (Iloilo).

PIPTURUS ASPER Wedd. (*Urticaceæ.*) A small shrub.
Alañgísi, V.; Dalonóban; Dalónot, T., Pamp.; Dalonótan, V.; Dalúnot, T.; Handalámay; Handarámai, V.; Himarámay, V.; Hindalámai, V.

PISONIA ACULEATA L. (*Nyctaginaceæ.*) A tall woody climber with axillary recurved prickles.
Digquít-digquít, T.; Pácat-áro, T.; Panácla (Bulacan); Puriquet, Il.

P. INERMIS Forst. A tree, unarmed.
Coles malúeo, T.; Malúco, T.

P. UMBELLATA Seem. A tree 40 to 50 ft. high.
Malagasáha, B.

PISTIA STRATIOTES Linn. (*Aroideæ.*) A floating stemless herb, the leaves forming an erect cup.
Alulúan, Cag.; Cayápo, V.; Loloán, Il.; Lóuan-lóuan, V.; Quiápo, T.

PITHECOLOBIUM. (*Leguminoseæ.*) Trees.
Gógo-cásay, T.; Téque, T.

P. ACLE Vidal. A large and valuable timber tree.
Ácle, T.

P. DULCE Benth. A medium or large tree now common in the Philippines, introduced from America. The fleshy aril surrounding the seed is edible.
Camanchíle, T.; Camanchíles; Camachílis, T.; Camansíle, T.; Camantirís, Il.; Camastéles; Camochíle; Camochíles, T.; Commonsíl, V.; Camonsíles, T.; Damortís, Ig.

P. LOBATUM Benth. A valuable timber tree.
Alobáhai, T.; Anagáb; Anagáp, T.; Anagát; Anaguép; Anárep, Il.; Bintíñg-dalága, T.; Culícul, V.

P. MONTANUM Benth. Anagáp, T.; Cásai, T.; Cásay, V.; Malacamonsíle, T.; Tiqués, T.

PITTOSPORUM. (*Pittosporaceæ.*) Trees or shrubs.
Bulálang, B.; Malambangcábas (Zamboanga); Mamális-babáe, T.; óte-óte.

P. FERNANDEZII Vidal. Mamális, T.

P. FLORIBUNDUM W. & A. Baluñgcanáyan, V.

PLANCHONIA. (*Myrtaceæ.*) Trees with the alternate leaves crowded at the ends of the branches. Racemes short, terminal, flowers greenish-yellow or white.
Abóbo, B.; Alitáptap, B.; Malanbán, T.; Maúban, T.

PLANTAGO EROSA Wall. (*Plantaginaceæ.*) Lantín, T.

PLECTOCOMIA ELONGATA Mart. & Blume. (*Palmæ.*) Scandent palms.
Náñga, V.

PLECTRONIA. (*Rubiaceæ.*) Unarmed or spinous shrubs, erect or climbing.
Cutcúran, T.; Subían-dagá; Sulíac-dagá, T.

P. HORRIDA H. & T. Stems with many hooked spines.
Dáyap-dáyap.

P. MOLUCCANA Merrill. Silisíli.

PLUCHEA INDICA Less. (*Compositeæ.*) A low shrub, growing in the salt marshes.
Lagúndi láti, T.; Túlo-laláqui (Iloilo).

PLUMBAGO ZEYLANICA L. (*Plumbaginaceæ.*) Herbs or undershrubs with diffuse branches, the rachis of the spike pubescent or glandular.
Bangbáng, Il.; Sañgdigéquit, T.; Talancáo, Il.; Talangcáw, Il.

PLUMIERA ACUTIFOLIA Poir. (*Apocinaceæ.*) A tree with very fragrant white flowers, introduced from America and cultivated for ornament.
Calachúchi, T.; Calasúsi, T.; Calatsútsi, T.; Calatúche, V.; Carachúcha, T.

PODOCARPUS. (*Coniferæ.*) Large trees found in the higher mountains.
Dílag-butiquí, T.; Salupísin (Bontoc).

PONOGATHERUM CRINITUM Trin. (*Gramineæ.*) A delicate grass found on damp ledges along rivers, etc.
Damúng-gúbat, T.

POGOSTEMON CABLIN Benth. (*Labiateæ.*) Herbs or undershrubs.
Çadlín, V.; Cadlóm, V.; Carlín, T.; Sároc, Ig.; Catluén, V.

P. HEYNEANUS Benth. Cablín, T., Pamp.

POINCIANA REGIA Bojer. (*Leguminoseæ.*) The "fire tree," commonly planted in the Philippines for ornamental purposes.
Arbol de fuego, Sp. Fil.

POLLIA SORZOGONENSIS Endl. (*Commelinaceæ.*) Large herbs with lanceolate leaves, the stem erect, viscid.
Lohód-lohód, V.

POLLIA THRYSIFLORA Endl. Sapílco, Ig.

POLYALTHIA. (*Anonaceæ.*) A tree.
Dalinhás, T.

P. LANCEOLATA Vid. Anólang, T.

POLYANTHES TUBEROSA L. (*Amaryllidaceæ.*) Azúcena; Nárdo (Cebu).

POLYGONUM. (*Polygonaceæ.*) Herbs with alternate entire leaves. inflorescence a spiciform or panicled raceme.
Malabalánte, T.

P. BARBATUM L. The nodes furnished with long bearded stipules.
Canubsúban, Pamp.; Subsúban, T.

POLYPODIUM. (*Filices*). A large genus of exceedingly variable ferns.
Agnáya; Dilimán (Manila); Hagnáya.

P. DIPTERIS Blanco. Cádco, Ig.; Marapáco, Il.

P. QUERCIFOLIUM L. An epiphytic fern.
Cabcáb, V.; Cabcában, V.; Cabcábun, V.; Capcápa, Il.; Góna, Pamp.; Pacpác-láuin, T.; Paipaí-ámo, T.; Tibátib, Pamp.

POLYPORUS. A genus of pore-bearing woody fungi.
Cabúti, T.

POLYSCIAS NODOSA Seem. (*Araliaceæ.*) A glabrous shrub with panicled umbels and pinnate leaves.
Biás-biás, T., V.; Biñglín, T., V.; Boñglíu, V., T.; Bonlín, T.; Buñglín, T.; Buñg-lóy, V.; Malapapáya, T., V.

POMETIA. (*Sapindaceæ.*) Tall trees with pinnate leaves and simple or panicled, elongated, slender racemes.
Cuya-quía, Z.; Quiaquía, Z.

PONGAMIA GLABRA Vent. (*Leguminoseæ.*) An erect tree with odd-pinnate leaves and woody, flattened, indihiscent pods, common near the seashore.
Balíc-balíc, T.; Balóc balóc, T.; Balót-balót (Tayabas); Báui, T.; Bayóc-bayóc, T.; Bútong, V.; Caddól.

PORTULACA OLERACEA L. (*Portulacaceæ.*) A prostrate succulent weed, the "purslane" of the United States.
Ausíman, B.; Colasíman, T.; Golasíman, T.; Olasíman, T.; Sayícan, T.

P. QUADRIFIDA L. Sayícan, T.

POTAMOGATON JAVANICUS Hassk. (*Naiadaceæ.*) Submerged water plant with floating leaves.
Lómot, T.

PÓTHOS. (*Aroideæ.*) Climbing branched shrubs, the branches rooting.
Apís, T.

P. CYLINDRICUS Presl. Hólog-ñga-isá, V.

POUZOLZIA INDICA Gaud. (*Urticaceæ.*) A slender, erect or prostrate herb with axillary white flowers.
Tuía, T.

PREMNA. (*Verbenaceæ.*) Shrubs or small trees with corymbose or panicled cymes of rather small greenish or yellowish flowers.
Adío (Tayabas); Agdáo, T.; Alága, T.; Alagáo dágat, T.; Alogbagúnit, T.; Áñghet, T.; Anoáang; Aragáo, V.; Malaápi, T.; Manabá, B.; Muláuin-áso, T.; Tanáua, T.; Úban.

P. VESTITA Schauer. Leaves softly pubescent.
Aagáo, T.; Adgáo, V.; Alagáo, T.; Algóa, T.; Anobrán, Il.; Argáo, V.; Moláuin-áso, T.; Pamúhat, V.; Tañgláy-malóto, Pamp.

PROSOPIS JULIFLORA DC. (*Leguminoseæ.*) A shrub or small tree introduced from America and now very common along the seashores in certain places. Thorns stout, flowers yellow.
Aróma, T.

PSIDIUM GUAYAVA L. (*Myrtaceæ.*) A shrub or small tree, native of America and now very common in the Philippines. The fruit is edible.
Arráyan; Bayábas, T.; Calinbagín, T.; Guayábas, Sp.; Guayábo; Guyába, Sp.; Guyábas, Sp.; Tayábas, T.

PSOPHOCARPUS PALUSTRIS Desv. (*Leguminoseæ.*) A twining herb from a large tuberous root. Pod 3 to 4 inches long. Cultivated.
Balágay, V.

P. TETRAGONOLOBUS DC. Similar, but with a pod 6 inches long or more, square, winged. Cultivated.
Calamismís, T.; Calamísmis; Camalúson, V.; Pal-lám, Il.

PSYCHOTRIA. (*Rubiaceæ.*) Shrubs or small trees.
Tatanîc, T.

P. MALAYANA Jack. Léno, T.; Sagómay; Tagpó, T.

PTERIS OPACA J. Sm. (*Filices.*) Dagábas, T., V.; Darías, T., V.

PTEROCARPUS. (*Leguminoseæ.*) Trees with yellow flowers and orbicular pods which have a rigid wing. Valuable timber trees.
Danápra; Daytánag, Pamp.; Idíao; Tagpá, C.; Udláon, T.

P. BLANCOI Merrill. Leaves acuminate, pods glabrous, wing broad, wood odorous.
Sanqué, V.; Urían, Apálit, Pamp.

P. INDICUS L. Similar to preceding species but leaves acute and wing of pod much narrower.
Agána; Antágan; Asána, T.; Daitánag, Pamp.; Nága, V.; Nárra, T., V.

P. VIDALIANUS Rolfe. Pods covered with stout spines.
Nárra pula (Unisan).

PTEROCAULON CYLINDROSTACHYUM Clarke. (*Compositæ.*) A tomentose herb with alternate decurrent leaves and sessile heads of yellow flowers.
Sambóng-galá, T.

PTEROCYMBIUM JAVANICUM R. Br. (*Sterculiaceæ.*) A tall tree, the seeds winged.
Bangót, T.; Busáin (Leyte); Dúha, (?) V.; Fañgínhan; Malasapsáp, T.; Talóto, T.; Talúto.

PTEROSPERMUM. (*Sterculiaceæ.*) Scaly or stellate-tomentose trees, with leathery oblique leaves, woody-angled capsules, and winged seeds.
Bariúan, Il.; Bayúg, V.; Bayóg-bayóg, Pamp.; Calatíñgan, T.; Cantíñgan (Mang.); Quínay-quínay, T.; Taligána, Z.

P. ACERIFOLIUM Willd. Leaves roundish or oblong, entire or coarsely toothed.
Bayóc, T.

P. BLUMEANUM Kth. Bayóc, T.; Bayóc, T.; Bayóg, T.; Bayugtín, T.

P. DIVERSIFOLIUM Blume. Leaves horary beneath, acuminate.
Bágud, T.; Baláy-báyan, Z.; Bároy; Bayóc, T.; Búñga, Cag.

P. OBLIQUUM Blume. Calocatíñgan, T.; Panaliñgáen; Tíngan-tíngan, T.

PTYCHOSPERMA PUNICEA Miq. (*Palmæ.*) Salóag, V.

PUERARIA JAVANICA Benth. (*Leguminoseæ.*) Stems twining,, covered with dense, spreading brown hairs.
Sincamás-áso, T.

P. PHASEOLOIDES Benth. Báhay, V.

PUNICA GRANATUM L. (*Lythraceæ.*) A shrub, the pomegranate, cultivated.
Dalíma (Jolo); Granáda, Sp.

PUPALIA ATROPURPUREA Moq. (*Amarantaceæ.*) A slender, erect herb, with acuminate leaves and long spikes.
Dócot-dócot, V.

PYGEUM. (*Rosaceæ.*) Evergreen trees or shrubs.
Amúgan, T.; Báhay, T., V.; Cagatúñgan, T.; Duñgón-duñgónan, T.; Guílit, T.; Luyúsin, T.; Malacmác, T., Pamp.; Malapúyao, T.; Talocnási.

P. ARBOREUM Endl. Pasác, T.

P. LATIFOLIUM Miq. Cambál.

Q.

QUERCUS. (*Cupuliferæ.*) The oaks. Many species are found in the mountain forests in the Philippines.
Babaisáan, T.; Bagmán, T.; Baymán, T.; Bayúcan, T.; Manlóab, T.; Maúring, T.; Pacnán, T.; Pañganán; Ticléb, Ig.; Uyáyan, V.

Q. BLANCOI A. DC. Uayán, T.

Q. CASTELLARANAUIANA Vidal. Pusopúso (Marinduque).

Q. JORDANÆ Lag. Paláyen, Ig.

Q. LLANOSII A. DC. Aláyan, T.; Hayópag, T.; Macabíñgao, T.

Q. PHILIPPINENSIS A. DC. Mangasiríqui (Bulacan).

Q. SOLERIANA Vidal. Cacána, T.; Oláyan.

Q. VIDALII F. Vill. Siríque.

QUISQUALIS INDICA Linn. (*Combretaceæ.*) A rambling, subscandent shrub with slender, elongated fragrant white, pink, or red flowers.
Babebábe, Pamp.; Balitádham, V.; Níog-niógan, T.; Pinónes, V.; Talólon (Marinduque); Tangálon (Marinduque); Tañgólon, T., V.; Tañgúlon, T.; Tartaráo, Il.; Tortoráoc, T.

R.

RANDIA. (*Rubiaceæ.*) Shrubs or small trees.
Bayábar áso, Pamp.; Malabacáuan, T.; Malacafé, T.; Malacárpa; Táñgo-táñgo.

R. CUMINGIANA Vidal. Palo-pálo, B.

R. DUMETORUM L. Sinampága, T.

RAUWOLFIA. (*Apocinaceæ.*) Shrubs or small trees.
Curcanéla (Albay); Lipáta, T.

R. AMSONIÆFOLIA A. DC. Maladíta, T.; Pandacáque lalaque, T.

RAPANEA PHILIPPINENSIS Mez. (*Myrsinaceæ.*) A small tree.
Calumánay, T.; Tanígad (Dinagat).

RATONIA MONTANA B. & H. (*Sapindaceæ.*) Shrubs or trees.
Guisían, T.

RHAMNUS. (*Rhamnaceæ.*) Shrubs or trees with alternate leaves and small berry-like drupes.
Bícal, Il.

R. WIGHTII W. & A. Cabatíti, T.

RHAPHIDOPHORA. (*Aroideæ.*) Amúlung, Cag.; Hólog, V.; Hótog, V.

R. MONTANA Schott. Dapóng-tibátib, T.

R. PERTUSA Schott. Dayía, V.; Mámao (Jolo); Pacpác-láuin, T.

RHAPIS FLABELLIFORMIS Ait. (*Palmæ.*) Anáhao, T.

RHIZOPHORA. (*Rhizophoraceæ.*) A constituent of the mangrove swamps. Petals, four.
Bíuas, T.

R. CONJUGATA L. Bacáuan laláqui, T.; Tóñgog, V.

R. MUCRONATA Lam. Bácao, T. V.; Bacáuan, T.; Oóñgon, Il.; Parácan, Il.; Pelótan; Pototán; Tañgál, T.; Tigasán.

RHODAMNIA GLABRA Vidal. (*Myrtaceæ.*) Small tree or shrub.
Gas-gás, V.; Guis-gúis, T.

RHODODENDRON ROSMARINIFOLIUM Vidal. (*Ericaceæ.*) Small shrubs, found on the higher mountains.
Vicbíqui, Ig.

R. VERTICILLATUM Vidal. Lopóng, Ig.

RICINUS COMMUNIS L. (*Euphorbiaceæ.*) The castor oil plant.
Lansína, T.; Liñgasína, T.; Táñgan-táñgan, T., Il.; Tavatavangsína, Il.; Tawatawasiñga, Il.

ROSMARINUS OFFICINALIS Linn. (*Labiateæ.*) The rosemary, introduced from Europe, cultivated and (?) spontaneous.
Roméro, Sp.

ROTTBOELLIA MURICATA Retz. (*Gramineæ.*) Stout coarse grass.
Timsín, T.

ROUREA. (*Connaraceæ.*) Trees or shrubs, sometimes scandent, with odd pinnate leaves and axillary paniculate inflorescence.
Ibaibán, T.

R. HETEROPHYLLA Planch. A scandent shrub with small white flowers and red capsules.
Camágsa, T.; Camágsa taguílis, T.; Camúmin, T.; Guícos guícos, T.; Gurayácan, T.; Hanmababáo, T., V., Pamp.; Magtábig, V., Pamp.; Mavindáto, V., Pamp.; Palosánto, T.; Ungáli-na-pulá, V., Pamp.

R. MULTITFLORA Planch. Malacahuc, T.

RUBUS. (*Rosaceæ.*) The raspberry. Several species are found in the Philippines; berries usually rather tasteless.
Sabnét, T.; Sapnít, T.

R. GLOMERATUS Blume. Dagámit, V.; Sapínit, V.

R. PARVIFLORUS L. Dagúinot, V.

R. ROSÆFOLIUS Smith. Sagmít, T.; Sapínit, T.

RUTA GRAVEOLENS L. (*Rutaceæ.*) A strong-smelling herb, cultivated.
Dúra, V.

RYPAROSA LONGIPEDUNCULATA. (*Euphorbiaceæ.*) Buñgánon (Tinago).

S.

SACCHARUM OFFICINARUM L. (*Gramineæ.*) The sugar cane.
Ágbo, Cag.; Caña-dúlce, Sp.; Quilalá, V.; Tubó, T.

SACCOLABIUM. (*Orchidaceæ.*) Epipyhtic orchids.
Manágo, V.

SACCOPETALUM. (*Anonaceæ.*) Trees.
Calabúyo, T.

S. LONGIPES Vidal. Dañglúc, T.; Lanútan, T.

SAGERETIA. (*Rhamnaceæ.*) Shrubs with rigid or scandent branches and very small sessile flowers.
Adadínco (Benguet).

SALACIA PRINOIDES DC. (*Celastraceæ.*) A large climbing shrub with coriaceous leaves.

Matáng-oláng, T.

SALIX AZAOLANA Blanco. (Quid?) Saúce; Tiáun, T.

SAMADERA INDICA Gaertn. (*Simarubiaceæ.*) A small tree with fleshy leaves and long peduncled many-flowered umbels.

Daráput, V.; Linatogánac, V.; Lintón-gámai, V.; Mon̄gal, T.; Manungál, T., B., V., Pamp.; Mauíng-dáto, V.; Palagárium, V.; Palágium, V.; Ponoán, V.

SAMBUCUS JAVANICA Blume. (*Caprifoliaceæ.*) A straggling shrub with corymbose inflorescence and small white flowers.

Hagónoy-sa-búquid; Saúco.

SANDORICUM VIDALII Merrill. (*Meliaceæ.*) Trees with trifoliate leaves and fleshy fruits.

Malasantól, T.

S. INDICUM L. A tree cultivated for its edible fruit.

Santól, T., V.; Santór (Zamboanga).

SANTIRIA. (*Burseraceæ.*) Balsamiferous trees with alternate trifoliate leaves.

Ábar, T.; Bólao, Pamp.; Búlao, T.; Paútan, T.

SAPINDUS. (*Sapindaceæ.*) Trees.

Atalapílpi, Z.; Báloc; Sansáli, T.

S. TURCZANINOWII Vid. Casíben, Il.; Catíguis, T.; Cosibén, Il.; Malapalítpit, Pamp.; Malapatpít; Palicpíc-píto, Pamp.; Panosibén (Tiagan); Tiquís tiquís, T.; Sausaúli.

SARCOCEPHALUS CORDATUS Miq. (*Rubiaceæ.*) A tree with globose heads of white flowers.

Bancál, T.; Bancál-cábog; Bangcál, T.; Bulála, Il.; Cábag; Cábag hambabálos, V.; Hambabálos, T.; Mabálot, T.; Nambabálos.

SAURAUJA. (*Ternstroemiaceæ.*) Trees or shrubs with the leaves approximate at the ends of the branches.

Masipón, Cag.; Panoddías, V.; Purá, B.

SAUROPUS ANDROGYNUS Merrill. (*Euphorbiaceæ.*) Binahían, T.

SCÆVOLA KOENIGII Vahl. (*Goodenoviaceæ.*) A small shrub with stout branches, tufted leaves and pale blue flowers, common on the seashore.

Balóc-balóc, T.; Bocáboc, T., V.; Bosbóron, T., V.; Bóto, T., V.; Línog, Z.; Mosborón, T., V.; Panabólong; Panabólong, T., V.; Panabúlung, V.; Pan̄gan̄gtólong, T., V.; Tagustús, V.

SCHIZOSTACHYUM. (*Gramineæ.*) A bamboo.

Balícao, V.

S. ACUTIFLORUM Munro. Bocáuay, T.; Cauáyan-bocáui; Cauáyan-osuí; Cauáyan-táyo-uánac (Tayabas).

?S. BLUMEI Nees. Cauáyan-chína.

SCHLEICHERA. (*Sapindaceæ.*) Trees.

Dapnít, Pamp.; Matamatá, B. Carabdáp.

SCHRANKIA ACULEATA Willd. (*Crucifereæ.*) Sapínit, T.

SCIRPUS. (*Cyperaceæ.*) Usually coarse rushes, growing in wet soils.
Calantípay, T.; Canubsúban, T.; Libíran, T.

S. MUCRONATA L. Balángud, T.

SCLERIA. (*Cyperaceæ.*) Slender or coarse grass-like plants, in wet soils.
Arât, T.; Baroquéboc, T.; Dáat, T.; Dát, V.; Dáut, T.; Háras, V.

SCOLOPIA. (*Bixaceæ.*) Spinous trees with alternate entire leaves.
Páyna, T.

S. CRENATA Clos. Bitanhól, T.; Bitúngol, T.

S. DASYANTHERA Benth. Sáua-sáua.

S. ROXBURGHII Clos. Agas-ás.

SCOPARIA DULCIS L. (*Scrophulariaceæ.*) A much-branched herb with numerous small white flowers, common in open places.
Chacha-chacháchan, T.; Malaanís, Pamp.; Saáng cabáyo, T.

SCYPHIPHORA HYDROPHYLLACEA Gaertn. (*Rubiaceæ.*) A glabrous tree found along the seashore with coriaceous leaves, the young branches viscid.
Manílad, T.; Nilád, T.; Nilár, T.; Pipisíc, T.; Sabása, T.

SELAGINELLA. (*Selaginellaceæ.*) Crocalásay; Dansó, T.

S. CAULESCENS Spring. Atoátong, Ig.

SEMECARPUS. (*Anacardiaceæ.*) Trees.
Angás babáe, T.?; Camíring, Il.; Lúbidlúbid, B.; Pahútan, T.

S. ANACARDIUM L. f. Anágas.

S. GIGANTIFOLIA Vidal. Leaves 3 ft. long or more, crowded at the ends of the few branches.
Malabalúbat?; Tocud-langit, T.

S. MACROPHYLLA Merrill. Leaves obovate, ½ to 2 ft. long.
Pípi, V.

S. PERROTTETII March. Alágas; Anágas, V.; Balinhásay (Abra); Búgnao; Ingás; Langas, V.; Légas, T.; Ligáas, T.; Lígas, T.; Lóngas (Cebu).

SERIANTHES GRANDIFLORA Benth. (*Leguminoseæ.*) Unarmed tree with bipinnate leaves and large yellowish flowers.
Tonóc.

SESAMUM INDICUM L. (*Pedalineæ.*) An erect herbaceous plant with white flowers, cultivated and spontaneous. The seeds yield a valuable oil, known in commerce as sesamum oil.
Lána; Láng̃a (Cag.); Langís, Pamp.; Langngá, T.; Languís, Léngnga, T.; Líng̃a, T.; Língó; Lóng̃a, V.

SESBANIA AEGYPTIACA Pers. (*Leguminoseæ.*) A shrub with pale yellow flowers.
Malacaquíos, T.

S. GRANDIFLORA Pers. A small tree with very large white flowers and slender pods a foot in length.
Catúrai, T.; Gáuay-gáuay, V.; Gáuay-gáuay ng̃a pulá, V.

SESUVIUM PORTULACASTRUM L. (*Ficoideæ.*) A succulent branching herb, found along the seashores.
Bílang-bílang, V.; Carampálit, Pamp.; Dampálit, T., V., Pamp.; Tarumpálit, T.

SETARIA GLAUCA Beauv. (*Gramineæ.*) "Pigeon grass" of the United States.
Búntot-púsa, T.

S. ITALICA Beauv. (*Gramineæ.*) Italian millet; cultivated.
Bicácao, Il.; Boróna, Pamp.; Bucácao, Il.; Dáoa, V.; Dáua, T., V.; Dáva, T., V.; Míjo (Cebu).

SHOREA. (*Dipterocarpaceæ.*) Large trees, valuable for their timber. Calyx in fruit with an obscure tube, two segments enlarged.
Alíñgad, Pang.; Banbáyan, Il.; Batitínan, T.; Binalíuan, T.; Bític, T.; Buícan, T.; Dalindíñgan, T.; Danlíg.; Dúyong, Il.; Macaásin, V.; Mangasinóro, Z.; Palosápis; Pauhápi, T.; Tañgíli, T.; Tiáui, T.

S. GUISO Blume. Catápang; Curúcat (Nueva Viscaya); Curyáo (Nueva Viscaya); Guíjo, T.; Guisíhang; Guíso, T.; Guisóc, T.; Sáray, Cag; Yambán, Il.; Zítan, Cag.

S. MALAANONAN Blume. Malaanónan, T.

S. MANGACHAPUY F. Vill. Guísong-diláo, T.

SIDA CARPINIFOLIA L. (*Malvaceæ.*) An undershrub with yellow flowers.
Escobaghába, T.; Higotbaláto, T., V., Pamp.; Pamális, T., V., Pamp.; Silhigón, V.; Wawalisán.

S. FRUTESCENS Blanco. Mamólis, T., V., Pamp.; Taquíng-báca, Il.; Taquíng-báca-báca, Il.; Uaualisín, T., V., Pamp.

S. RHOMBIFOLIA L. Báseng-báseng, V.; Eseóbang-habá, T., V., Pamp.

SIDEROXYLON. (*Sapotaceæ.*) Trees, some species yielding gutta-percha.
Acána; Dolítan-pacátan, T.; Dolótan-pulá, T.; Marumancás, T.; Marumancás-na-laláque, T.

S. BALITBITAN Blanco. Balitbítan, T.

S. CINEREUM L. Duelítan.

S. DUCLITAN Blanco. Duclítan, T.

SINDORA. (*Leguminoseæ.*) Trees.
Yácot, Z.

S. WALLICHII Benth. A tree growing near the seashore, calyx beset with soft bristle-like processes. Pod armed with stout spines.
Malapáho, T.; Manápo, B.; Paímo; Pamalalían, Cag.; Pancalían, Cag.; Súpa, T.; Yácal-diláo, T.

SMILAX. (*Liliaceæ.*) Climbing shrubs with alternate 3 to 5 nerved leaves and small dioecious flowers.
Hampás-tabálang, T.; óbat, T.; Rónas; Tighálang, T.; Uncíon.

S. CHINA L. Bánag, V. T.; Bárag, Pamp.; Úbi-ubíhan, T.

S. DIVARICATA Blanco. Himpás-lagbálang.

S. INDICA Vitm. Banágan, V.; Camágsa, T.; Oláng, T.

S. LATIFOLIA Blanco. Sípit-olág.

SOLANUM. (*Solanaceæ.*) Herbs, shrubs, or small trees, spinous or unarmed. Fruit a berry.
Talampáy, T.; Talóñgon, T.

S. FEROX L. Tagútong, V.; Tálong-gúbat, T.; Tarambólo, T.

S. MELONGENA L. The egg plant, cultivated.
Tálong, T., V.

S. NIGRUM L. A common weed with small black berries, used in medicine.
Bolagtáb, V.; Camacamatísan, T.; Cónty, T.; Cúnti, T.; Cúti, B.; Gamagamatísan, T.; Hulablúb, V.; Lagpácum, V.; Lubí-lubí, T., V., B.; ónti, T.

S. SANCTUM L. Tálañgbúlo, T.; Tánñgan-tánñgan, T.

S. TUBEROSUM L. The potato, cultivated in the mountain regions.
Pápas; Patátas, Sp. Fil.

S. VERBASCIFOLIUM L. Nóog-nóog (Cebu); Tabáco tabacóhan; Ung-áli, V.

SONNERATIA PAGATPAT Blanco. (*Lythraceæ.*) Tree, growing in and on the borders of mangrove swamps, with broad leaves and rather large flowers.
Bunáyon; Buñgálun, V.; Dalúru-laláque, B.; Pagatpát, T., V., B.; Palápad, T.; Palatpát, T.

SOPHORA TOMENTOSA L. (*Leguminoseæ.*) A small tree with leaves densely tomentose beneath and yellow flowers. Common on the seashores.
Bañgíl, T., V.; Baraumáran, T., V.; Cabaicábai, T., V.; Cáuai, T., V.; Guíson, T., V.; Mangúyao, B.; Mantála, T. V.; Olaómag, T., V.; Pañgaláñgan, T., V.; Rocnóhan, T., V.; Sandalaitán, T.; Tambalaguísai, T., V.; Tambalísa, T., V.; Yábag, T., V.

SORGUM VULGARE Pers. (*Gramineæ.*) Cultivated, "sorghum."
Bátad, V.

SPHÆRANTHUS AFRICANUS L. (*Compositæ.*) A low annual, the branches winged, whole plant fragrant, a weed in waste places.
Talababáco, V.

S. INDICUS L. Differing from the preceding in its toothed wings of the branches and other characters.
Sambóng-galá, T.

SPHENOCLEA ZEYLANICA L. (*Campanulaceæ.*) An annual erect herb with axillary and terminal spikes, common in rice paddies, swamps, etc.
Silisilíhan, T.

SPILANTHES ACMELLA L. (*Compositæ.*) An annual erect or ascending herb with solitary or panicled heads. Much used in medicine.
Agónoi, V.; Hagónog, T.; Hagónoi, T.; Palúnag; Palúnai, Pamp.

SPINIFEX SQUARROSUS L. (*Gramineæ.*) A very coarse trailing grass with spherical, spiny inflorescence; very common on sandy seashores.
Báqui-báqui, V.; Damón-dágat.

SPONDIAS MANGIFERA Wall. (*Anacardiaceæ.*) A glabrous tree cultivated for its edible fruit.
Alubíhod, V.; Alubíhon, T.

S. PURPUREA L. Similar to the preceding, introduced from America.
Cirúllas Sirihúelas, T.

SPONIA. (*Urticaceæ.*) Hanárion, T.

STEPHEGYNE. (*Rubiaceæ.*) Shrubs or small trees with globose inflorescence.
Anítag, T.; Calamansálai, T.; Calamansálan, T.; Calamansánai, T.; Chéche (Nueva Viscaya).

S. DIVERSIFOLIA Hook. Mambób.

S. SPECIOSA Korth. Mambóg.

STERCULIA. (*Sterculiaceæ.*) Large trees or shrubs, with simple, palmately lobed or digitate leaves.

Amláng, T.; Anahánon, B.; Bácan, T; Balabónot; Busáin, V.; Maglolópoy, Z.; Malabunót, T.; Malacacáo, T.; Malaúnot, T.; Panaquitín, T.; Tucán-cálao, T.

S. BALANGHAS Blanco. Balánghas.

S. FŒTIDA L. Leaves digitate. The seeds yield a valuable oil. The flowers have a fœtid odor.

Bañgár, Il.; Bóbog, V.; Calompán, T.; Calúmpag, T.; Calúmpan, Pamp.; Calúmpang, T.; Calúmpang; Calúngpang, T.; Caumpáng (Jolo).

S. OBLONGATA R. Br. Uós, B.

S. RUBIGINOSA Vent. Náto, T.

S. STIPULARIS R. Br. Malabonót.

S. URENS Roxb. Banílad, V., T.

STEROSPERMUM. (*Bignoniaceæ.*) Trees with 1 or 2-pinnate leaves and large lax terminal panicles.

Bíbit-párang; Macatúray; Malacatúray, Z.

S. PINNATUM Rolfe. Bánai-bánai, T.

S. QUADRIPINNATUM F. Vill. Ansóhan, V.; Badlán, V.; Bánai-bánai, T.; Bánai-bánayan, V.; Bánay; Banáyan; Baticulín, T.; Bátlan; Bótong-manóc, T.; Uimbabáon, T.

STREBLUS. (*Urticaceæ.*) Shrubs with small harsh leaves.

Búc-bóc, Pamp.

S. ASPER Lour. Alásis; Alódig, Il., T.; Ámpas, Pamp.; Balañgíquin, Cag.; Bócboc, T.; Bógto-táe, V.; Cacádle, T.; Cálios, T.; Calóis; Calúis, T.; Malaipútai, B.

STREPTOCAULON BAUMII Decne. (*Asclepiadaceæ.*) Twining tomentose shrubby vine.

Dugtúng-áhas, T.; Parongtóng-áhas, T.

STRYCHNOS. (*Loganiaceæ.*) Trees or scandent shrubs. The fruit of several species yield strychnine.

Cabucabuláuan, B.; Malagaráyat, T.; Tálang-índong, B.

S. CELEBICA Koorders. Bugájin, V.

S. IGNATII Berg. Fruit large, spherical, medicinal.

Aguáson, V.; Cabalóñgan, T., Pamp.; Catalóñga, V.; Catbalonga; Dancági, V.; Canlára, V.; Frúta, Sp. Fil.; Igásud, V.; Mana-náog, V.; Pañgaguáson, V.; Pepíta, T.; Pepíta-de-San Ignácio, Sp. Fil.; Pepíta-sa-catbalóñgan, V., T., B., Pamp.

S. MULTIFLORA Benth. Bátul, T.

S. POTATORUM L. f. Camótin, T.

SUMBAVIA ROTTLEROIDES Baill. (*Euphorbiaceæ.*) A tree with stellate pubescence.

Alipáro, T.; Quiráp, T.

SYMPHOREMA LUZONENSIS Vidal. (*Verbenaceæ.*) A scandent shrub with capitate peduncled cymes, with an involucre of 6 bracts. Flowers blue or purple.

Balíbai, Pamp.; Malabuláon, Pamp.; Malascóg, T.; Pamulacláquin, T.

SYMPLOCOS. (*Styracea.*) Trees or shrubs, often drying yellow. Species many in the Philippines.

Calomansóla, T.; Líbas-líbas; Maragahúlo, T.; Matalápay, B.

T.

TABERNÆMONTANA. (*Apocinaceæ.*) Shrubs with milky sap, white flowers, and red fruits; much used in medicine.

Iris, Mang.; Jandayagcót, V.; Sapít-usá (Albay); Talanísoy, B.; Tampúpot, T.; Túncal, V.

T. CUMINGIANA A. DC. Halibutbút, B.

T. GLOBOSA Blanco. Fruit globose.

Bayág-usá, T.

T. PANDACAQUI Poir. Fruit elongated.

Alibúbut, V.; Campópot, T.; Curribuétbuet, Il.; Pandacáguc, T.; Pandacáqui, T., V., Pamp.; Pandáya, V.; Toár, V.

TACCA. (*Taccaceæ.*) Herbaceous plants from a creeping rootstalk, the scape leafless; flowers umbelled.

Parañgisát-it-manatád, V.; Túncut-lañguit, T.

T. PALMATA Blume. Magsalóro, V.

T. PINNATIFIDA Forst.

Canóbong, V.; Magsalóro-ñga-dacú, V.; Panariién, Il.; Panniriién, Il.; Tayóbong, V.

T. RUMPHII, Schauer. Bágong, V.; Bágong-bágong, V.; Canálong, V.

TALAUMA. (*Magnoliaceæ.*) Trees or shrubs with large white flowers and large fruits.

Anúbiong (Tayabas); Cacáo-cacáoan; Macalascálas, B.

T. ANGATENSIS F. Vill. Aníbong, Pamp.; Anóbling, T.; Anúbling, V.; Balicásan, T., V.; Malicascásan, V.

T. VILLARIANA Rolfe. Anóbling, T.

TAMARINDUS INDICA Linn. (*Leguminoseæ.*) A tree with straw-yellow flowers. Seeds embedded in an edible pulp. The tamarind.

Camalágui, V.; Macasampáloc, T.; Salomágue, Il.; Salumágui, Il.; Samalágui, V.; Sambác, B.; Sambág, V.; Sambágui, V.; Sambalágui, V.; Sampalágui, B.; Sampáloc, T., B., Pamp.; Sumalágui, V.; Tamaríndo, Sp. Fil.

TARRIETIA SYLVATICA Merrill. (*Sterculiaceæ.*) Tall tree with leaves white beneath, fruit winged. A valuable timber tree.

Duñgól; Dúñgon; Dúñgón; Dúñgun, T., V.; Duñgún, V.; Palonápin; Palonápoy, Z.; Paronápin, Il.

TAXOTROPHIS ILICIFOLIA Vidal. (*Urticaceæ.*) A small shrub with glossy leaves similar to "holly."

Cúyos-cúyos, V.; Malalimón.

TECTONA GRANDIS L. f. (*Verbenaceæ.*) A large tree, stellate tomentose, leaves large ovate, inflorescence paniculate. Teak

Calayáte, V.; Dalánan, V.; Dalandón, V.; Dalondón, V.; Sagunyáte, V.; Téca, Sp. Fil.; Tída, T.; Yáte, V.

TEPHROSIA. (*Leguminoseæ.*) Herbs or undershrubs.

Dacandáng, V.

T. LUZONENSIS Vogel. Herbaceous, prostrate.
Dagañgdáng, V.; Maasíc, Pamp.; Tágum-tágum, V.; Tayomtayóman, T.

TERMINALIA. (*Combretaceæ.*) Trees with leaves and spicate inflorescence approximate at the ends of the branches.
Aritóngtong, Il.; Balitóson; Bilúng-dalága, T.; Binólo, T.; Binúlo, T.; Calamáyon, T.; Calamittít; Cal-auítit, Il.; Diglás, T.; Dalénse, T.; Dalénsin, T.; Dampól, T.; Dinglás, T.?; Gatásan, T.; Liápa, Z.; Magarapála, T.; Magarílao, T.; Malagahánip, T.; Malaputát, T.; Malasácot, T.; Malatalísay, V.; Nátob, T.; Paitán, T.; Paitán; Sacáp, Z.; Bobosábo, T.; Tagógon, Z.; Tañgísan, T.; Tañgál, B.; Tugó-gong, Z.

T. CALAMANSANAY Rolfe. A tree with winged fruits.
Bancaláguan; Bancaláuag, V.; Bancaláuan, T.; Calamansánai, T.; Lumánog, V.; Malacalúmpit, B.

T. CATAPPA L. Commonly cultivated for shade tree, fruit edible.
Alméndro, Sp. Fil.; Banílac, V.; Dalára; Dalinsí, B.; Calísai, Pamp.; Dalísay (Mindanao); Hintán; Hítam, V.; Lúgo, Il.; Náto, V.; Pandán, Il.; Salaysáy; Salísay; Talísay, T., V., Pamp.

T. EDULIS Blanco. A forest tree, fruit edible.
Calompít, T.; Calumánog, V.; Calumpít, T.; Cótmoc, B.

T. NITENS Presl. Sacát, T.

TERNSTROEMIA. (*Ternstroemiaceæ.*) Glabrous evergreen trees with leathery leaves.
Bítcac, T.; Cianbóg-túgba.

T. TOQUIAN F. Vill. Garamansátay, T.; Toquían, T.

TETRACERA MACROPHYLLA Wall. (*Dilleniaceæ.*) A shrub with rigid scabrid leaves.
Malacatmón, T.

THEMEDA GIGANTEA L. (*Gramineæ.*) A coarse, tufted grass, common in open dry lands.
Talaúyo, T.

THEOBROMA CACAO L. (*Sterculiaceæ.*) A small tree, introduced from America; cacao or chocolate.
Cacáo, Sp.

THESPESIA CAMPYLOSIPHON Rolfe. (*Malvaceæ.*) A tree with large flowers.
Lanútan.

T. MACROPHYLLA Blume. A tree with large flowers, found near the sea coast.
Banága-pulá, T.; Banáro (Pang.); Bannágo, T., V.; Bulacán, V.

T. POPULNEA Corr. Very closely related to the preceding.
Báboi-gúbat, T.; Bábuy, T.; Banálo, T.; Bóboi-gúbat, T.; Búbuy-gúbat, T.; Bulacán, V.; Malibágo, T.; Malasantól, T.

TIMONIUS PHILIPPINENSIS Merrill. (*Rubiaceæ.*) A small tree.
Mayóro; Payále.

TINOSPORA CRISPA Miers. (*Menispermaceæ.*) A climbing shrub with ovate cordate leaves and single or fascicled racemes.
Macabúhai, T.; Paliávan, V.; Panávan, V.; Pañgiávan, V.

TOURNEFORTIA. (*Borraginaceæ.*) Páñgas, Pamp.; Sallocápo, Il.

T. ARGENTEA L. f. A small shrub with thick branches, densely pubescent leaves, and numerous small woolly flowers, found on the seashores.
Balacbálac, V.; Manául, V.

T. SARMENTOSA Lam. A woody. climbing vine.
Calagúñg-úg, V.; Pátai-óod, V.; Sallacápo, Il.

TRACHELOSPERMUM. (*Apocinaceæ.*) Climbing shrubs with white or purplish flowers.
Bayácto, B.

TREMA AMBOINENSIS Blume. (*Urticaceæ.*) Shrub or small tree with tomentose leaves.
Anabíon, V.; Hanárion, T.; Hinagdúng, V.

TRIANTHEMA MONOGYNA L. Áyam, V.; Tostón, T.

TRICHOCARYA. (*Rosaceæ.*) Loctón.

TRICHODESMA ZEYLANICUM R. Br. (*Borraginaceæ.*) A coarse hispid herb.
Mabúlo, T.; Olongáin.

TRICHOGLOTTIS RIGIDA Blume. (*Orchidaceæ.*) An epiphytic orchid.
Sañgúmai, T.

TRICHOSANTHES AMARA L. (*Curcurbitaceæ.*) Búyo-búyo; Caragdá; Igásur.

T. ANGUINA L. A herbaceous, climbing vine, cultivated.
Cucubítan, T., V., Pamp.; Curagdá, V., Pamp.; Hála-hála, T.; Hothót, T.; Pacúpis, T.; Pocotpócot, V., Pamp.; Pucopúcot, V., Pamp.; Salagsálag, T.; Salimpócot, T.

T. GLOBOSA Blume. Calán-um oñac, V.

TRIPHACEA AURANTIOLA Lour. (*Rutaceæ.*) A shrub or small tree.
Limonáto.

T. TRIFOLIATA DC. Limoncíto, Sp.

TRISTELLATEIA AUSTRALASICA A. Rich. (*Malphigiaceæ.*) A scandent shrub with yellow flowers, found near the sea shore.
Bagnít, T.; Báguit, B.; Binusísi, T.; íbud-íbud, V.

TRISTIRA TRIPTERA Radlk. (*Sapindaceæ.*) Large tree.
Cáhoy-dalága; Maladíac.

TRIUMFETTA SEMITRILOBA L. (*Tiliaceæ.*) An herbaceous plant with globose prickly fruits.
Calótang-bilóg; Colótan, T.; Daracót, V.

TURRAEA VIRENS L. (*Burseraceæ.*) A shrub or small tree with axillary peduncles bearing elongated white or yellow flowers.
Iguía.

TYPHA ANGUSTIFOLIA Linn. (*Typhaceæ.*) Common in wet, open soil; "cat tail flag."
Baláñgot, T.; Dilang-butiquí, T.; Homái-homái, V.; Lampacánai, V.

TYPHONIUM DIVARICATUM Decne. (*Aroideæ.*) Tuberous herbs.
Gábi-gabíhan, T.

U.

UNCARIA. (*Rubiaceæ*). Climbing shrubs, the flowers in loose globose heads.
Canáuay, T.; Hagónog; Quiláp, T.

U. ACIDA Roxb. Mampél, V.

U. HOOKERI Vid. Baluclítu (Morong).

UNONA. (*Anonaceæ.*) Trees or shrubs.
Amúyon (Tayabas); Cábog, T.; Cáboy, Súsong calabáo, T.

U. ODORATA (?) DC. Aláyan (Angat).

URENA. (*Malvaceæ.*) Herbs or undershrubs more or less covered with rigid stellate hairs.
Mankít, T.

U. SINUATA L. Flowers pink.
Colótan, T., V., Pamp.; Colót-colótan, T., V., Pamp.; Culuculútan, T.; Culútan; Dalúpan, T., V., Pamp.; Dalúpang, V.; Molopólo, T., V., Pamp.

UROPHYLLUM GLABRUM Jack. (*Rubiaceæ.*) A shrub or small tree.
Doátlo; Maglimócon.

UTRICULARIA FLEXUOSA Vahl. (*Lentibulariaceæ.*) A floating herb with yellow flowers.
Ináta (Bulacan).

UVARIA. (*Anonaceæ.*) Trees or shrubs.
Súsong-damúlag, Pamp.; Tañgísan, T.

U. DULCIS Dunal. Dalagánum, V.; Dalágao, V.

U. OVALIFOLIA Blume. Bulágac, B.

U. PURPUREA Blume. Banáuac, T., V.; Súsong calabao, T., V.

V.

VACCINIUM BARANDANUM Vidal. (*Ericaceæ.*) Shrubs or undershrubs of the higher mountains. The "blue berries" of the United States.
Lúsong (Lepanto).

V. INDUTUM Vidal. Banuáy, Ig.; Bunuáy (Bontoc).

VALLISNERIA SPIRALIS L. (*Hydrocharidaceæ.*) A submerged marine herb with very long linear leaves.
Cíntas-cintásan, T.

VANDA LISSOCHILOIDES Lindl. (*Orchidaceæ.*) An epiphytic orchid.
Sábila, T.

VANGUERIA SPINOSA Roxb. (*Rubiaceæ.*) A shrub or small tree with numerous spines and small edible drupes.
Madondón, T.; Malaásis, T.

VATICA. (*Dipterocarpaceæ.*) Large trees yielding valuable timber.
Bácuog, Pang.; Láuan-na-pulá, T.; Malacbán, T.; Yácal-putí, T.

V. MANGACHAPOI Blanco. Mangachapói, T.

VERNONIA. (*Compositæ.*) Herbs, shrubs or trees.
Aláui, T.; Fangfáñgun, Ig.; Síñgon, Ig.

V. ARBOREA Ham. A small tree with purplish flowers.
Laocpáo, Cag.; Patabuguín (Paragua).

V. CHINENSIS Less. An annual herb.
Bayaquíboc, T.; Hípon-hípon, V.; Lacbóng-lacbóng, V.

V. VIDALII Merrill. Similar to V. arborea, but the leaves densely pubescent.
Malasambóng, T.

VERBENA BONARIENSIS L. (*Verbenaceæ.*) An herb with sessile oblong leaves.
Poléo.

VENTILAGO MADERSPATANA Gaertn. (*Rhamnaceæ.*) A scandent shrub with glabrous leaves, the flowers in simple or paniculate spikes.
Salapão, T.; Silípao, T.

VIBURNUM LUZONICUM Rolfe. (*Caprifoliaceæ.*) A scandent shrub with
Baguiróro, V.; Putúd (Nueva-Viscaya).

V. ODORATISSIMUM Ker. Apíit, Ig.

VIDALIA. (*Guttifereæ.*) Trees with coriaceous leaves.
Cáloc-cátmo; Magaán, B.; Malaságuin-laláque.

V. LEPIDOTA F. Vill. Palo-maría, T.

V. NAVESII F. Vill. Palo-maríang-gúbat, T.

VIGNA. (*Leguminoseæ.*) Herbaceous vines.
Butíñgui.

V. CATJANG Endl. Cultivated, the "cow pea" of the United States.
Balátong, V.; Hamtác, V.; Lastón, V.; Quibal, T.; Sítao (Manila).

VILLARIA PHILIPPINENSIS Rolfe. (*Rubiaceæ.*) Shrubs or trees.
Lasgás, B.

VILLEBRUNEA. (*Urticaceæ.*) Shrubs or trees.
Alipasíao, B.

V. FRUTESCENS Blume. Alámang.

VINCA ROSEA Linn. (*Apocinaceæ.*) A low, erect undershrub with showy white or red flowers, common along the seashore.
Cantótan, T.; Rósas-sa-búbay, V.

VITEX. (*Verbenaceæ.*) Trailing or erect shrubs or large trees.
Amurâong, B.; Baláuen, Pang.; Bulauísan, Il.; Calimántao; Gimubáon, V.; Hamoláuon, V.; Limolímo, Il.; Magúmu (Albay); Malugagnao, V.; Marasagát, Il.; Muláto, T.; Muláuen-babáe; Pananculánan, B.; Salipapá (Albay).

V. AHERNIANA Merrill. A tree with glossy leaves.
Ígang, T.

V. HETEROPHYLLA Roxb. A tree.
Bagóaron, V.

V. LITTORALIS Decne. A large tree, valuable for its timber.
Amuâuan; Amugánan; Amuyáon, Buláon, T., Pamp.; Hamuláon, T., B.; Jamoláuon; Muláon (Iloilo); Moláuin, T.; Moláve, T.; Molávin, T.; Muláuin, T.; Sagád, Il.; Sagát, Il.; Salincápa, Túgas.

V. OBOVATA Thunb. A trailing shrub with obovate unifoliate leaves, common on the seashore.
Agubárao, V.; Gápas-gápas, V.; Lagúndo, T.; Lagundíng-gápang, T.

V. NEGUNDO Linn. An erect shrub with 5-foliate leaves.
Agnocásto, Sp. Fil. Vit.; Lagúndi, T.; Maláwin, T.; Molávin, T.

V. PHILIPPINENSIS Merrill. A tree with large 5-foliate leaves, the petiole broadly foliate margined.
Bulí-cáhoy.

V. TRIFOLIA L. An erect shrub or small tree on seashore.
Dáñgla, Il.; Lagundín-dágat.

VITIS. (*Ampelidaceæ.*) Tendril-bearing woody vines. The grape and the "wood bine" of the United States belongs to this genus.
Súgpon súgpon, V.; Tumintíng, V.

V. CAPRIOLATA Don. Áyo, T.

V. CARNOSA Wall. Alañgíñgi, V.; Áyu, Pamp.; Caguíndi, V.; Calitcálit, T.; Cavílan, T.; Culutpámo, Pamp.; Lagíni, V.; Lañgíñgi, V.; Lúpo, V.; Pacópod, T.

V. GENICULATA Blume. Lóbas, Pamp.; Sampáng, T.

V. LATIFOLIA Roxb. Bíca, T., V.

V. LANCEOLARIA Roxb. Alupídan, V.; Háyoc (Tayabas).

V. QUADRANGULARIS Wall. Dugdúng-áhas, T.; Súgpon-súgpon, V.

V. REPENS W. & A. Piráp-áñgin, Pamp.

VOACANGA. (*Apocinaceæ.*) Shrubs or small trees with large white flowers.
Líta, V.

W.

WALLICHIA TREMULA Mart (?). (*Palmeæ.*) Dayáca, T.; Dumayáca, T.

WALSURA ROBUSTA Roxb. (*Meliaceæ.*) A large tree.
Galamíny-amúc, B.; Palíng-huái, B.

WEBERA. (*Rubiaceæ.*) Trees or shrubs.
Malacafé (Tayabas).

WEDELIA. (*Compositæ.*) A clambering herbaceous plant with yellow flowers.
Hagónay, T.

WEINMANNIA LUZONIENSIS Vidal. (*Saxafragaceæ.*) Sáyo, Ig.

WENDLANOIA LUZONIENSIS DC. (*Rubiaceæ.*) A shrub or small tree.
Ladcó, Ig.; Lasália.

WIKSTROEMIA INDICA Mey. (*Thymeliaceæ.*) A shrub with subopposite leaves and flowers in terminal subsessile fasciles.
Malasampága, T.; Salágo, T., V.

W. OVATA Mey. Arandón, Il.

WOLFFIA SCHLEIDENI Miq. (*Lemmaceæ.*) Minute floating scale-like plant.
Dúgmán, V.; Lia, T.

WORMIA LUZONENSIS Vidal. (*Dilleniaceæ.*) A tree with large flowers in terminal racemes or panicles.
Pañgilínon, Z.; Paniñguinón, Z.

WRIGHTIA (?). (*Apocinaceæ.*) Trees.
Batéte.

W. OVATA A. DC. A tree with pubescent leaves, milky sap, and pink flowers, yielding a valuable timber.
Alanóti; Anótong (Zambales); Lamísi, C.; Lanéte, T.; Laníti, T.; Lanúsi, Cag.; Lanúti, Il.; Loñgáyan; Loníti.

X.

XANTHOPHYLLUM. (*Polygalaceæ.*) Trees with usually yellowish green leaves.
Bánig (Morong); Dáyap-gúbat, V.; Mogbóc, V.

XANTHOSTEMON VERDERGONIANUS Naves. (*Myrtaceæ.*) A large tree with exceedingly hard wood.
Mancóno, V.; Palo-de-hiérro, V.

XEROTES LONGIFOLIA R. Br. (*Juncaceæ.*) Rush-like plants.
Dúat, T.